C Serial No. 239

DEPARTMENT OF COMMERCE

U. S. COAST AND GEODETIC SURVEY

E. LESTER JONES, DIRECTOR

# RESULTS OF OBSERVATIONS MADE AT THE UNITED STATES COAST AND GEODETIC SURVEY MAGNETIC OBSERVATORY AT VIEQUES, P. R., 1919 AND 1920

BY

DANIEL L. HAZARD

Assistant Chief, Division of Terrestrial Magnetism



#### PRICE, 20 CENTS

Sold only by the Superintendent of Documents, Government Printing Office Washington, D. C.

WASHINGTON
GOVERNMENT PRINTING OFFICE
1923

The second second

# DEPARTMENT OF COMMERCE

U. S. COAST AND GEODETIC SURVEY

E. LESTER JONES, DIRECTOR

# RESULTS OF OBSERVATIONS MADE AT THE UNITED STATES COAST AND GEODETIC SURVEY MAGNETIC OBSERVATORY AT VIEQUES, P. R., 1919 AND 1920

BY

#### DANIEL L. HAZARD

Assistant Chief, Division of Terrestrial Magnetism



#### PRICE, 20 CENTS

Sold only by the Superintendent of Documents, Government Printing Office Washington, D. C.

WASHINGTON
GOVERNMENT PRINTING OFFICE

Proposition of Husery

# RESULTS OF OBSERVATIONS MADE AT THE UNITED STATES COAST AND GEODETIC SURVEY MAGNETIC OBSERVATORY AT VIEQUES, PORTO RICO, IN 1919 AND 1920.

#### CONTENTS.

	Page.
Introduction	1
Instruments	
Constants of the magnetograph.	
Absolute observations and base-line values	4
Diurnal variation	9
Summaries of monthly and annual means	24
Hourly values of declination	25, 61
Hourly values of horizontal intensity	
Hourly values of vertical intensity	49,85
Earthquakes	
Magnetic storms	

#### ILLUSTRATIONS.

Figs. 1-20. Reproductions of magnetograms showing principal magnetic storms.

#### INTRODUCTION.

[Latitude 18° 08'.8 N; longitude, 65° 26'.9 W; elevation, 20 meters (65 feet).]

In February, 1903, a magnetograph was installed in a room in Fort Isabel Segunda, on Vieques Island, P. R., and variation observations were continued there until April, 1907. At that time, suitable buildings having been constructed for the observatory work, the instruments were transferred to the new site, about five-eighths of a mile (1 km.) west of the old fort. A general description of the new building will be found in the Results for 1907 and 1908. The methods of observing are explained in Directions for Magnetic Measurements by D. L. Hazard, published in 1911 (second edition in 1921). The division of terrestrial magnetism of the U. S. Coast and Geo-

The division of terrestrial magnetism of the U. S. Coast and Geodetic Survey, of which N. H. Heck, hydrographic and geodetic engineer, is chief, includes both the office and field work. The office computations and preparation of the results for publication were in charge of the writer, assisted by W. N. McFarland, Frank Neumann, and O. S. Hill, computers. The work of the observatory was carried on by Wallace M. Hill, magnetic observer, for all of 1919 and 1920, except for two months in 1920, when W. W. Merrymon, magnetic observer, was in charge.

Up to the end of 1914 each hourly value of declination, horizontal intensity, or vertical intensity in the monthly tabulations represented the momentary value of the quantity for the specified hour, local mean time. Beginning with 1915 the published hourly values are average values for successive periods of an hour, beginning at midnight of the specified standard meridian (sixtieth in the case of Vieques). Thus, a value in the column headed 1 represents the

average value for the hour beginning at midnight and ending at 1 a. m., sixtieth meridian mean time.

#### INSTRUMENTS.

#### VARIATION INSTRUMENTS.

The magnetograph is of the Eschenhagen pattern and consists of a recording apparatus and declination (D), horizontal intensity (H), and vertical intensity (Z) variometers. Increasing ordinates (upward motion of the curves) correspond to increasing west declination, increasing H and increasing Z. Variations in temperature were obtained from the record of the photographically recording thermograph inclosed in the Z variometer. The seasonal variation was small and the range in the course of a day was ordinarily not more than two or three tenths of a degree.

Monthly and annual range of temperature (centigrade).

		19	19		1920			
Month.	Maxi- mum.	Mini- mum.	Mean	Range.	Maxi- mum.	Mini- mum.	Mean.	Range.
and the state of t				0			٥	
fanuaryFebruaryMarchAprilMay	27. 5 27. 5 27. 7	24. 5 24. 3 23. 7 25. 2 25. 6 27. 4	25. 8 25. 9 25. 9 26. 8 27. 8 28. 4	2. 2 3. 2 3. 8 2. 5 3. 3 2. 0	26. 6 26. 5 26. 8 27. 4 28. 8 28. 6	23. 8 24. 9 25. 1 25. 5 27. 0 27. 3	25. 3 25. 7 25. 9 26. 6 27. 7 27. 8	2. 8 1. 6 1. 7 1. 8 1. 8
fuly. August September. October. November.	28. 8 28. 2 28. 0	26. 9 27. 9 27. 4 27. 3 25. 1 25. 0	28. 2 28. 6 28. 0 27. 8 27. 0 26. 2	1.9 1.3 1.4 .9 2.9 2.5	29. 0 29. 2 29. 3 29. 1 28. 2 27. 5	27. 5 27. 8 27. 6 27. 3 27. 2 25. 6	28. 2 28. 5 28. 6 28. 5 27. 7 26. 5	1. d 1. d 1. d 1. d 1. d
Year	29. 4	23.7	27. 2	5. 7	29, 3	23, 8	27. 2	5.

#### ABSOLUTE INSTRUMENTS.

India magnetic survey pattern magnetometer No. 31; Schulze

earth inductor No. 1:

Seismograph.—A Bosch-Omori seismograph was kept in continuous operation. The recorded earthquakes will be found tabulated on pages 97–99.

Time.—Observations were made about once a week with a sextant,

using the method of equal altitudes of the sun.

#### CONSTANTS OF THE MAGNETOGRAPH,

#### DECLINATION.

Scale value.—One millimeter on the magnetogram = 1'.02.

#### HORIZONTAL INTESNITY.

Scale value.—Deflection observations at two distances were made once a month. The results show the usual variation of scale value with ordinate, represented by the following formulas, in which h is the ordinate in millimeters.

March 31 to December 31, 1919	$\epsilon_h = 2.49 \gamma + 0.005 h$
January 1 to March 31, 1920	$\epsilon_h = 2.49 \gamma + .005 h$
March 31 to May 29, 1920	$\epsilon_h = 2.58 \gamma + .005 h$
May 30 to August 30, 1920	
August 31 to October 1, 1920	
October 2 to November 1, 1920	
November 2 to December 31, 1920.	

For the first three months of 1919 the results indicate that the H variometer was not entirely free during the deflection observations, but the ordinary daily motion was probably not restricted; so the adopted scale values were based on the formula derived for the rest of the year, using the mean ordinate for the month in each case.

H scale value.

Date.	ħ	Ob- served.	Adopted.	Date.	h	Ob- served.	Adopted.
1919. Jan. 2 Jan. 4 Jan. 30 Feb. 28	-20.0	γ 2. 62 2. 31 2. 56 2. 59	γ 2, 39 2, 39 2, 39 2, 39 2, 39	1920. Jan. 31. Mar. 1. Mar. 31. Apr. 3.	mm. -36. 8 -42. 9 -44. 3 -10. 5	7 2. 34 2. 27 2. 31 2. 50	7 2. 31 2. 26 2. 24 2. 44
Mar. 6	-22.2	2. 80 2. 37 2. 42 2. 40	2. 38 2. 38 2. 36 2. 34	May 1. June 3. July 1. July 30.	$     \begin{array}{r}       -15.3 \\       -20.6 \\       -29.3 \\       -33.0     \end{array} $	2. 52 2. 38 2. 33 2. 34	2. 44 2. 33 2. 31 2. 31
June 30		2.37 2.37 2.32 2.29	2, 32 2, 32 2, 29 2, 29	Aug. 30 Aug. 31 Oct. 1 Nov. 1	$ \begin{array}{r} -48.4 \\ -2.8 \\ -20.4 \\ 64.8 \end{array} $	2, 32 2, 51 2, 51 2, 51	2, 29 2, 51 2, 51 2, 44
Oct. 1		2. 38 2. 30 2. 31 2. 34	2. 28 2. 28 2. 31 2. 31	Nov. 30 Dec. 31	31. 1 30. 4	2. 45 2. 43	2. 44 2. 44

Temperature coefficient.—The value determined for 1918 was used: q=0.00027 or 7.5  $\gamma$  for 1° C.

#### VERTICAL INTENSITY.

Scale value.—Deflection observations at two distances were made at least once a month. A factor of the form  $\left(1 + \frac{P}{r^2}\right)$  was introduced in the computation formula to take account of the dissimilarity in the form of the D and Z magnets. The same value of P, namely 44.4,

was used as in previous years and the results for the two distances

show satisfactory agreement.

Changes of scale value occurred on October 31, December 1, and December 31, 1919, and August 31, October 2, October 31, November 4, November 14, November 22, November 30, and December 31, 1920, caused in most cases by the scale value deflections. For the period between November 30 and December 31, 1920, the mean of the scale values determined on those dates was used.

Z scale value.

Date.	Short distance.	Long distance.	Adopted.	Date.	Short distance.	Long distance.	Adopted.
Jan. 2 Jan. 4 Jan. 30 Feb. 28 Mar. 6 Mar. 31 Apr. 30 May 31 June 30 July 31	5. 03 5. 19 5. 21 5. 16 5. 84 4. 96 4. 40	74. 73 4. 89 5. 22 5. 11 5. 34 5. 52 5. 07 4. 48 5. 18 5. 26	7 4. 71 4. 96 5. 21 5. 21 5. 21 5. 21 5. 21 5. 21 5. 21 5. 21 5. 21 5. 21	1920.  Jan. 31  Mar. 1  Mar. 31  May 1  Juhe 3  July 1  July 30  Aug. 30  Aug. 31  Oct. 1	5. 26 5. 27 5. 34 5. 17	5. 19 5. 16 5. 24 5. 33 5. 29 5. 19 5. 49 4. 50 5. 24	7 5. 15 5. 20 5. 23 5. 28 5. 32 5. 36 5. 39 5. 26 4. 51
Aug. 30. Oct. 1. Oct. 31. Dec. 1. Dec. 31.	5. 40 5. 21	5. 33 5. 52 5. 29 4. 52 5. 14	5. 21 5. 21 5. 21 4. 51 5. 12	Nov. 1 Nov. 10 Nov. 16 Nov. 30 Dec. 31	6. 90 4. 21 4. 64 4. 58 7. 11	6. 99 4. 27 4. 64 4. 52 7. 10	6. 94 4. 24 4. 64 4. 55 7. 10

Temperature coefficient.—The same value was used as in previous years, namely: q = 0.000175 or  $6 \gamma$  for 1°C.

#### ABSOLUTE OBSERVATIONS AND BASE-LINE VALUES.

#### DECLINATION.

Absolute observations were made once a week, a day's observations consisting of four sets. There were abrupt changes of base line, due to adjustments, on January 2, March 5, July 31, December 4, 1919; August 31, October 19, November 4, November 12, and November 30, 1920. There was a change between September 1 and September 5, 1919, which was apparently a gradual drift. There was also a gradual change between October 21 and December 4, 1919. From February 10 to March 5, 1919, the variometer was not entirely free and the record for that period had to be rejected.

#### Declination base-line values.

[3° west plus tabular minutes.]

Date.	Observed.	Adopted.	Date.	Observed.	Adopted.	Date.	Observed.	Adopted.
1919. Jan. 6 Jan. 13	06. 8 7. 0	06. 9 6. 9	1919. Sept. 15 Sept. 22	05. 6 5. 7	05. 6 5. 6	1920. May 5 May 11	10. 1 10. 0	10. 1 10. 1
Jan. 13 Jan. 20 Jan. 27	6.8 7.1	6.9 6.9	Sept. 30 Oct. 7	5. 5	5.6	May 18 May 25	10. 0 10. 2 10. 1	10. 1 10. 1 10. 1
Feb. 3 Feb. 10 Feb. 17	6. 8 7. 8 8. 8	6.9	Oct. 13 Oct. 20 Oct. 27	5. 6 5. 5 5. 1	5. 6 5. 6 4. 9	June 29 June 30	10. 1 10. 0	10. 1 10. 1
Feb. 24 Mar. 3 Mar. 10	9. 5 9. 3 7. 8	7,8	Nov. 3 Nov. 10 Nov. 17	4. 2 3. 8 2. 9	4. 2 3. 5 3. 2	July 2 July 3 July 28 July 30	9. 8 10. 1 10. 2 9. 9	10. 0 10. 0 10. 0 10. 0
Mar. 17 Mar. 24	7. 8 7. 4	7. 6 7. 4	Nov. 24 Dec. 2	3. 2 4. 3	3. 4	Aug. 5 Aug. 12	10. 2 10. 0	9. 9 9. 9
Apr. 1 Apr. 8 Apr. 14	7. 0 6. 6 7. 1	7. 2 7. 2 7. 1	Dec. 8 Dec. 18 Dec. 24	10. 0 10. 0 9. 9	10. 0 10. 0 10. 0	Aug. 19 Aug. 26	9. 3 9. 6	9. 9 9. 9
Apr. 21 Apr. 28 May 5	7. 3 7. 0 6. 8	7. 0 7. 0 6. 9	Dec. 30 1920. Jan. 7	10. 2	10. 0	Sept. 2 Sept. 9 Sept. 17 Sept. 24	25. 2 25. 8 25. 0 26. 1	25. 6 25. 6 25. 6 25. 6
May 12 May 19 May 26	7.1 6.8 6.6	6. 9 6. 9 6. 9	Jan. 13 Jan. 20 Jan. 27	10. 2 10. 3 10. 1	10. 1 10. 1 10. 1	Oct. 4 Oct. 11	25. 7 25. 6	25. 6 25. 6
June 2 June 9	7. 0 7. 2	6.9 6.9	Feb. 3 Feb. 10	10. 0 10. 2	10. 2 10. 2	Oct. 19 Oct. 25	20. 1 19. 7	19. 9 19. 9
June 17 June 23 July 1	6.8 6.8 6.9	6.9 6.9 6.9	Feb. 18 Feb. 25	10. 0 10. 0	10. 2 10. 2	Nov. 2 Nov. 8 Nov. 15 Nov. 17	19. 9 18. 8 19. 8 19. 7	19. 9 18. 7 19. 9 19. 9
July 7 July 14 July 21	7. 1 7. 2 6. 7	6.9 6.9 6.9	Mar. 9 Mar. 16 Mar. 23	10. 2 10. 3 10. 4 10. 1	10. 2 10. 2 10. 2	Nov. 22 Nov. 29	20. 0 19. 9	19. 9 19. 9
July 28 Aug. 4	6.6	6. 9 7. 7	Mar. 27 Mar. 29	10. 4 10. 2	10. 2 10. 2	Dec. 6 Dec. 7 Dec. 13	20. 4 20. 4 20. 2	20. 3 20. 3 20. 3
Aug. 15 Aug. 20 Aug. 26	7. 7 7. 8 7. 6	7. 7 7. 7 7. 7	Apr. 6 Apr. 13 Apr. 20 Apr. 28	10. 1 10. 2 10. 2 10. 3	10. 2 10. 2 10. 2 10. 2	Dec. 14 Dec. 20 Dec. 21 Dec. 27	20. 6 20. 5 20. 3 20. 2	20. 3 20. 3 20. 3 20. 3
Sept. 2 Sept. 9	6. 2 6. 6	6.3 5.6	Apr. 29	10. 3	10. 2	Dec. 28	20. 3	20. 3

#### HORIZONTAL INTENSITY.

Absolute observations were made once a week, a day's observations comprising two sets. Each set consisted of two sets of deflections at two distances between two sets of oscillations. Changes of base-line value, due to changes of adjustment or other causes, occurred as follows:

Abrupt changes of H base-line value.

Date.	Hour.	Amount.	Cause.
1919. Tan. 4	13-14	γ + 11	Adjusted level.
1920. Mar. 31	23-24 16-17 11-12	$\begin{array}{c} - 63 \\ + 6 \\ -100 \\ -140 \\ + 41 \\ - 28 \\ + 31 \end{array}$	Adjusted by torsion. Adjusted. Do. Adjusted fixed mirror. Do. Adjusted Z. Do.

Beginning with 1913 the results of horizontal intensity observations made by this bureau have been reduced to the international standard of the Department of Terrestrial Magnetism of the Carnegie Institution of Washington. Intensity results for years prior to 1913 must be diminished by 1 part in 1,000 to reduce them to that standard. In the table of annual means on page 24 this correction has been applied. Horizontal intensity results with magnetometer No. 31 in 1919 and 1920 have been diminished by 20  $\gamma$  to reduce them to that standard.

H base-line values at 20° C.

					(			
Date.	Ob- served.	Adopted.	Date.	Ob- served.	Adopted.	Date.	Ob- served.	Adopted.
1919	$\frac{\gamma}{27928}$	γ	1919.	γ	γ	1920.	$\frac{\gamma}{27913}$	γ
Jan. 6	27928	27922	Aug. 4	$\frac{7}{27930}$	27920	Mar. 9		γ 27906
Top 12	910	922 922	Aug. 15	918	920	Mar. 16	923	906
Jan. 13	930 931	922	A 110 90	912 917	920	Mar. 16	931 <b>9</b> 06	906 906
Jan. 20	911	922	Aug. 20	917	919 919	Mar. 29	891	906
Jan. 20	919	922	Aug. 26	922	919	Man. 23	906	906
Jan. 27	916	922	Mug. 20	920	919		300	300
	920	922		020	010	Apr. 6	846	844
			Sept. 2	914	918	_	841	844
Feb. 3	922	920		914	918	Apr. 13	823	845
	922	920	Sept. 9	916	917		839	845
Feb. 10	926	920	~	925	917	Apr. 20	842	846
TO 1. 47	919	920	Sept. 15	915	916	1 00	851	846
Feb. 17	905	920	00	920	916	Apr. 29	852	848
Feb. 24	916 917	920 920	Sept. 22	913 911	915 915		829	848
160.24	916	920	Sept. 30	912	914	May 5	862	849
	510	320	Sept. 30	897	914	may o	854	849
Mar. 3	921	920		651	011	May 11	841	851
22021011111	914	920	Oct. 7	902	912	2203	846	851
Mar. 10	909	920		914	912	May 18	861	852
	917	920	Oct. 13	921	911	į į	849	852
Mar. 17	925	920	]	909	911	May 25	854	853
	923	920	Oct. 20	916	910		854	853
Mar. 24	912	920	1	918	910			
	915	920	Oct. 27	920	909	June 2	865	859
A 1	918	920		913	909	Tuna 0	853	859
Apr. 1	918	920	Nov. 3	904	908	June 8 June 29	855 869	859 857
Apr. 8	919	920	1100.5	914	908	June 30	865	857
11p1. 0	920	920	Nov. 10	897	908	June ou	853	857
Apr. 14	902	920	1101110	896	908	1	000	
	910	920	Nov. 17	906	907	July 2	855	856
Apr. 21	924	920	I	908	907	July 3	858	856
	924	920	Nov. 24	908	907	July 28	853	856
Apr. 28	912	920		911	907	July 30	855	856
	929	920	70 0	000	000		055	0.50
Morr F	001	020	Dec. 2	903	906	Aug. 5	855	856
May 5	921 921	920 920	Dec. 8	902 905	906	Aug. 12	855 854	856 856
May 12	915	920	Dec. 8	911	906	Aug. 19 Aug. 26	856	856
May 14	922	920	Dec. 18	893	906	2145. 20	860	856
May 19	924	920		900	906			
	929	920	Dec. 24	905	906	Sept. 2	754	756
May 26	933	920	100	914	906	Sept. 9	758	754
	940	920	Dec. 30	902	906	Sept. 17 Sept. 24	745	751
T 0	010	000	1000	912	903	Sept. 24	745	749
June 2	910	920	1920.	500	000	Oct 4	211	000
June 9	921 915	920	Jan. 7	899	906 906	Oct. 4 Oct. 11	611 609	606
anne a	915	920 920	Jan. 13	898 901	906	Oct. 11	606	606
June 17		920	v dan. 10	910	906	Oct. 19 Oct. 25	598	606
vanc iii	914	920	Jan. 20	908	906	000.20	000	000
June 24		920	0 (411. 20. 21. 1	908	906	Nov. 2	647	647
	913	920	Jan. 27	896	906	Nov. 8	619	619
	l	1		906	906	Nov. 15	641	650
July 1	916	920				Nov. 17	657	650
~ . ~	924	920	Feb. 3		906	Nov. 22	658	650
July 7	921	920	73-7- 10	918	906	Nov. 29	649	650
Trales 14	929	920	Feb. 10		906	Dec 6	640	0=0
July 14	918 925	920	Fab 10	919	906 906	Dec. 6 Dec. 7	649 651	650 650
July 21		920 920	Feb. 18	911 910	906	Doc 13	640	650
oury Li	921	920	Feb. 25	919	906	Dec. 14	645	650
July 28		920	2 60. 40	908	906	Dec. 14 Dec. 20 Dec. 21 Dec. 27	654	650
	920	920		300	1	Dec. 21	659	650
	1	1	Mar. 2	907	906	Dec. 27	653	650
Aug. 4	920	920	Mar. 2	908	906	Dec. 28		650

#### VERTICAL INTENSITY.

Absolute observations of dip were made once a week, a day's observations usually consisting of two sets. The results have been reduced by 0'.9 to refer them to the standard earth inductor at Cheltenham.

In addition to the abrupt changes of base-line value due to adjustments or other causes, there was usually a more or less rapid drift in progress.

Abrupt changes of Z base-line value.

Date.	Hour.	Amount.	Cause.	Date.	Hour.	Amount.	Cause.
1919. Jan. 2. Jan. 4. Mar. 6. Do Apr. 2. Apr. 30. May 16. May 31. Aug. 30. Oct. 31. Dec. 1. Dec. 31.	15-16 11-12 17-20 9-10 11-12 8- 9 10-11 11-12 11-12 9-10	$\begin{array}{c} \gamma \\ +17 \\ -11 \\ +83 \\ -22 \\ +120 \\ +34 \\ +6 \\ +44 \\ +15 \\ +34 \\ -29 \\ +8 \end{array}$	Deflections. Do. Adjusted. Do. Adjusted fixed mirror. Deflections.  Adjusted thermograph. Deflections. Do. Do. Do. Do. Do.	1920. May 1 May 29 July 1 Aug. 30 Aug. 31. Oct. 1-2. Nov. 1. Nov. 4 Nov. 12-14. Nov. 16. Nov. 22. Nov. 30. Dec. 31	10-11 11-12 17- 16-17 9-10 9-10 14-15 8-9 11-12	$\begin{array}{c} \gamma \\ +15 \\ +15 \\ +15 \\ \end{array}$ $\begin{array}{c} +36 \\ +89 \\ +30 \\ -115 \\ +126 \\ +61 \\ -161 \\ +34 \\ +15 \\ +86 \\ +263 \\ \end{array}$	Deflections. Adjusted therm graph. Deflections. Adjusted. Unknown. Several adjustments Adjusted. New pivots. Several adjustments Deflections. Jarred. Adjusted. Deflections.

Z base-line values at 20° C.

Date.	Ob- served.	Adopted.	Date.	Ob- served.	Adopted.	Date.	Ob- served.	Adopted.
1919.	γ	γ	1919.	γ	γ	1920.	γ	γ
Jan. 7	$\frac{\gamma}{34516}$	γ 34520	Aug. 27	$\frac{\gamma}{34856}$	34651	Apr. 21	$\begin{array}{c} \gamma \\ 34601 \\ 605 \end{array}$	γ 34584
Jan. 14	523 506	520 513		654	651	Apr. 30	562	584 584
	522	513	Sept. 8	636	648		572	584
Jan. 21	505	506	0 - 1 10	644	648	Mars 6	F70	<b>500</b>
Jan. 28	$\frac{542}{547}$	506 499	Sept. 13	652 644	648 648	May 6	578 589	598 598
201111	485	499	Sept. 17	647	648	May 12	590	597
Tob 4	400	402	Sant 94	647	648	May 19	587	597 596
Feb. 4	463 481	492 492	Sept. 24	635 6 <b>5</b> 3	648 648	May 19	583 595	596 596
Feb. 11	467	485				May 26	594	594
Feb. 18	$\frac{480}{443}$	485	Oct. 2	$\frac{674}{658}$	648 648		599	594
160. 10	473	478 478	Oct. 8	657	648	June 4	609	608
Feb. 25	447	471		645	648		612	608
	476	471	Oct. 14	684 661	648 648	June 9	603 607	607 607
Mar. 4	474	468	Oct. 21	642	648	June 16	601	605
	502	468	Oct. 22	646	648	Tune 94	612	605
Mar. 11 Mar. 15	$\frac{502}{514}$	519 511	Oct. 28	650 650	648 648	June 24	595 598	604 604
Mar. 18	507	505				_		
Man 0"	509	505	Nov. 4	663	675 675	July 1	580 630	602 638
Mar. 25	477 482	485 485	Nov. 11	$\begin{array}{c} 669 \\ 662 \end{array}$	661	July 9	606	627
			Nov. 12	656	660		623	627
Apr. 3	585	597	Nov. 18	642	654	July 10	620 616	627 626
Apr. 9	605 599	597 595	Nov. 26	635 643	654 652	July 29	622	619
	595	595	-1077 201111	661	652	July 30	615	619
Apr. 15	556	593	Dec. 3	200	610		625	619
Apr. 22	568 599	593 590	Dec. 5	628 607	618 618	Aug. 5	621	617
-	612	590	Dee. 9	600	606		622	617
Apr. 29	590 590	588 588	Dec. 19	606 589	606 596	Aug. 12	$\frac{624}{623}$	615 615
	590	1		602	596	Aug. 19	613	612
May 6	624	621	Dec. 26	586	589	A 90	612	612
May 13	628 563	621 618	Dec. 28	590	587	Aug. 26	613 611	611 611
	617	618	1920.					
May 20	619	622 622	Jan. 2	607	598	Sept 2	741 743	735
May 27	637 614	618	Jan. 8	608 592	598 592 •	Sept. 9	754	735 752
	618	618		593	592	-	757	752
June 3	679	655	Jan. 14	575 583	591 591	Sept. 17 Sept. 24	742 779	767 774
	642	655	Jan. 21	591	590			
June 10	637	641		593	590	Oct. 4	661	667
June 16	640 638	641 635	Jan. 28	592 587	590 590	Oct. 11 Oct. 19	675 681	# 674 681
	630	635				Oct. 25	680	685
June 24	612 635	631 631	Feb. 4	585 590	589	Nov. 2	800	910
	055	051	Feb. 12	588	589	Nov. 8	875	810 868
July 2	620	630	1	584	589	Nov. 15	714	715
July 8	639 614	630 631	Feb. 19	583 581	588 588	Nov. 18 Nov. 22	766 801	763 801
July 5	634	631	Feb. 24	594	588	Nov. 29	812	815
July 15	622	634		600	588	D - C		
July 22	639 636	634 638	Mar. 3	594	587	Dec. 6	648 661	648 653
	643	638		596	587	Dec. 13	657	668
July 30	640	642	Mar. 17	587	586	Dec. 14	672	671
July 31	650	642	Mar. 30	597 597	586 586	Dec. 20 Dec. 21	686 689	686 689
Aug. 5	649	644		598	586	Dec. 21	710	703
A 1107 16	644	644 648	Apr 7	579	585	Dec. 30	712	711
Aug. 16	647 649	648	Apr. 7	595	585 585			
Aug. 21	650	649	Apr. 14	591	585			
	659	649	1	603	585	1		

#### DIURNAL VARIATION.

The following tables present the diurnal variation of declination (D), horizontal intensity (H), vertical intensity (Z), north component (X), east component (Y), dip (I) and total intensity (F) for each month, based on the hourly means for the 10 least disturbed days. The tabular quantities refer approximately to the middle of the hour, sixtieth meridian mean time, since they are based on the average ordinate for the hour. A plus sign indicates an hourly value greater than the mean for the day. D and Y, since they are considered positive for east declination, are negative at Porto Rico. Consequently, in the tables showing the diurnal variation of D and Y, a plus sign indicates an hourly value numerically less but algebraically greater than the mean for the day. The variations in X, Y, I, and F were computed from the variations in D, H, and Z by means of the formulas:

 $\begin{array}{l} \Delta X\!=\!0.541\Delta D\!+\!0.998\Delta H \\ \Delta Y\!=\!8.067\Delta D\!-\!0.067\Delta H \\ \Delta I =\!0.048\Delta Z\!-\!0.060\Delta H \\ \Delta F =\!0.782\Delta Z\!+\!0.628\Delta H \end{array}$ 

The process of deriving the variations of X,Y,I, and F has been very much simplified by the use of a graphic method devised by one of the computers, Frank Neumann. The above equations taken in pairs are similar in form to the equations for transferring from a system of rectangular coordinates to a system of oblique coordinates, the origin remaining the same. Therefore in the case of the first pair of equations if  $\Delta H$  and  $\Delta D$  be considered as the coordinates of a point in the rectangular system, it is possible to derive an oblique system in which the coordinates will be  $\Delta X$  and  $\Delta Y$ . The same is true of

the second pair of equations.

A mathematical construction of such a system involves the determination of the angles which the oblique axes make with the rectangular axes and the relation of the lengths of unit magnitudes on the four axes. In practice it is more convenient to construct the system graphically by plotting a sufficient number of points to determine the position of the oblique axes and the relative length of the units in the oblique system. If accurate cross-section paper (with lines about 3 mm. apart) be used it is a simple matter to plot a point in the rectangular system, taking one division on the paper equal to  $1 \gamma$  or 0'.1, and its coordinates in the oblique system can then be read off directly with the aid of suitable scales. In practice the taking of these readings is very much simplified, as follows:

On the graph draw lines parallel to the oblique axis at intervals corresponding to  $10\gamma$ ; it will then only be necessary to have scales

 $10\gamma$  long.

Cut a piece of cardboard with two straight edges making an angle

equal to the angle between the oblique axes.

Lay off on these two edges, from their intersection, distances corresponding to  $10\gamma$  in the oblique system, and divide them into 1

Attach this cardboard to a device involving the principle of a universal drafting instrument, so that when one end of the device is fixed in position by thumb tacks or weights the scales will always be parallel to the oblique axes of the graph, and can be moved to

any point on it. Such a device can easily be made with several strips of strong cardboard or aluminum and a few eyelets.

As the scales are to be read in opposite directions on opposite sides of the axes, it is advisable to number them in black in the positive

direction and in red in the negative direction.

The dimensions of the graphs will depend upon the maximum values of  $\Delta D$ ,  $\Delta H$ , and  $\Delta Z$ . The number of years for which a graph may be used will depend upon the secular change of the magnetic elements and the daily range. Unless these are unusually large the same graph may be used for at least four years without appreciable error, using the mean values of the magnetic elements for the whole period to derive the coefficients of the differential equations on which the graph is based.

An idea of the saving of time and labor effected by this method may be obtained from a consideration of the fact that the preparation of monthly diurnal variation tables for a year involves the computation of 1,728 quantities, each one of which would require two multiplications and an addition if the graphical method was not used.

Mean results are also given for groups of four months, as indicated by the roman numerals at the head of the columns: I, January, February, November, December; II, March, April, September, October;

III, May, June, July, August.

No correction for noncyclic change has been applied, but an effort has been made, when selecting the 10 days, to keep the effect small by avoiding days of marked noncyclic change such as usually occur immediately after a severe magnetic disturbance. Until the character of the noncyclic change has been more definitely determined and a uniform method of correcting for it has been adopted, it is believed that the uncorrected values can be used to better advantage by any one engaged on special investigations than more or less arbitrarily corrected ones.

An idea of the amount of the noncyclic change on the 10 selected quiet days may be obtained from the following table, derived in the same manner as the one for the five international quiet days. The two differences are given separately in order to show the uncertainty of the values.

# Amount of noncyclic change.

#### [Ten selected quiet days.]

Month.		1919							1920				
Month.	D		Н		Z		D		H		Z		
JanuaryFebruaryMarchApril	+0.02 +.13 +.08 +.13	0.00 +.07 +.20 +.10	$\begin{array}{c} 7 \\ +4.1 \\ +1.2 \\ +10.0 \\ +2.9 \end{array}$	$\begin{pmatrix} 7 \\ +4.0 \\ +1.5 \\ +10.2 \\ +3.1 \end{pmatrix}$	$ \begin{array}{r}     -1.6 \\     -2.0 \\     +.3 \\     +1.4 \end{array} $	$ \begin{array}{c}     7 \\     -0.3 \\     -1.6 \\     +.9 \\     +1.5 \end{array} $	-0.05 06 +.11 +.02	+0.08 01 +.11 +.03	+4.4  +.5  +5.3  +4.0	$\begin{array}{c} +4.0 \\ +2.2 \\ +5.0 \\ +4.1 \end{array}$	-1.5 $-1.5$ $-1.6$ $-1.7$	$\begin{array}{c} 7 \\ -1.5 \\ -1.6 \\ -1.9 \\ -1.2 \end{array}$	
May June July August	06 +.03 +.01 +.03	07 +.09 06 02	$ \begin{array}{r} +4.3 \\ -1.3 \\ +1.8 \\ +6.3 \end{array} $	+5.0 $-1.1$ $+2.2$ $+5.7$	$ \begin{array}{r} -2.5 \\ +2.2 \\4 \\ -1.7 \end{array} $	-1.8 8 1 -1.5	$^{+.01}_{+.04}$ $^{.00}_{+.02}$	.00 +.08 11 08	$+3.3 \\ +1.7 \\ +.5 \\ +3.7$	$+2.1 \\ +3.5 \\ +1.3 \\ +4.7$	$ \begin{array}{c}7 \\ +.7 \\ -2.6 \\ -1.7 \end{array} $	$     \begin{array}{r}       -1.3 \\       +1.7 \\       -1.9 \\       -1.2     \end{array} $	
September October November December	$ \begin{array}{r}09 \\10 \\ +.16 \\ +.13 \end{array} $	$ \begin{array}{r}06 \\18 \\ +.25 \\ .00 \end{array} $	$ \begin{array}{r} +6.9 \\ +7.1 \\ +4.4 \\ +2.6 \end{array} $	$^{+6.6}_{+7.8}_{+4.4}_{+3.6}$	$ \begin{array}{r} -2.6 \\ -1.9 \\ -1.9 \\ -1.0 \end{array} $	$ \begin{array}{r r} -2.3 \\ -2.1 \\ -1.7 \\ -1.0 \end{array} $	05 11 06 06	04 16 01 07	$+4.9 \\ +3.8 \\ +4.3 \\ +3.5$	+3, 8 +2. 8 +3. 5 +2. 2	$ \begin{array}{r} -2.3 \\7 \\ -1.0 \\ +.1 \end{array} $	$ \begin{array}{r} -2.5 \\7 \\9 \\ +.4 \end{array} $	

There are given also tables showing the diurnal variation of D, H, X, Y, and Z for the five international quiet days of each month, arranged according to Greenwich mean time, the tabular quantities referring to the middle of the hour, for the reason stated above. The results have been corrected for noncyclic change, as in previous years, on the assumption that the change is distributed

uniformly through the 24 hours.

Twenty-six hourly means were computed, as shown on the bottom line of each monthly tabulation, the computations being carried one decimal place farther than there shown. The mean of the two differences between overlapping hours was taken as the amount of noncyclic change in 24 hours. These amounts are shown in the following table. A plus sign indicates that the value at the end of the day was greater than the one at the beginning.

Amount of correction for noncyclic change.

[International	aniet	days.1
Lincondarionar	quito	uaj bij

				1919					19	20		
Month.	1	)	1	I	2	3	1	·	1	T .	Z	
January February March April May June July	.00 +.32 +.16 +.26 +.08	+.20 +.30 +.14 +.18 +.08	$\begin{vmatrix} +10.0 \\ +7.4 \\ +8.8 \end{vmatrix}$ $\begin{vmatrix} +11.4 \\ +10.2 \\ +4.8 \end{vmatrix}$	$ \begin{array}{c}     7 \\     +6.0 \\     +7.0 \\     +6.0 \\     +7.2 \\     +8.2 \\     +10.4 \\     +5.4 \end{array} $	$     \begin{array}{r}                                     $	$ \begin{array}{r} -5.4 \\ +.8 \\4 \end{array} $ $ \begin{array}{r} -3.6 \\ -1.0 \\ -1.6 \end{array} $	+0.02 .00 12 +.14 +.02 20	+0.08 06 +.04 +.14 +.02 04 +.02	$\begin{array}{c} 7 \\ +3.6 \\ +2.0 \\ +11.0 \\ +6.6 \\ +3.4 \\ +2.6 \\ +10.0 \end{array}$	$\begin{array}{c} 7\\ +4.2\\ +.4\\ +9.6\\ +7.0\\ +2.4\\ +.8\\ +10.2 \end{array}$	$\begin{array}{c} 7\\ +1.4\\ -1.6\\ +1.6\\ +1.4\\ -5.0\\ +2.4\\ -1.4\\ \end{array}$	$\begin{array}{c} \gamma \\ +1.2 \\ -1.6 \\ +1.0 \\ +.2 \\ -4.2 \\ +2.0 \\ -1.4 \end{array}$
August	+.06 +.18 +.18 02 08	+.16 18 +.10 +.06 +.02	$ \begin{vmatrix} +20.6 \\ +9.0 \\ +5.2 \\ +6.8 \\ +10.8 \end{vmatrix} $	$     \begin{array}{r}     +20.4 \\     +5.2 \\     +5.2 \\     +6.2 \\     +7.0     \end{array} $	$ \begin{array}{c c} -2.6 \\ -5.0 \\4 \\ +.8 \\ -1.8 \end{array} $	$ \begin{array}{c c} -2.8 \\ -4.8 \\ +.6 \\ +.4 \\ -3.8 \end{array} $	02 +.24 +.10 02 16	14 +.42 12 04 20	+5.2 +2.4 +.2 +11.2 +7.6	+6.4 +4.2 +.4 +9.2 +8.6	$ \begin{array}{r} -3.0 \\ +1.8 \\ -2.8 \\ -2.8 \\ +.2 \end{array} $	-1.8 $+1.0$ $-2.2$ $-2.6$ $2$

# Diurnal variation of D.

# [Ten selected days uncorrected for noncyclic change.]

# 1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oet.	Nov.	Dec.	Gro	oup mea	ins.	Year.
	1	•	11	ι.		11	Ι.		1	Ι.	1		I.	п.	m.	
0-1 1-2 2-3 3-4	0.0 2 4 4	+.2 1	$+.1 \\ +.2$	+.2	+.2	.0	+.1	$1 \\ .0$	+.3	-0. 2 3 4 3	$1 \\3$	2 6	+0.02 08 35 40	+.12	. 00	-0.01 02 04 +.05
4-5 5-6 6-7 7-8	3 3 .0 +.6	+.4	$+.3 \\ +.6$	$+1.3 \\ +1.9$	$\begin{array}{c} +1.0 \\ +1.3 \\ +2.4 \\ +3.0 \end{array}$	$^{+.9}_{+2.3}$	$^{+.9}_{+1.8}$	$^{+1.4}_{+2.7}$	$+1.4 \\ +2.5$	$+.2 \\ +.6$	+.1	2	22 02 +. 12 +. 58	+.80 +1.40	+1.12 $+2.30$	+.34 +.63 +1.28 +2.05
8-9 9-10 10-11 11-12	$+3.8 \\ +4.1$	$+3.6 \\ +2.5$	$+2.0 \\ +2.0$	$+2.0 \\ +1.4$	$+1.5 \\ +0.3$	$+2.8 \\ +1.7$	$+2.4 \\ +1.4$	$+2.6 \\ +1.0$	$+3.0 \\ +1.4$	$+3.0 \\ +2.3$	$+2.7 \\ +2.4$	$+2.5 \\ +2.9$	+3.15	$+2.50 \\ +1.78$	$+2.32 \\ +1.10$	+2.70 +2.66 +1.95 +.53
12-13 13-14 14-15 15-16	$-2.2 \\ -2.5$	$-3.6 \\ -3.3$	6 $-1.6$	$\begin{bmatrix} -2.6 \\ -3.2 \end{bmatrix}$	-1.8	-2.0 $-2.4$	-1.6 $-2.0$	$-2.2 \\ -2.4$	$-2.8 \\ -3.0$	$-1.3 \\ -2.1$	$-1.0 \\ -1.4$	$-1.3 \\ -2.2$	$ \begin{array}{r}80 \\ -2.02 \\ -2.35 \\ -2.05 \end{array} $	-1.82 $-2.48$	-1.90	-2.36
16-17	-1.2	0.0	$-1.4 \\ -1.2$	-1.0 $6$	$ \begin{array}{c c} -1.3 \\5 \\7 \\6 \end{array} $	-1.4 $-1.3$	-1.5 $-1.0$	$-1.2 \\9$	-1.2 $-1.2$	-1.4 $8$	9 5	8 3	-1.42 72 38 02	-1.25 $95$	98	
20-21 21-22 22-23 23-24	+.1 +.1 +.1 +.1	$+.6 \\ +.3$	2 1	3 1		8 $4$	5 2	-1.0 8 5 4	$\begin{bmatrix}4 \\2 \end{bmatrix}$	+.1	$+.1 \\ .0$	$+.5 \\ +.3$	+.32	48 20 10	65	38 18 11 05

2-33		$\begin{vmatrix}2 &4 & +.1 \\ .0 &2 & +.2 \end{vmatrix}$	$\begin{vmatrix}4 &3 &5 \\1 &3 &5 \end{vmatrix}$		$ \begin{array}{c cccc}10 &22 \\ +.05 &15 \end{array} $
5-623 6-713	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\left. egin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{vmatrix} +.6 &2 &1 \\ +.9 & .0 & .0 \\ +1.8 & +.7 & +.2 \\ +2.9 & +2.0 & +.8 \end{vmatrix} $	$ \begin{array}{c ccccc}2 &18 & +.50 \\ +.2 &02 & +1.10 \end{array} $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
8-9 +1.3 +1. 9-10 +3.1 +3. 10-11 +4.2 +4. 11-12 +3.4 +4.	2 + 2.9 + 2.3 + 1.9 8 + 2.6 + 1.7 + .6	$\begin{vmatrix} +2.7 & +3.0 & +2.2 \\ +1.3 & +1.5 & +.5 \end{vmatrix}$	+2.3 +3.1 +2.5 +1.1 +2.5 +1.9 +	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} +2.45 + 2.70 \\ +.98 + 2.04 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 - 1.3 - 1.8 - 1.8  4 - 2.0 - 2.3 - 2.4	$ \begin{vmatrix} -2.0 & -1.8 & -2.1 \\ -2.6 & -2.4 & -2.1 \end{vmatrix} $	$\begin{vmatrix} -2.3 & -1.4 & -1.3 & -1.4 $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	$ \begin{vmatrix} 8 & -1 & 2 & -1 & 0 & -1 & 1 \\ 2 & -1 & 9 & -1 & 0 & -1 & -1 & 1 \end{vmatrix} $	$\begin{vmatrix} -1.2 & -1.4 &9 \\9 & -1.0 &9 \end{vmatrix}$		$ \begin{array}{c cccc}1 &90 & -1.10 \\ +.2 &40 &80 \end{array} $	9070
22-23 +.3	2  2  2  1	6 6 3	$\begin{bmatrix}3 &2 & +.2 \\2 &2 & +.2 \\1 &2 & +.1 \\1 & .0 &1 \end{bmatrix}$	+.3 + .1218	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

# Diurnal variation of H.

[Ten selected days uncorrected for noncyclic change.]

-										-						
Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gr	oup me	ans.	Year.
Name to the order of the order		Ι.	]	1.		I	II.		1	Ι.		ſ <b>.</b>	I.	п.	ш.	
0-1 1-2 2-3 3-4	$\begin{vmatrix} \gamma \\ -6 \\ -6 \\ -3 \\ -1 \end{vmatrix}$	$\begin{vmatrix} \gamma \\ -3 \\ -3 \\ -3 \\ -1 \end{vmatrix}$	$-15 \\ -13 \\ -11 \\ -9$	7 -9 -9 -7 -5	7 -7 -8 -8 -8	7 -6 -7 -7 -7	7 -8 -7 -7 -7	$ \begin{array}{c c}     7 \\     -6 \\     -5 \\     -4 \\     -3 \end{array} $	$\begin{vmatrix} \gamma \\ -4 \\ -3 \\ -2 \\ -1 \end{vmatrix}$	7 -8 -7 -6 -4	$ \begin{vmatrix}     7 \\     -6 \\     -4 \\     -2 \\     0 \end{vmatrix} $	$\begin{vmatrix} \gamma \\ -5 \\ -4 \\ -2 \\ +1 \end{vmatrix}$	$\begin{bmatrix} 7 \\ -5.0 \\ -4.2 \\ -2.5 \\2 \end{bmatrix}$	$ \begin{array}{ c c c c }  & 7 & 0 \\  & -9.0 & 0 \\  & -8.0 & 0 \\  & -6.5 & 0 \\  & -4.8 & 0 \end{array} $	$ \begin{array}{c c}     7 \\     -6.8 \\     -6.8 \\     -6.5 \\     -6.2 \end{array} $	7 -6.9 -6.3 -5.2 -3.8
4-5 5-6 6-7 7-8	$\begin{vmatrix} 0 \\ +2 \\ +3 \\ +7 \end{vmatrix}$	0 0 0 +2	$\begin{vmatrix} -7 \\ -4 \\ -3 \\ +1 \end{vmatrix}$	$\begin{vmatrix} -4 \\ -2 \\ -2 \\ 0 \end{vmatrix}$	$\begin{vmatrix} -8 \\ -8 \\ -5 \\ -4 \end{vmatrix}$	$\begin{vmatrix} -7 \\ -5 \\ -3 \\ +1 \end{vmatrix}$	$\begin{vmatrix} -6 \\ -7 \\ -3 \\ +1 \end{vmatrix}$	$\begin{vmatrix} -3 \\ -3 \\ -2 \\ -3 \end{vmatrix}$	$\begin{vmatrix} 0 \\ -1 \\ -1 \\ -2 \end{vmatrix}$	$\begin{vmatrix} -1 & 0 \\ +1 & +3 \end{vmatrix}$	+1 +2 +5 +11	+3 +5 +8 +13	$\begin{vmatrix} +1.0 \\ +2.2 \\ +4.0 \\ +8.2 \end{vmatrix}$	$ \begin{array}{c c} -3.0 \\ -1.8 \\ -1.2 \\ +.5 \end{array} $	$ \begin{array}{r r} -6.0 \\ -5.8 \\ -3.2 \\ -1.2 \end{array} $	$ \begin{array}{c c} -2.7 \\ -1.8 \\2 \\ +2.5 \end{array} $
8-9 9-10 10-11 11-12	+8 +5 +3 +3	$\begin{array}{ c c c } +3 \\ +2 \\ 0 \\ 0 \\ \end{array}$	+7 +12 +15 +17	+6 +13 +17 +18	+2 +10 +13 +16	$^{+3}_{+9}_{+14}_{+18}$	$^{+7}_{+15}_{+19}_{+18}$	$^{+2}_{+11}_{+17}_{+19}$	$ \begin{array}{c c} -2 \\ +1 \\ +6 \\ +8 \end{array} $	$\begin{vmatrix} +4 \\ +7 \\ +9 \\ +11 \end{vmatrix}$	$+10 \\ +6 \\ +3 \\ +2$	$^{+13}_{+10}_{+6}_{+3}$	$ \begin{vmatrix} +8.5 \\ +5.8 \\ +3.0 \\ +2.0 \end{vmatrix} $	$+3.8 \\ +8.2 \\ +11.8 \\ +13.5$	$+3.5 \\ +11.2 \\ +15.8 \\ +17.8$	$+5.2 \\ +8.4 \\ +10.2 \\ +11.1$
12-13 13-14 14-15 15-16	$\begin{bmatrix} 0 \\ -4 \\ -3 \\ -2 \end{bmatrix}$	+2 +4 +3 +3	$^{+15}_{+12}_{+9}_{+3}$	$ +14 \\ +11 \\ +8 \\ +3$	$^{+15}_{+13}_{+11}_{+5}$	$^{+18}_{+13}_{+8}_{+2}$	$\begin{vmatrix} +14 \\ +11 \\ +7 \\ 0 \end{vmatrix}$	$^{+15}_{00000000000000000000000000000000000$	$\begin{vmatrix} +6 \\ +4 \\ 0 \\ -2 \end{vmatrix}$	$+11 \\ +7 \\ +1 \\ -3$	$\begin{vmatrix} -3 \\ -6 \\ -7 \\ -5 \end{vmatrix}$	$     \begin{array}{r r}     -1 \\     -4 \\     -5 \\     -5   \end{array} $	$ \begin{array}{c c}5 \\ -2.5 \\ -3.0 \\ -2.2 \end{array} $	$+11.5 \\ +8.5 \\ +4.5 \\ +.2$	$^{+15.5}_{+11.0}_{+6.2}_{+.2}$	$ \begin{array}{c c} +8.8 \\ +5.7 \\ +2.6 \\6 \end{array} $
16–17 17–18 18–19 19–20	$     \begin{array}{c c}       -1 \\       -1 \\       0 \\       -1   \end{array} $	$\begin{vmatrix} +1 \\ -1 \\ -2 \\ -1 \end{vmatrix}$	-3 -4 -4 -3	$ \begin{array}{c c} -3 \\ -9 \\ -8 \\ -7 \end{array} $	$ \begin{array}{c c} -3 \\ -7 \\ -5 \\ -3 \end{array} $		$\begin{vmatrix} -4 \\ -6 \\ -6 \\ -5 \end{vmatrix}$	-8 -8 -6 -4		-5 -4 -3 -3	$     \begin{array}{r}     -4 \\     -1 \\     +1 \\     +1   \end{array} $	$     \begin{array}{r}     -6 \\     -5 \\     -4 \\     -4   \end{array} $	$ \begin{array}{ c c c } -2.5 \\ -2.0 \\ -1.2 \\ -1.2 \end{array} $	$ \begin{array}{r} -3.8 \\ -5.0 \\ -4.0 \\ -4.0 \end{array} $	$ \begin{array}{r} -4.5 \\ -6.5 \\ -5.8 \\ -4.2 \end{array} $	$ \begin{array}{r r} -3.6 \\ -4.5 \\ -3.7 \\ -3.2 \end{array} $
20-21	$\begin{array}{c} 0 \\ 0 \\ -1 \\ -2 \end{array}$	$\begin{bmatrix} 0 \\ -2 \\ -2 \\ -2 \end{bmatrix}$	$     \begin{array}{r r}     -2 \\     -2 \\     -5 \\     -6     \end{array} $	$\begin{bmatrix} -7 \\ -7 \\ -6 \\ -6 \end{bmatrix}$	$     \begin{array}{r}       -3 \\       -2 \\       -2 \\       -3     \end{array} $		-6 -7 -7 -6	-3 -3 -1 -1			$^{+1}_{0}_{-2}_{-1}$	$     \begin{array}{r}     -4 \\     -4 \\     -4 \\     -3     \end{array} $	$ \begin{array}{c c}8 \\ -1.5 \\ -2.2 \\ -2.0 \end{array} $	$ \begin{array}{r r} -3.5 \\ -2.8 \\ -2.5 \\ -3.0 \end{array} $	-4.5 -4.8 -4.0 -4.0	$ \begin{array}{c c} -2.9 \\ -3.0 \\ -2.9 \\ -3.0 \end{array} $
	nan an amanara	J	I			1	1	1920	).	<u> </u>	1		,	<i>y</i>		1
0-1 1-2 2-3 3-4	$     \begin{array}{r}       -3 \\       -2 \\       -1 \\       +1   \end{array} $		$-5 \\ -5 \\ -4 \\ -2$	$     \begin{array}{r r}     -8 \\     -7 \\     -7 \\     -5 \\     \end{array} $	$     \begin{array}{r}       -3 \\       -3 \\       -3 \\       -2     \end{array} $	$     \begin{array}{r}       -2 \\       -3 \\       -3 \\       -3     \end{array} $			$\begin{bmatrix} -2 \\ 0 \\ 0 \\ +1 \end{bmatrix}$	$ \begin{array}{c c} -4 \\ -3 \\ -2 \\ +1 \end{array} $		$     \begin{array}{r}     -4 \\     -3 \\     -1 \\     +1   \end{array} $	$ \begin{array}{c c} -4.2 \\ -3.2 \\ -2.2 \\5 \end{array} $	$ \begin{array}{r rrrr} -4.8 \\ -3.8 \\ -3.2 \\ -1.2 \end{array} $	$ \begin{array}{r} -3.5 \\ -4.0 \\ -3.8 \\ -3.2 \end{array} $	-4.2 -3.7 -3.1 -1.7
4-5 5-6 6-7 7-8	$^{+3}_{+5}_{+6}$	$^{+2}_{+4}_{+6}$	$-1 \\ +1 \\ +3 \\ +4$	$     \begin{array}{r}       -3 \\       -3 \\       -2 \\       -3     \end{array} $	$-1 \\ 0 \\ -1 \\ -3$	$     \begin{array}{r}       -2 \\       -3 \\       -3 \\       -1     \end{array} $	-3 -4 -3 -5	-5 -5 -5 -5	$^{+2}_{+3}_{+2}$	$^{+2}_{+3}_{+3}_{+4}$	$-3 \\ -1 \\ +3 \\ +10$	$^{+3}_{+3}_{+3}$	$+1.2 \\ +2.8 \\ +4.5 \\ +9.2$	$\begin{array}{c} .0 \\ +1.0 \\ +1.5 \\ +1.8 \end{array}$	-2.8 $-3.0$ $-3.0$ $-3.5$	$\begin{array}{c}5 \\ +.2 \\ +1.0 \\ +2.5 \end{array}$
8–9 9–10 10–11 11–12	$^{+10}_{+5}_{0}_{-3}$	$^{+14}_{+11}_{+4}_{0}$	$^{+3}_{+2}_{+3}_{+6}$	$^{0}_{+6}_{+9}$	$^{-1}_{+5}_{+8}_{+10}$	$^{+1}_{+7}_{+13}_{+14}$	$-5 \\ +3 \\ +12 \\ +18$	$^{-1}_{+9}_{+18}_{+20}$	$     \begin{array}{r}       -1 \\       -3 \\       -3 \\       -3     \end{array} $	$^{+3}_{+2}_{+2}$	$^{+12}_{00000000000000000000000000000000000$	$^{+6}_{+4}_{+1}_{-2}$	$^{+10.5}_{00000000000000000000000000000000000$	$+1.2 \\ +1.8 \\ +2.8 \\ +4.8$	$-1.5 \\ +6.0 \\ +12.8 \\ +15.5$	$+3.4 \\ +5.0 \\ +6.2 \\ +6.8$
12–13 13–14 14–15 15–16	$-8 \\ -8 \\ -6 \\ -4$	$     \begin{array}{r}       -2 \\       -5 \\       -4 \\       -2     \end{array} $	$^{+6}_{+6}_{+3}$	$^{+11}_{00000000000000000000000000000000000$	$^{+10}_{+6}_{+3}_{+1}$	$^{+12}_{00000000000000000000000000000000000$	$^{+16}_{+11}_{+6}_{+2}$	$^{+18}_{+14}_{+6}_{-1}$	$-1 \\ 0 \\ -1 \\ -2$	$^{+5}_{+2}_{-2}_{-5}$	$^{+1}_{0}_{-3}_{-5}$	-3 -4 -3 -3	$ \begin{array}{r} -3.0 \\ -4.2 \\ -4.0 \\ -3.5 \end{array} $	$^{+5.2}_{+4.2}_{+1.8}_{8}$	$^{+14.0}_{0000000000000000000000000000000000$	+5.4 $+3.2$ $+.7$ $-1.4$
16–17	$^{-2}_{-2}_{-2}$	-3 -3 -3 -4	-5 -6 -4 -4	$egin{array}{c} 0 \\ -1 \\ -1 \\ -2 \end{array}$	-3 -5 -3 -3	$     \begin{array}{r}     -6 \\     -8 \\     -6 \\     -4     \end{array} $	$     \begin{array}{r}       -3 \\       -5 \\       -7 \\       -5     \end{array} $	$     \begin{array}{r}     -8 \\     -8 \\     -6 \\     -5     \end{array} $	$     \begin{array}{r}       -3 \\       -2 \\       +1 \\       +1   \end{array} $	$     \begin{array}{r}     -6 \\     -4 \\     -2 \\     0   \end{array} $	$-5 \\ -2 \\ 0 \\ 0$	-1 +1 +1 -1	$ \begin{array}{r} -2.8 \\ -1.5 \\ -1.0 \\ -1.2 \end{array} $	$ \begin{array}{r} -3.5 \\ -3.2 \\ -1.5 \\ -1.2 \end{array} $	$ \begin{array}{r} -5.0 \\ -6.5 \\ -5.5 \\ -4.2 \end{array} $	$ \begin{array}{r} -3.8 \\ -3.8 \\ -2.7 \\ -2.2 \end{array} $
20-21	$^{+1}_{\begin{subarray}{c}0\\0\\0\end{subarray}}$	-3 -3 -5 -4	$^{-2}_{\ 0\ 0\ +1}$	$     \begin{array}{r}       -1 \\       -4 \\       -6 \\       -4     \end{array} $	-2 -3 -3 -2	$     \begin{array}{r}       -4 \\       -3 \\       -2 \\       -1     \end{array} $	$     \begin{array}{r}     -4 \\     -4 \\     -4 \\     -3     \end{array} $	$     \begin{array}{r}     -4 \\     -4 \\     -4 \\     -1     \end{array} $	$^{+1}_{+2}_{+4}_{+3}$	$     \begin{array}{r}       -1 \\       -1 \\       -1 \\       -1 \\     \end{array} $	-2 -3 -3 -3	$     \begin{array}{r}       -1 \\       -1 \\       -1 \\       -1 \\     \end{array} $	$ \begin{array}{r} -1.2 \\ -1.8 \\ -2.2 \\ -2.0 \end{array} $	8 8 8 2	-3.5 $-3.5$ $-3.2$ $-1.8$	$ \begin{array}{r} -1.8 \\ -2.0 \\ -2.1 \\ -1.3 \end{array} $

# Diurnal variation of Z.

# [Ten selected days uncorrected for noncyclic change.]

1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gr	oup me	ans.	Year
	1		I	Ι.		11	1.		I	ı.	1		ı.	II.	ш.	
0-1 1-2 2-3 3-4	7 +6 +6 +8 +7	7 +8 +7 +8 +7	7 + 5 + 6 + 6 + 5	$\begin{array}{c} 7 \\ +1 \\ +1 \\ +2 \\ +3 \end{array}$	7 0 0 +1 +1	$\begin{pmatrix} r \\ +1 \\ +1 \\ 0 \\ 0 \end{pmatrix}$	$\begin{array}{c c} 7 \\ +3 \\ +2 \\ +1 \\ +1 \end{array}$	7 +5 +5 +5 +5	$\begin{vmatrix} 7 \\ +6 \\ +6 \\ +6 \\ +5 \end{vmatrix}$	$\begin{vmatrix} 7 \\ +6 \\ +6 \\ +7 \\ +8 \end{vmatrix}$	$\begin{vmatrix} \gamma \\ +3 \\ +3 \\ +4 \\ +4 \end{vmatrix}$	7 +5 +5 +5 +5 +5	+5.5 +5.2 +6.2 +5.8	7 +4.5 +4.8 +5.2 +5.2	$\begin{array}{c} 7 \\ +2.2 \\ +2.0 \\ +1.8 \\ +1.8 \end{array}$	$\begin{pmatrix} \gamma \\ +4.1 \\ +4.0 \\ +4.4 \\ +4.2 \end{pmatrix}$
4-5 5-6 6-7 7-8	$^{+7}_{+7}_{+5}_{+3}$	$^{+6}_{+5}_{+3}_{+2}$	$^{+5}_{+4}_{+3}$	$     \begin{array}{r}     +3 \\     +3 \\     +1 \\     -4     \end{array} $	$^{+2}_{+2}_{+1}_{-2}$	$egin{array}{c} 0 \\ +1 \\ -1 \\ -4 \\ \end{array}$	$\begin{vmatrix} +2 \\ +2 \\ +1 \\ -3 \end{vmatrix}$	$\begin{array}{c} +3 \\ +3 \\ 0 \\ -7 \end{array}$	$\begin{vmatrix} +5 \\ +5 \\ +3 \\ -1 \end{vmatrix}$	+8 +7 +6 +3	$\begin{vmatrix} +4 \\ +4 \\ +4 \\ +3 \end{vmatrix}$	$^{+4}_{+4}_{+3}_{+4}$	+5.2 +5.0 +3.8 +3.0	+5.2 +4.8 +3.2 5	$+1.8 \\ +2.0 \\ +.2 \\ -4.0$	$ \begin{array}{r} +4.1 \\ +3.9 \\ +2.4 \\5 \end{array} $
8-9 9-10 10-11 11-12	$-1 \\ -7 \\ -11 \\ -13$	-3 -8 -10 -8	$     \begin{array}{r}       -3 \\       -5 \\       -7 \\       -9     \end{array} $	$     \begin{array}{r}       -5 \\       -5 \\       -6 \\       -6     \end{array} $	$     \begin{array}{r}     -4 \\     -4 \\     -4 \\     -3     \end{array} $	$ \begin{array}{c c} -5 \\ -2 \\ 0 \\ +1 \end{array} $	$     \begin{array}{c c}     -4 \\     -2 \\     -1 \\     -2   \end{array} $	-9 -8 -7 -3	$     \begin{array}{r r}     -5 \\     -7 \\     -7 \\     -9   \end{array} $	$     \begin{array}{r}       -2 \\       -7 \\       -9 \\       -10     \end{array} $	$\begin{vmatrix} -1 \\ -5 \\ -7 \\ -7 \end{vmatrix}$	$\begin{bmatrix} 0 \\ -4 \\ -7 \\ -9 \end{bmatrix}$	$ \begin{array}{c c} -1.2 \\ -6.0 \\ -8.8 \\ -9.2 \end{array} $	$ \begin{array}{r} -3.8 \\ -6.0 \\ -7.2 \\ -8.5 \end{array} $	$     \begin{array}{r}       -5.5 \\       -4.0 \\       -3.0 \\       -1.8     \end{array} $	$ \begin{array}{r r} -3.5 \\ -5.3 \\ -6.3 \\ -6.5 \end{array} $
12-13 13-14 14-15 15-16	$     \begin{array}{r}     -11 \\     -9 \\     -7 \\     -4     \end{array} $	$     \begin{array}{r}     -6 \\     -5 \\     -7 \\     -8   \end{array} $	-10 -8 -6 -4	$-5 \\ -2 \\ 0 \\ 0$	$-2 \\ 0 \\ +3 \\ +3$	$^{+1}_{+1}_{+2}_{+1}$	$     \begin{array}{r}       -3 \\       -3 \\       -3 \\       -2     \end{array} $	$     \begin{array}{r}       -3 \\       -2 \\       -1 \\       -1   \end{array} $	$     \begin{array}{r}       -9 \\       -7 \\       -7 \\       -6     \end{array} $	$     \begin{array}{r}     -10 \\     -10 \\     -8 \\     -7     \end{array} $	$     \begin{array}{r}       -7 \\       -7 \\       -6 \\       -3     \end{array} $	-9 -7 -5 -3	$ \begin{array}{r r} -8.2 \\ -7.0 \\ -6.2 \\ -4.5 \end{array} $	$     \begin{array}{r}       -8.5 \\       -6.8 \\       -5.2 \\       -4.2     \end{array} $	$ \begin{array}{c} -1.8 \\ -1.0 \\ +.2 \\ +.2 \end{array} $	$ \begin{array}{r r} -6.2 \\ -4.9 \\ -3.8 \\ -2.8 \end{array} $
16-17 17-18 18-19 19-20	$^{-1}_{\begin{subarray}{c}0\\+1\\+2\end{subarray}}$	$     \begin{array}{r}     -6 \\     -5 \\     -1 \\     +1   \end{array} $	$     \begin{array}{r}       -1 \\       -1 \\       +1 \\       +2     \end{array} $	$^{+1}_{+3}_{+3}$	$^{+3}_{+1}_{+1}$	$egin{pmatrix} 0 \\ -1 \\ -1 \\ 0 \end{bmatrix}$	$^{+1}_{\ 0}_{\ 0}_{\ +1}$	$^{+1}_{+1}_{+2}_{+2}$	$     \begin{array}{r}       -3 \\       -2 \\       +2 \\       +3     \end{array} $	$     \begin{array}{r}       -3 \\       -1 \\       +1 \\       +2     \end{array} $	$egin{pmatrix} 0 \\ +1 \\ +2 \\ +2 \end{pmatrix}$		$ \begin{array}{r} -2.2 \\ -1.8 \\ +.5 \\ +1.2 \end{array} $	$ \begin{array}{r} -1.5 \\8 \\ +1.8 \\ +2.5 \end{array} $	$+1.2 \\ +.2 \\ +.5 \\ +1.0$	8 8 +.9 +1.6
20-21	$^{+2}_{+3}_{+3}_{+4}$	$^{+3}_{+4}_{+6}_{+7}$	$^{+4}_{+4}_{+4}_{+5}$	$^{+4}_{+3}_{+2}_{+2}$	$^{+1}_{+1}_{0}_{-2}$	$\begin{array}{c} 0 \\ +1 \\ +2 \\ +2 \end{array}$	$^{+2}_{+2}_{+2}_{+3}$	$^{+2}_{+2}$ $^{+2}_{+3}$	$^{+5}_{+6}_{+6}$	$^{+3}_{+3}_{+4}$	$^{+3}_{+2}_{+2}$	$^{+2}_{+3}_{+4}_{+5}$	+2.5 +3.0 +3.8 +4.5	$^{+4.0}_{+4.0}_{+4.0}_{+3.8}$	$+1.2 \\ +1.5 \\ +1.5 \\ +1.5 \\ +1.5$	$ \begin{array}{r} +2.6 \\ +2.8 \\ +3.1 \\ +3.2 \end{array} $

0-1 1-2 2-3 3-4	+6 +7 +8 +8	+6 +6 +6 +7	$     \begin{array}{r}     +4 \\     +5 \\     +6 \\     +7     \end{array} $	+5 +5 +5 +5	$^{+2}_{+1}_{+1}$	0 0 0 +1	$^{+2}_{+2}_{+2}_{+1}$	$^{+1}_{0}_{+2}$	+5 +7 +5 +6	$^{+4}_{+4}_{+5}_{+5}$	$     \begin{array}{r}     +4 \\     +5 \\     +6 \\     +6   \end{array} $	$^{+5}_{+5}_{+5}$	+5. 2 +5. 8 +6. 2 +6. 5	+4.5 +5.2 +5.2 +5.8	$+1.2 \\ +.8 \\ +1.2 \\ +1.5$	$\begin{vmatrix} +3.7 \\ +3.9 \\ +4.2 \\ +4.6 \end{vmatrix}$
4-5 5-6 6-7 7-8	+8 +8 +7 +6	+7 +7 +7 +7	$^{+7}_{+6}_{+5}$	$^{+4}_{+2}_{+2}$	+1 +1 +1 -1	$^{+1}_{+2}_{+1}_{-2}$	$\begin{vmatrix} +2 \\ +3 \\ +1 \\ -3 \end{vmatrix}$	$^{+2}_{+2}_{+1}_{-4}$	+5 +5 +3 0	$^{+4}_{+5}_{+5}_{+2}$	+6 +6 +6 +5	$^{+4}_{+3}_{+2}$	$ \begin{array}{r r} +6.2 \\ +6.2 \\ +5.8 \\ +5.0 \end{array} $	+5.0 +5.0 +3.8 .0	$+1.5 \\ +2.0 \\ +1.0 \\ -2.5$	+4.2 +4.4 +3.5 +.8
8-9 9-10 10-11 11-12	$^{+2}_{-5}$ $^{-12}$ $^{-17}$	+3 -4 -13 -17	-5 -8 -10 -12	$     \begin{array}{r}     -5 \\     -6 \\     -7 \\     -5     \end{array} $	$     \begin{array}{r}       -3 \\       -3 \\       -2 \\       -1     \end{array} $	$     \begin{array}{r r}     -4 \\     -4 \\     -2 \\     -3     \end{array} $		$     \begin{array}{r}       -7 \\       -5 \\       -3 \\       -2     \end{array} $		$     \begin{array}{r r}     -3 \\     -6 \\     -8 \\     -7     \end{array} $	$ \begin{array}{c} 0 \\ -6 \\ -9 \\ -10 \end{array} $	$     \begin{array}{r}       -1 \\       -7 \\       -8 \\       -7     \end{array} $	+1.0 $-5.5$ $-10.5$ $-12.8$	-4.5 -6.5 -8.0 -7.8	-5.2 -4.5 -2.8 -2.5	$     \begin{array}{r}       -2.9 \\       -5.5 \\       -7.1 \\       -7.7     \end{array} $
12-13 13-14 14-15 15-16	$     \begin{array}{r}     -17 \\     -13 \\     -9 \\     -5     \end{array} $	$-17 \\ -14 \\ -10 \\ -5$	-9 -7 -4 -2	$     \begin{array}{c c}       -4 \\       -2 \\       -1 \\       0     \end{array} $	$-1 \\ -1 \\ 0 \\ +1$	$     \begin{array}{c c}       -2 \\       -1 \\       0 \\       +1     \end{array} $	$\begin{bmatrix} -3 \\ -1 \\ 0 \\ +1 \end{bmatrix}$	$-1 \\ -1 \\ 0 \\ 0$		$     \begin{array}{r r}     -5 \\     -5 \\     -5 \\     -4   \end{array} $	-9 -8 -6 -3	-5 -5 -4 -4	$ \begin{array}{r} -12.0 \\ -10.0 \\ -7.2 \\ -4.2 \end{array} $	$     \begin{array}{r}       -5.8 \\       -4.0 \\       -2.8 \\       -1.8     \end{array} $	$ \begin{array}{c c} -1.8 \\ -1.0 \\ 0 \\ +.8 \end{array} $	$   \begin{array}{r}     -6.5 \\     -5.0 \\     -3.3 \\     -1.8   \end{array} $
16-17	$ \begin{array}{c c} -1 \\ 0 \\ +2 \\ +3 \end{array} $	$ \begin{array}{c c} -1 & 0 \\ +2 & +4 \end{array} $	+1 +1 +3 +3	$\begin{bmatrix} 0 \\ -1 \\ 0 \\ 0 \end{bmatrix}$	$     \begin{array}{c}       -1 \\       -2 \\       -1 \\       0     \end{array} $	$^{+1}_{0}_{+1}_{+2}$	+3 +2 +1 +1	$egin{pmatrix} 0 \\ +1 \\ +2 \\ +2 \end{pmatrix}$	-1 -1 -1 -1		$ \begin{array}{c c} -2 \\ 0 \\ +2 \\ +2 \end{array} $	$     \begin{array}{r}       -3 \\       -1 \\       +1 \\       +1   \end{array} $	$ \begin{array}{c c} -1.8 \\2 \\ +1.8 \\ +2.5 \end{array} $	-1.0 5 +.5 +.8	+.8 +.2 +.8 +1.2	$ \begin{array}{r}7 \\2 \\ +1.0 \\ +1.5 \end{array} $
20-21 21-22 22-23 23-24	$^{+4}_{+4}_{+4}$	$\begin{array}{c c} +4 \\ +4 \\ +4 \\ +5 \end{array}$	+3 +3 +2 +1	$^{+1}_{0}_{+1}_{+2}$	$^{+2}_{+1}_{+2}_{+2}$	$^{+2}_{+3}_{+2}_{+2}$	$^{+2}_{+2}_{+1}_{+1}$	$^{+2}_{+2}_{+2}_{+1}$	$\begin{vmatrix} -1 & 0 \\ +1 & 0 \\ 0 & 1 \end{vmatrix}$	+2 +2 +3 +2	$^{+2}_{+1}_{+1}_{+1}$	$^{+1}_{+2}_{+3}_{+4}$	+2.8 +2.8 +3.0 +3.5	$+1.2 \\ +1.2 \\ +1.8 \\ +1.2$	$+2.0 \\ +2.0 \\ +1.8 \\ +1.5$	$+2.0 \\ +2.0 \\ +2.2 \\ +2.1$

# Diurnal variation of X.

[Ten selected days uncorrected for noncyclic change.]

1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.			Gr	oup me	ans.	Year.
	1		I	I.		11	π.		1	ı.		ι.	ı.	н.	m.	
0-1 1-2 2-3 3-4	$ \begin{array}{c c}     7 \\     -6 \\     -6 \\     -3 \\     -1 \end{array} $	7 -3 -3 -3 -1	7 -15 -13 -11 -9	$\begin{vmatrix} 7 \\ -9 \\ -9 \\ -7 \\ -5 \end{vmatrix}$	7 -7 -8 -8 -8	$     \begin{array}{c c}       r \\       -6 \\       -7 \\       -7 \\       -7 \end{array} $	7 -8 -7 -7 -7	7 -6 -5 -4 -3	$\begin{vmatrix} r \\ -4 \\ -3 \\ -2 \\ -1 \end{vmatrix}$	$\begin{vmatrix} r \\ -8 \\ -7 \\ -6 \\ -4 \end{vmatrix}$	$\begin{bmatrix} r \\ -6 \\ -4 \\ -2 \\ 0 \end{bmatrix}$	$\begin{vmatrix} \gamma \\ -5 \\ -4 \\ -2 \\ +1 \end{vmatrix}$	$ \begin{array}{c c}     7 \\     -5.0 \\     -4.2 \\     -2.5 \\    2 \end{array} $	$ \begin{array}{c c} -7.0 \\ -8.0 \\ -6.5 \\ -4.8 \end{array} $	$ \begin{array}{c c}     7 \\     -6.8 \\     -6.8 \\     -6.5 \\     -6.2 \end{array} $	7 -6.9 -6.3 -5.2 -3.8
4-5 5-6 6-7 7-8	$^{0}_{+2}$ $^{+3}$ $^{+7}$	0 0 0 +3	$\begin{vmatrix} -7 \\ -4 \\ -3 \\ +1 \end{vmatrix}$	$ \begin{array}{c c} -3 \\ -1 \\ -1 \\ +1 \end{array} $	$     \begin{array}{r r}       -7 \\       -7 \\       -4 \\       -2     \end{array} $	$     \begin{array}{r r}     -7 \\     -4 \\     -2 \\     +3     \end{array} $	$\begin{vmatrix} -6 \\ -6 \\ -2 \\ +3 \end{vmatrix}$	$ \begin{array}{c c} -3 \\ -2 \\ -1 \\ -1 \end{array} $	0 0 0 0	$ \begin{array}{c c} -1 & 0 \\ +1 & +4 \end{array} $	$+1 \\ +2 \\ +5 \\ +11$	$^{+3}_{+5}_{+8}_{+13}$	$+1.0 \\ +2.2 \\ +4.0 \\ +8.5$	$ \begin{array}{c c} -2.8 \\ -1.2 \\8 \\ +1.5 \end{array} $	$     \begin{array}{r}       -5.8 \\       -4.8 \\       -2.2 \\       +.8     \end{array} $	$ \begin{array}{c c} -2.5 \\ -1.2 \\ +.3 \\ +3.6 \end{array} $
8-9 9-10 10-11 11-12	$^{+9}_{+7}_{+5}_{+4}$	$\begin{array}{c c} +4 \\ +4 \\ +1 \\ 0 \end{array}$	+8 +13 +16 +18	$+7 \\ +14 \\ +18 \\ +18$	$^{+3}_{+11}_{+13}_{+16}$	$^{+5}_{+10}_{+15}_{+18}$	$^{+9}_{+16}_{+20}_{+18}$	$^{+4}_{+12}_{+17}_{+19}$	$\begin{vmatrix} 0 \\ +3 \\ +7 \\ +8 \end{vmatrix}$	+5 +9 +10 +12	$^{+11}_{+7}_{+4}_{+3}$	$^{+14}_{+11}_{+8}_{+4}$	$   \begin{array}{r}     +9.5 \\     +7.2 \\     +4.5 \\     +2.8   \end{array} $	$^{+5.0}_{+9.8}$ $^{+12.8}_{+14.0}$	$+5.2 \\ +12.2 \\ +16.2 \\ +17.8$	$ \begin{array}{r} +6.6 \\ +9.8 \\ +11.2 \\ +11.5 \end{array} $
12-13 13-14 14-15 15-16	$     \begin{array}{r}       0 \\       -5 \\       -4 \\       -3     \end{array} $	$\begin{array}{c} +1 \\ +2 \\ +1 \\ +2 \end{array}$	$^{+15}_{+12}_{+8}_{+2}$	$^{+13}_{+10}_{+6}_{+2}$	$^{+14}_{+12}_{+10}_{+4}$	$^{+17}_{+12}_{+7}_{+1}$	$^{+14}_{+10}_{+6}_{-1}$	$     \begin{array}{r}     +14 \\     +6 \\     -2 \\     -7     \end{array} $	$+5 \\ +3 \\ -2 \\ -3$	+11 +6 0 -4	$     \begin{array}{r}       -3 \\       -7 \\       -8 \\       -6     \end{array} $	$     \begin{array}{r}       -1 \\       -5 \\       -6 \\       -6     \end{array} $	$ \begin{array}{r}8 \\ -3.8 \\ -4.2 \\ -3.2 \end{array} $	$+11.0 \\ +7.8 \\ +3.0 \\8$	$+14.8 \\ +10.0 \\ +5.2 \\8$	$ \begin{array}{r r} +8.3 \\ +4.7 \\ +1.3 \\ -1.6 \end{array} $
16-17 17-18 18-19 19-20	$     \begin{array}{r}     -2 \\     -2 \\     0 \\     -1     \end{array} $	$^{+1}_{-1}_{-2}_{-1}$	$     \begin{array}{r}     -4 \\     -5 \\     -5 \\     -3     \end{array} $		$     \begin{array}{r}     -4 \\     -7 \\     -5 \\     -3     \end{array} $	$     \begin{array}{r}     -4 \\     -6 \\     -7 \\     -6     \end{array} $	$     \begin{array}{r}       -5 \\       -7 \\       -7 \\       -5     \end{array} $		 4 2 3	$     \begin{array}{r}     -6 \\     -5 \\     -3 \\     -3     \end{array} $	$     \begin{array}{r}     -5 \\     -2 \\     +1 \\     +1   \end{array} $	-7 -5 -4 -4	-3.2 $-2.5$ $-1.2$ $-1.2$	-4.8 $-5.8$ $-4.5$ $-4.0$	$   \begin{array}{r}     -5.5 \\     -7.2 \\     -6.2 \\     -4.5   \end{array} $	$ \begin{array}{r r} -4.5 \\ -5.2 \\ -4.0 \\ -3.2 \end{array} $
20-21 21-22 22-23 23-24	${ 0 \atop 0} \atop { -1 \atop -2}$	$ \begin{array}{c c} 0 \\ -2 \\ -2 \\ -2 \end{array} $	-2 -2 -5 -6	$\begin{bmatrix} -7 \\ -7 \\ -6 \\ -6 \end{bmatrix}$	$     \begin{array}{r}       -3 \\       -2 \\       -2 \\       -3 \\     \end{array} $	$     \begin{array}{r}       -7 \\       -7 \\       -6 \\       -6     \end{array} $	$     \begin{array}{r}     -6 \\     -7 \\     -7 \\     -6     \end{array} $	$ \begin{array}{c c} -3 \\ -3 \\ -1 \\ -1 \end{array} $	$     \begin{array}{r}       -2 \\       +1 \\       +3 \\       +2     \end{array} $	$     \begin{array}{r}       -3 \\       -3 \\       -2 \\       -2     \end{array} $	$^{+1}_{0}_{-2}_{-1}$	$     \begin{array}{r}     -4 \\     -4 \\     -4 \\     -3     \end{array} $	$ \begin{array}{r}8 \\ -1.5 \\ -2.2 \\ -2.0 \end{array} $	$ \begin{array}{r} -3.5 \\ -2.8 \\ -2.5 \\ -3.0 \end{array} $	$ \begin{array}{r} -4.8 \\ -4.8 \\ -4.0 \\ -4.0 \end{array} $	$ \begin{array}{r r} -3.0 \\ -3.0 \\ -2.9 \\ -3.0 \end{array} $

	1	ī	T	·			7	1			1		1		,	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$     \begin{array}{r}       -3 \\       -2 \\       -1 \\       +1     \end{array} $	-4 -3 -3 -1	$     \begin{array}{r}       -5 \\       -5 \\       -4 \\       -2     \end{array} $		$     \begin{array}{r}       -3 \\       -3 \\       -3 \\       -2     \end{array} $				$ \begin{array}{c c} -2 \\ 0 \\ 0 \\ +1 \end{array} $	$     \begin{array}{r r}     -4 \\     -3 \\     -2 \\     +1   \end{array} $		$     \begin{array}{r}     -4 \\     -3 \\     -1 \\     +1   \end{array} $	-4.2 -3.2 -2.2 5	$ \begin{array}{r r} -4.8 \\ -3.8 \\ -3.2 \\ -1.2 \end{array} $	$ \begin{array}{r r} -3.5 \\ -4.0 \\ -3.8 \\ -3.2 \end{array} $	$ \begin{array}{r} -4.2 \\ -3.7 \\ -3.1 \\ -1.7 \end{array} $
4–5 5–6 6–7 7–8	$^{+3}_{+5}_{+6}_{+10}$	$^{+2}_{+4}_{+6}_{+11}$	$ \begin{array}{r} -1 \\ +1 \\ +3 \\ +5 \end{array} $	$ \begin{array}{c c} -3 \\ -3 \\ -2 \\ -3 \end{array} $	$ \begin{array}{c c} -1 & 0 \\ 0 & 0 \\ -1 & \end{array} $	$ \begin{array}{c c} -2 \\ -3 \\ -2 \\ +1 \end{array} $	-3 -4 -2 -3		$^{+2}_{+3}_{+3}_{+4}$	+2 +3 +3 +5	$     \begin{array}{r}       -3 \\       -1 \\       +3 \\       +10     \end{array} $	+3 +3 +3 +6	$ \begin{array}{r} +1.2 \\ +2.8 \\ +4.5 \\ +9.2 \end{array} $	$ \begin{array}{c} 0 \\ +1.0 \\ +1.8 \\ +2.8 \end{array} $	$ \begin{array}{r r} -2.8 \\ -2.8 \\ -2.0 \\ -1.5 \end{array} $	$5 \\ +.3 \\ +1.4 \\ +3.5$
8–9 9–10 10–11 11–12	$^{+11}_{00000000000000000000000000000000000$	+15 +13 +7 +3	+4 +4 +4 +7	$^{+2}_{+7}_{+10}_{+11}$	$^{+1}_{+6}_{+8}$	$^{+3}_{+8}_{+14}_{+14}$	$     \begin{array}{r}       -3 \\       +5 \\       +13 \\       +18     \end{array} $	$^{+1}_{+10}_{+18}_{+20}$	$^{+1}_{-2}_{-3}_{-4}$	$^{+5}_{+4}_{+3}_{+5}$	$^{+13}_{+10}_{+8}_{+6}$	$^{+7}_{+6}_{+2}_{-2}$	$+11.5 \\ +9.0 \\ +4.8 \\ +1.5$	$+3.0 \\ +3.2 \\ +3.5 \\ +4.8$	+.5 +7.2 +13.2 +15.5	$^{+5.0}_{+6.5}_{+7.2}_{+7.2}$
12–13 13–14 14–15 15–16	-8 -9 -8 -5	0 -5 -5 -4	$^{+6}_{+5}_{+2}_{-1}$	$^{+11}_{+8}_{+6}_{+3}$	$\begin{vmatrix} +9\\ +5\\ +2\\ 0 \end{vmatrix}$	$^{+12}_{+6}_{+1}_{-3}$	$^{+16}_{+10}_{+5}_{+1}$	$^{+17}_{+13}_{+5}_{-2}$	$     \begin{array}{r}       -2 \\       -1 \\       -2 \\       -3     \end{array} $	$^{+5}_{+1}_{-3}_{-6}$	$^{+1}_{-1}_{-4}_{-6}$	$     \begin{array}{r}     -4 \\     -5 \\     -4 \\     -4   \end{array} $	$ \begin{array}{r} -2.8 \\ -5.0 \\ -5.2 \\ -4.8 \end{array} $	$+5.0 \\ +3.2 \\ +.8 \\ -1.8$	$+13.5 \\ +8.5 \\ +3.2 \\ -1.0$	$^{+5.2}_{+2.2}$ $^{4}_{-2.5}$
16–17 17–18 18–19 19–20	$ \begin{array}{c c} -3 \\ -2 \\ -2 \\ 0 \end{array} $	-4 -4 -4 -5	$     \begin{array}{r}     -6 \\     -7 \\     -4 \\     -4   \end{array} $	$     \begin{array}{c c}     -1 \\     -2 \\     -1 \\     -2   \end{array} $	$     \begin{array}{r}     -4 \\     -6 \\     -3 \\     -3   \end{array} $	$     \begin{array}{r}       -7 \\       -9 \\       -6 \\       -4     \end{array} $	$     \begin{array}{r r}     -4 \\     -6 \\     -8 \\     -5     \end{array} $	-9 -8 -6 -5	$^{-4}_{-2} \\ ^{+1}_{+1}$	$     \begin{array}{r}       -7 \\       -5 \\       -2 \\       0     \end{array} $	$-5 \\ -2 \\ 0 \\ 0$	$     \begin{array}{r}       -1 \\       +1 \\       +1 \\       -1     \end{array} $	$ \begin{array}{r r} -3.2 \\ -1.8 \\ -1.2 \\ -1.5 \end{array} $	-4.5 $-4.0$ $-1.5$ $-1.2$	$     \begin{array}{r}     -6.0 \\     -7.2 \\     -5.8 \\     -4.2   \end{array} $	$ \begin{array}{r} -4.6 \\ -4.3 \\ -2.8 \\ -2.3 \end{array} $
20-21 21-22 22-23 23-24	$^{+1}_{\ 0}_{\ 0}$	$ \begin{array}{r r} -3 \\ -3 \\ -5 \\ -4 \end{array} $	$-2 \\ 0 \\ 0 \\ +1$		$     \begin{array}{r r}       -2 \\       -3 \\       -3 \\       -2     \end{array} $	$     \begin{array}{r}       -4 \\       -3 \\       -2 \\       -1     \end{array} $	$\begin{vmatrix} -4 \\ -4 \\ -4 \\ -3 \end{vmatrix}$		$^{+1}_{+2}_{+4}_{+3}$	$     \begin{array}{r}       -1 \\       -1 \\       -1 \\       -1   \end{array} $	-2 -3 -3 -3	$ \begin{array}{c c} -1 \\ -1 \\ -1 \\ -1 \end{array} $	$\begin{array}{c c} -1.2 \\ -1.8 \\ -2.2 \\ -2.0 \end{array}$	8 8 8 2	$ \begin{array}{r} -3.5 \\ -3.5 \\ -3.2 \\ -1.8 \end{array} $	$ \begin{array}{r} -1.8 \\ -2.0 \\ -2.1 \\ -1.3 \end{array} $

#### Diurnal variation of Y.

# [Ten selected days uncorrected for noncyclic change.]

# 1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gr	oup mes	ans.	Year.
			I	τ.		11	п.		1	Ι.	1		I.	n.	ш.	
0-1 1-2 2-3 3-4	$\begin{array}{c} 7 \\ 0 \\ -1 \\ -3 \\ -3 \end{array}$	$\begin{vmatrix} r \\ +2 \\ +2 \\ -1 \\ -3 \end{vmatrix}$	$\begin{vmatrix} 7 \\ +3 \\ +2 \\ +2 \\ +2 \end{vmatrix}$	7 +2 +2 +4 +6	$\begin{vmatrix} r \\ -1 \\ +1 \\ +2 \\ +5 \end{vmatrix}$	$\begin{vmatrix} \gamma \\ +1 \\ 0 \\ +1 \\ +1 \end{vmatrix}$	$\begin{vmatrix} r & 0 & 0 \\ 0 & 0 & +1 \\ +2 & & \end{vmatrix}$	$\begin{array}{ c c c c c }\hline \gamma & & & \\ -2 & & & \\ 0 & & & \\ 0 & +3 & & \\ \end{array}$	7 0 0 +3 +3	$\begin{vmatrix} 7 \\ -1 \\ -2 \\ -3 \\ -2 \end{vmatrix}$	r <sub>0</sub> -1 -2 -2	7 0 -1 -5 -5	+0.5 2 -2.8 -3.2	$\begin{vmatrix} 7 \\ +1.0 \\ +.5 \\ +1.5 \\ +2.2 \end{vmatrix}$	$ \begin{array}{c c}                                    $	7 +0.3 +.2 1 +.6
4-5 5-6 6-7 7-8	$^{-2}_{-3}$ $^{0}_{+4}$	$\begin{vmatrix} 0 \\ +3 \\ +4 \\ +9 \end{vmatrix}$	$^{+4}_{+3}_{+5}_{+7}$	$^{+9}_{+11}_{+15}_{+20}$	$^{+9}_{+11}_{+20}_{+21}$	$^{+4}_{+8}_{+19}_{+29}$	+4 +8 +15 +23	$^{+7}_{+11}_{+22}_{+34}$	$+7 \\ +11 \\ +20 \\ +29$	$ \begin{array}{r} -1 \\ +2 \\ +5 \\ +13 \end{array} $	$\begin{vmatrix} -2 & 0 \\ +1 & +3 \end{vmatrix}$	$\begin{bmatrix} -3 \\ -2 \\ -1 \\ 0 \end{bmatrix}$	$ \begin{array}{c c} -1.8 \\5 \\ +1.0 \\ +4.0 \end{array} $	+4.8 +6.8 +11.2 +17.2	$+6.0 \\ +9.5 \\ +19.0 \\ +27.5$	$     \begin{array}{r}       +3.0 \\       +5.2 \\       +10.4 \\       +16.2     \end{array} $
9–10 10–11	$^{+17}_{+30}_{+33}_{+15}$	$^{+22}_{+29}_{+20}_{-4}$	$^{+12}_{+15}_{+15}_{+10}$	$^{+19}_{+15}_{+10}_{+3}$	$^{+22}_{+11}_{+2}_{-5}$	$^{+30}_{+22}_{+13}_{+2}$	$^{+26}_{+18}_{+10}$	$^{+29}_{+20}_{+7}_{-6}$	$^{+32}_{+24}_{+11}_{-5}$	$^{+22}_{+24}_{+18}_{+7}$	$^{+15}_{+21}_{+19}_{+8}$	$^{+11}_{+20}_{+23}_{+16}$	$+16.2 \\ +25.0 \\ +23.8 \\ +8.8$		$+26.8 \\ +17.8 \\ +8.0 \\ -2.2$	$+21.4 \\ +20.8 \\ +15.1 \\ +3.4$
	-6 $-17$ $-20$ $-17$	-22 $-29$ $-27$ $-16$	$^{+2}_{-6}_{-14}_{-16}$	-8 -22 -26 -24	-10 -15 -18 -18	$     \begin{array}{r}       -9 \\       -17 \\       -20 \\       -20     \end{array} $	$-7 \\ -14 \\ -17 \\ -19$	$-14 \\ -18 \\ -19 \\ -17$	-17 $-23$ $-24$ $-20$	$-1 \\ -11 \\ -17 \\ -19$	$     \begin{array}{r}       -1 \\       -8 \\       -11 \\       -14   \end{array} $	$^{+3}_{-10}$ $^{-17}_{-18}$	$ \begin{array}{r} -6.5 \\ -16.0 \\ -18.8 \\ -16.2 \end{array} $	$     \begin{array}{r}     -6.0 \\     -15.5 \\     -20.2 \\     -19.8   \end{array} $	-10.0 $-16.0$ $-18.5$ $-18.5$	-7.5 $-15.8$ $-19.2$ $-18.2$
16-17 17-18 18-19 19-20	$     \begin{array}{r}     -13 \\     -10 \\     -6 \\     -3     \end{array} $	$\begin{bmatrix} -4 \\ 0 \\ 0 \\ +2 \end{bmatrix}$	$     \begin{array}{r}     -16 \\     -11 \\     -9 \\     -6     \end{array} $	$     \begin{array}{r}     -16 \\     -7 \\     -4 \\     -4   \end{array} $	$     \begin{array}{r}     -10 \\     -4 \\     -5 \\     -5     \end{array} $	$-17 \\ -11 \\ -10 \\ -9$	$     \begin{array}{r}       -17 \\       -12 \\       -8 \\       -6     \end{array} $	-14 -9 -7 -7	$     \begin{array}{r}     -16 \\     -10 \\     -10 \\     -6     \end{array} $	$     \begin{array}{r}     -16 \\     -11 \\     -6 \\     -3     \end{array} $	$     \begin{array}{r}     -14 \\     -7 \\     -4 \\     -1     \end{array} $	$     \begin{array}{r}     -14 \\     -6 \\     -2 \\     +1     \end{array} $	$ \begin{array}{r} -11.2 \\ -5.8 \\ -3.0 \\2 \end{array} $	$ \begin{array}{r} -16.0 \\ -9.8 \\ -7.2 \\ -4.8 \end{array} $	-14.5 $-9.0$ $-7.5$ $-6.8$	$     \begin{array}{r}       -13.9 \\       -8.2 \\       -5.9 \\       -3.9     \end{array} $
20-21	$^{+1}_{+1}_{+1}_{+1}$	$^{+4}_{+5}_{+2}_{+1}$	$-5 \\ -2 \\ -1 \\ 0$	$\begin{bmatrix} -4 \\ -2 \\ 0 \\ 0 \end{bmatrix}$	$     \begin{array}{r}       -5 \\       -4 \\       -1     \end{array} $	$     \begin{array}{r}       -8 \\       -6 \\       -3 \\       0     \end{array} $	-5 -4 -1 0	$     \begin{array}{r}     -8 \\     -6 \\     -4 \\     -3     \end{array} $	$ \begin{array}{r r} -6 \\ -3 \\ -2 \\ -1 \end{array} $	$ \begin{array}{c} -1 \\ +1 \\ 0 \\ +1 \end{array} $	$egin{pmatrix} 0 \\ +1 \\ 0 \\ -2 \end{bmatrix}$	$^{+3}_{+4}_{+3}$	+2.0 +2.8 +1.5 +.2	$ \begin{array}{r} -4.0 \\ -1.5 \\8 \\ 0 \end{array} $	$   \begin{array}{r}     -6.5 \\     -5.0 \\     -3.0 \\     -1.0   \end{array} $	-2.8 -1.2 8 2

	1	,		1			1		,		,			,	,	
0-1 1-2 2-3 3-4	$^{+2}_{-1}_{-2}_{-3}$	$     \begin{array}{r r}     -2 \\     -3 \\     -3 \\     -4   \end{array} $	-1 -1 -1 -1	$\begin{vmatrix} +1 \\ +1 \\ +2 \\ +2 \end{vmatrix}$	$ \begin{array}{c c} 0 \\ +1 \\ +2 \\ +4 \end{array} $	$ \begin{array}{c c} -2 \\ -2 \\ 0 \\ +2 \end{array} $	$\begin{vmatrix} -3 \\ -3 \\ -2 \\ 0 \end{vmatrix}$	$ \begin{array}{c c} -1 \\ +1 \\ +2 \\ +2 \end{array} $	$\begin{vmatrix} -1 \\ -3 \\ -1 \\ +2 \end{vmatrix}$	$\begin{vmatrix} -2 \\ -2 \\ -2 \\ -3 \end{vmatrix}$		$     \begin{array}{r r}     -1 \\     -3 \\     -3 \\     -4   \end{array} $	$ \begin{vmatrix} -1.0 \\ -2.8 \\ -3.0 \\ -3.2 \end{vmatrix} $	$ \begin{array}{c c} -0.8 \\ -1.2 \\5 \\ 0 \end{array} $	$ \begin{array}{c c} -1.5 \\8 \\ +.5 \\ +2.0 \end{array} $	$ \begin{array}{r r} -1.1 \\ -1.6 \\ -1.0 \\4 \end{array} $
4-5 5-6 6-7 7-8	$     \begin{array}{r r}       -3 \\       -2 \\       \hline       -1 \\       -2     \end{array} $		$^{-1}_{+3}_{+5}_{+12}$	$^{+4}_{+6}_{+11}_{+19}$	$^{+5}_{+7}_{+16}_{+27}$	$^{+3}_{+7}_{+17}_{+29}$	+3 +7 +18 +33	$^{+6}_{+8}_{+17}_{+32}$	+5 +7 +14 +23	$ \begin{array}{c c} -2 \\ 0 \\ +5 \\ +16 \end{array} $	$ \begin{array}{c c} -1 & 0 \\ +1 & +6 \end{array} $	$ \begin{array}{c c} -3 \\ -2 \\ +1 \\ +6 \end{array} $	$ \begin{array}{c c} -2.5 \\ -1.8 \\8 \\ +1.5 \end{array} $	$+1.5 \\ +4.0 \\ +8.8 \\ +17.5$	$\begin{array}{r} +4.2 \\ +7.2 \\ +17.0 \\ +30.2 \end{array}$	$+1.1 \\ +3.2 \\ +8.3 \\ +16.4$
8-9 9-10 10-11 11-12	$^{+25}_{+34}$	$^{+10}_{+25}_{+38}$ $^{+38}_{+38}$	$^{+21}_{+23}_{+21}_{+13}$	$^{+23}_{+18}_{+13}_{+4}$	$^{+25}_{+15}_{+4}_{-3}$	$^{+30}_{+21}_{+10}$	+24	$     \begin{array}{r}     +27 \\     +17 \\     +3 \\     -6     \end{array} $	$^{+26}_{+19}_{+9}_{-3}$	+23 +25 +20 +7	$^{+15}_{+20}_{+15}_{+4}$	$^{+19}_{+26}_{+14}_{-4}$	$     \begin{array}{r}       +13.5 \\       +24.0 \\       +25.2 \\       +16.5     \end{array} $	+23.2  +21.2  +15.8  +5.2	$     \begin{array}{r}     +29.2 \\     +19.2 \\     +7.0 \\     -2.2     \end{array} $	$+22.0 \\ +21.5 \\ +16.0 \\ +6.5$
12–13	$-19 \\ -27$	$^{+23}_{-1}_{-19}_{-25}$	$     \begin{array}{c c}       0 \\       -11 \\       -16 \\       -17     \end{array} $	$     \begin{array}{r}     -6 \\     -15 \\     -19 \\     -19   \end{array} $	$-10 \\ -15 \\ -19 \\ -19$	$-8 \\ -17 \\ -21 \\ -18$		$     \begin{array}{r}       -16 \\       -18 \\       -17 \\       -15     \end{array} $	$     \begin{array}{r r}       -13 \\       -19 \\       -18 \\       -14     \end{array} $	$     \begin{array}{r}       -5 \\       -11 \\       -14 \\       -16     \end{array} $	-6 $-11$ $-11$ $-10$	-16 -18 -14 -8	$+1.2 \\ -12.2 \\ -17.8 \\ -17.0$	$ \begin{array}{r r} -6.0 \\ -14.0 \\ -16.8 \\ -16.5 \end{array} $	$ \begin{array}{r} -10.8 \\ -16.2 \\ -19.2 \\ -17.8 \end{array} $	$     \begin{array}{r}       -5.2 \\       -14.2 \\       -17.9 \\       -17.1     \end{array} $
16–17 17–18 18–19 19–20	$-8 \\ -2$		-13 -9 -7 -5		$     \begin{array}{r}     -14 \\     -9 \\     -6 \\     -4     \end{array} $	$     \begin{array}{r}     -13 \\     -9 \\     -7 \\     -5     \end{array} $	$     \begin{array}{r}       -16 \\       -11 \\       -8 \\       -6     \end{array} $	$     \begin{array}{r r}     -10 \\     -7 \\     -7 \\     -5 \\   \end{array} $	$\begin{vmatrix} -10 \\ -8 \\ -6 \\ -3 \end{vmatrix}$		$     \begin{array}{r}       -8 \\       -6 \\       -2 \\       0     \end{array} $	$ \begin{array}{c c} -2 \\ -1 \\ +2 \\ +3 \end{array} $			$ \begin{array}{r} -13.2 \\ -9.0 \\ -7.0 \\ -5.0 \end{array} $	$   \begin{array}{r}     -13.0 \\     -8.2 \\     -5.4 \\     -3.5   \end{array} $
20-21 21-22 22-23 23-24	$\begin{vmatrix} +2 \\ +2 \\ +2 \\ +2 \end{vmatrix}$	$\begin{vmatrix} -5 \\ -2 \\ -1 \\ -1 \end{vmatrix}$	$\begin{vmatrix} -6 \\ -2 \\ -2 \\ -2 \\ -2 \end{vmatrix}$		$ \begin{array}{c c} -4 \\ -2 \\ -1 \\ 0 \end{array} $	$     \begin{array}{r}       -5 \\       -6 \\       -5 \\       -2     \end{array} $	$\begin{vmatrix} -7 \\ -6 \\ -5 \\ -3 \end{vmatrix}$		$\begin{vmatrix} -3 \\ -2 \\ -1 \\ -1 \end{vmatrix}$	$ \begin{array}{c c} -2 \\ -2 \\ -2 \\ 0 \end{array} $	$^{+2}_{+2}_{+1}_{-1}$	$   \begin{array}{c c}     +2 \\     +3 \\     +2 \\     +2   \end{array} $	+.2 +1.2 +1.0 +.5	$\begin{vmatrix} -4.2 \\ -2.5 \\ -1.5 \\ -1.0 \end{vmatrix}$	-5.2 -4.8 -3.2 -1.8	-3.1 -2.0 -1.2 8

# Diurnal variation of I.

[Ten selected days uncorrected for noncyclic change.]

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gro	up mea	ns.	Year.
nour.	I		I			III	Ι.		11		1.		1.	п.	ııı.	
)-1  -2  -3	+0.6 +.6 +.6 +.4	$+.5 \\ +.6$	$+1.1 \\ +.9$	+.5	+.5 +.5	$+.5 \\ +.4$	+.5	+.5	+.5 +.4	+.7	, +0.5 +.4 +.3 +.2	, +0.5 +.5 +.4 +.2	, +0.55 +.50 +.48 +.30	+0.75 +.72 +.62 +.52		+0.60 +.58 +.52 +.42
-5 -6 -7	+.3	+.3 +.2 +.1	+.7 +.4 +.3	+.4 +.3 +.2	$+.6 \\ +.6 \\ +.3 \\ +.1$	$+.4 \\ +.3 \\ +.1$	+.5  +.5  +.2 2	$+.3 \\ +.1$	$+.3 \\ +.2$	+.4 +.3 +.2 .0	+.1 +.1 1 5	.0 1 3 6	+.18 +.10 05 35	+. 42 +. 32 +. 22 05	+. 45 +. 42 +. 18 15	+.28  +.12
⊢9 )–10 0–11 1–12	$\begin{bmatrix}7 \\7 \end{bmatrix}$	$\begin{bmatrix}5 \\5 \end{bmatrix}$	$ \begin{array}{c c}6 \\ -1.0 \\ -1.2 \\ -1.5 \end{array} $	$\begin{bmatrix} -1.0 \\ -1.3 \end{bmatrix}$	-1.8	$ \begin{array}{r}4 \\6 \\9 \\ -1.0 \end{array} $	-1.0 $-1.2$	$ \begin{array}{r}6 \\ -1.0 \\ -1.4 \\ -1.3 \end{array} $	1 4 7 9	3 8 -1.0 -1.1	6 6 5 5	8 8 7 6	55 65 60 58	$ \begin{array}{r}40 \\80 \\ -1.05 \\ -1.20 \end{array} $	48 85 -1. 12 -1. 15	77 92
2-13 3-14 4-15 5-16	$\begin{bmatrix}2 \\2 \end{bmatrix}$	<b>−.</b> 5	-1. 4 -1. 1 8 4	$ \begin{array}{c c} -1.1 \\8 \\5 \\2 \end{array} $	-1.0 8 5 2	-1.0 7 4 1	-1.0 8 6 1	9 5 0 +.3	8 6 3 2	$\begin{bmatrix}9 \\4 \end{bmatrix}$	$ \begin{array}{c}2 \\ .0 \\ +.1 \\ +.2 \end{array} $	$ \begin{array}{c}4 \\1 \\ +.1 \\ +.2 \end{array} $	38 20 12 08	85 50	70 38	58 33
6-17 17-18 18-19 19-20	+.1	2	+.3	+.6	+.5	$+.2 \\ +.3$	$+.4 \\ +.4$	+.5	$+.1 \\ +.2$	+.2	.0	+.3 +.2 +.2 +.2	+. 02 +. 05 +. 08 +. 12	+.28 +.32	+.40 +.38 +.28	$\begin{array}{c} +.24 \\ +.26 \\ +.26 \end{array}$
20-21 21-22 22-23 23-24	+.1	+.3	+.8	+.6	+.2 +.1	$+.5 \\ +.5$	+.5 +.5	+.3 + .2	$+.2 \\ +.1$	+.3 +.3	$+.1 \\ +.2$	+.4	+.15 +.22 +.30 +.35	+.35 +.35	+.38	21 + .32
Michigan Profession Communication Communicat	1							192	0.							
0–1 1–2 2–3	+.4	+.	5 + . 6 5 + . 6	+.7	+.2	$\frac{4+.2}{2+.2}$	+.6	11 + 4	$\frac{1}{1} + \frac{3}{2}$	+.4	+.5	+.3	+0.52 +.45 +.42 +.35	+.48 +.45	+.28 +.28	5 +0.4 8 +.4 +.3 +.3
4-5 5-6 6-7 7-8	+:	+.	1 +.5	2 + 4 1 + 2	). !+.!	$\begin{vmatrix} +.3 \\ +.2 \end{vmatrix}$	+ :	1 +.4 2 +.3	$\begin{vmatrix} + . 1 \\ 3 \end{vmatrix} = .0$	$\begin{array}{c c} +.1 \\ +.1 \end{array}$	+.3 + .1	.0	+. 22 +. 12 +. 02 32	+.20	+.2	$\begin{array}{c c} 8 & +.2 \\ 0 & +.1 \end{array}$
8-9 9-10 10-11 11-12		6	9 -:	5 - 5		4 6 3 9	   :	$\begin{array}{c c} 5 & \\ 9 & -1. \end{array}$	$\begin{vmatrix} 8 & -1 \\ 2 & -1 \end{vmatrix}$	$\begin{bmatrix} 1 &4 \\ 2 &5 \end{bmatrix}$	8   9	6	H 72	2 58	$\begin{bmatrix}5 \\9 \end{bmatrix}$	$\begin{bmatrix}5 \\ 0 \\7 \end{bmatrix}$
12–13 13–14 14–15 15–16	: =:	1 -:	4 -: 2 -:	4	5	$\begin{vmatrix} 4 & & 5 \\ 2 & & 5 \end{vmatrix}$	ŏ −. ˈ	7	$\begin{vmatrix} 9 \\ 4 \end{vmatrix} + . \end{vmatrix}$	1		:0	25   10	$\begin{vmatrix}38 \\28 \end{vmatrix}$	$\begin{bmatrix}6 \\2 \end{bmatrix}$	$\begin{bmatrix} 2 &4 \\ 8 &2 \end{bmatrix}$
16-17 17-18 18-19 19-20	+.	$\begin{array}{c c} 1 & +. \\ 2 & +. \end{array}$	2  +. 3  +.	4 +.	リ 十. l +.	$\begin{vmatrix} 2 & + . & 1 \\ 1 & + . & 1 \end{vmatrix}$	5 +. 4 +.	4 +. 5 +.	5 +. 5	$\begin{vmatrix} 1 & + . \\ 1 & + . \end{vmatrix}$	11 +.:	$\begin{bmatrix}1 \\ .0 \end{bmatrix}$	+.03 +.1	$\begin{vmatrix} + & 12 \\ 5 & + & 12 \end{vmatrix}$	$\begin{vmatrix} +.4 \\ 2 \\ +.3 \end{vmatrix}$	$ \begin{vmatrix} + & 2 \\ 8 & + & 2 \\ 0 & + & 2 \end{vmatrix} $
20-21 21-22 22-23	+-	$\begin{vmatrix} 2 \\ 2 \end{vmatrix} + .$	4 +· 5 +·	1 +.	2  + .	2 +.	3 +.	3 +.	3 3	1 +. 1 +. 2 +. 2 +.	21 + . 5	N _L 9	+.2	5 + .10 $8 + .11$	$\begin{vmatrix} + & 2 \\ 2 & + & 2 \end{vmatrix}$	8 + .2

# Diurnal variation of F.

[Ten selected days uncorrected for noncyclic change.]

1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gro	oup mes	ins.	Year.
nour.	1	•	n			11	1.		I		I		I.	п.	m.	
0-1 1-2 2-3 3-4	7 + 1 + 1 + 4 + 5	$7 \\ +4 \\ +4 \\ +4 \\ +5$	7 -5 -3 -2 -2	γ -5 -5 -3 -1	7 -4 -5 -4 -4	γ -3 -4 -4 -4	7 -3 -3 -4 -4	$\begin{array}{c} r \\ 0 \\ +1 \\ +1 \\ +2 \end{array}$	7 +2 +3 +3 +3	7 0 0 +2 +4	$\begin{array}{c} \gamma \\ -1 \\ 0 \\ +2 \\ +3 \end{array}$	$   \begin{array}{c}     7 \\     +1 \\     +1 \\     +3 \\     +5   \end{array} $	+1. 2 +1. 5 +3. 2 +4. 5	$ \begin{array}{c c}  & 7 \\  -2.0 \\  -1.2 \\  & .0 \\  +1.0 \end{array} $	$ \begin{array}{c c}                                    $	$ \begin{array}{c c}     7 \\     -1, 1 \\    8 \\     +.2 \\     +1.0 \end{array} $
4-5 5-6 6-7 7-8	$^{+5}_{+7}_{+6}_{+7}$	$^{+5}_{+4}_{+2}_{+3}$	$\begin{array}{c} 0 \\ +1 \\ 0 \\ +1 \end{array}$	$^{0}_{+1}$ $^{0}_{0}$ $^{-3}$	$     \begin{array}{r}       -3 \\       -3 \\       -2 \\       -4     \end{array} $	$     \begin{array}{r}     -4 \\     -2 \\     -3 \\     -3     \end{array} $	$     \begin{array}{r}       -2 \\       -3 \\       -1 \\       -2     \end{array} $	$\begin{array}{c} 0 \\ 0 \\ -1 \\ -7 \end{array}$	$     \begin{array}{r}     +4 \\     +3 \\     +2 \\     -2     \end{array} $	$^{+6}_{+6}_{+5}_{+4}$	$^{+4}_{+6}_{+6}$	$^{+5}_{+6}_{+7}_{+11}$	+4.8 +5.2 +5.2 +7.5	+2.5 +2.8 +1.8 .0	$ \begin{array}{c c} -2.2 \\ -2.0 \\ -1.8 \\ -4.0 \end{array} $	+1.7 $+2.0$ $+1.8$ $+1.2$
8-9 9-10 10-11 11-12	$ \begin{array}{c c} +4 \\ -2 \\ -7 \\ -8 \end{array} $	$ \begin{array}{c c} 0 \\ -5 \\ -8 \\ -6 \end{array} $	$^{+2}_{+4}_{+4}$	$     \begin{array}{r}       0 \\       +4 \\       +6 \\       +7     \end{array} $	$     \begin{array}{r}     -2 \\     +3 \\     +5 \\     +8     \end{array} $	$^{-2}_{+4}_{+9}_{+12}$	$^{+1}_{+8}_{+11}_{+10}$	$     \begin{array}{r}     -6 \\     +1 \\     +5 \\     +9     \end{array} $	$     \begin{array}{r r}     -5 \\     -5 \\     -2 \\     -2     \end{array} $	$ \begin{array}{c c} +1 \\ -1 \\ -1 \\ -1 \end{array} $	$^{+5}_{0}_{-4}$	$^{+8}_{+3}_{-2}_{-5}$	+4. 2 -1. 0 -5. 2 -5. 8	$ \begin{array}{r}5 \\ +.5 \\ +1.8 \\ +2.0 \end{array} $	$ \begin{array}{r r} -2.2 \\ +4.0 \\ +7.5 \\ +9.8 \end{array} $	$\begin{vmatrix} + .5 \\ +1.2 \\ +1.3 \\ +2.0 \end{vmatrix}$
12–13 13–14 14–15 15–16	$     \begin{array}{r}       -9 \\       -10 \\       -7 \\       -4     \end{array} $		$\begin{array}{c c} +2 \\ +1 \\ +1 \\ -1 \end{array}$	$^{+5}_{+5}_{+5}$	$^{+8}_{+8}_{+9}_{+5}$	$^{+12}_{+9}_{+7}_{+2}$	+6 +5 +2 -2	$+7 \\ +3 \\ -1 \\ -5$			-7 -9 -9 -5		$ \begin{array}{r r} -6.8 \\ -7.0 \\ -6.8 \\ -4.8 \end{array} $	$\begin{vmatrix} + .8 \\ .0 \\ -1.2 \\ -3.0 \end{vmatrix}$	+8.2 +6.2 +4.2 .0	$\begin{array}{ c c c c c } + .8 \\2 \\ -1.2 \\ -2.6 \end{array}$
16-17 17-18 18-19 19-20	$\begin{vmatrix} -1 \\ -1 \\ +1 \\ +1 \end{vmatrix}$	$ \begin{array}{c c} -4 \\ -5 \\ -2 \\ 0 \end{array} $	$ \begin{array}{c c} -3 \\ -3 \\ -2 \\ 0 \end{array} $	$     \begin{array}{r}       -1 \\       -5 \\       -3 \\       -2     \end{array} $	$ \begin{array}{c c} 0 \\ -4 \\ -2 \\ -1 \end{array} $	$     \begin{array}{r r}       -2 \\       -4 \\       -5 \\       -3     \end{array} $	$     \begin{array}{r}       -2 \\       -4 \\       -4 \\       -2     \end{array} $	$     \begin{array}{r r}     -4 \\     -4 \\     -2 \\     -1   \end{array} $	$\begin{vmatrix} -5 \\ -3 \\ +1 \\ 0 \end{vmatrix}$	$\begin{vmatrix} -5 \\ -3 \\ -1 \\ 0 \end{vmatrix}$	$\begin{vmatrix} -3 \\ 0 \\ +2 \\ +2 \end{vmatrix}$		$ \begin{array}{r r} -3.2 \\ -3.0 \\5 \\ .0 \end{array} $	$ \begin{array}{c c} -3.5 \\ -3.5 \\ -1.2 \\5 \end{array} $	$ \begin{array}{c c} -2.0 \\ -4.0 \\ -3.2 \\ -1.8 \end{array} $	$ \begin{array}{c c} -2.9 \\ -3.5 \\ -1.7 \\8 \end{array} $
20-21 21-22 22-23 23-24	$\begin{vmatrix} +1 \\ +2 \\ +2 \\ +2 \end{vmatrix}$	$\begin{vmatrix} +2 \\ +2 \\ +3 \\ +4 \end{vmatrix}$	$\begin{array}{c c} +2 \\ +2 \\ 0 \\ 0 \end{array}$	$\begin{vmatrix} -1 \\ -2 \\ -2 \\ -2 \end{vmatrix}$	$egin{array}{c} -1 \\ 0 \\ -1 \\ -3 \end{array}$		$     \begin{array}{r r}       -2 \\       -3 \\       -3 \\       -1     \end{array} $	$\begin{vmatrix} 0 \\ 0 \\ +1 \\ +2 \end{vmatrix}$	$ \begin{array}{c c} +3 \\ +5 \\ +7 \\ +5 \end{array} $	$\begin{vmatrix} 0 \\ 0 \\ +2 \\ +1 \end{vmatrix}$	$\begin{vmatrix} +3 \\ +2 \\ 0 \\ +1 \end{vmatrix}$	$\begin{vmatrix} -1 \\ 0 \\ +1 \\ +2 \end{vmatrix}$	$\begin{vmatrix} +1.2 \\ +1.5 \\ +1.5 \\ +2.2 \end{vmatrix}$	+1.0 +1.2 +1.8 +1.0	$ \begin{array}{c c} -1.8 \\ -1.8 \\ -1.2 \\ -1.0 \end{array} $	+ .2 + .3 + .7 + .8

0-1 1-2 2-3 3-4	+3 +4 +6 +7	+2 +3 +3 +5	$ \begin{array}{c c} 0 \\ +1 \\ +2 \\ +4 \end{array} $	-1 -1 -1 +1	$\begin{bmatrix} 0 \\ -1 \\ -1 \\ 0 \end{bmatrix}$		$-1 \\ 0 \\ 0 \\ -1$	$     \begin{array}{r}       -2 \\       -4 \\       -3 \\       -1     \end{array} $	+3 +6 +4 +5	$^{+1}_{+1}_{+3}_{+5}$	$ \begin{array}{c} -1 \\ +1 \\ +2 \\ +3 \end{array} $	$^{+1}_{+2}_{+3}_{+5}$	$+1.2 \\ +2.5 \\ +3.5 \\ +5.0$	+0.8 +1.8 +2.0 +3.8	-1.0 -1.8 -1.5 8	$^{+0.3}_{+.8}$ $^{+1.3}_{+2.7}$
4-5 5-6 6-7 7-8	+8 +9 +9 +11	+7 +8 +9 +12	$^{+5}_{+5}_{+6}_{+2}$	$^{+1}_{+1}_{0}_{-3}$	$^{0}_{+1}^{+1}_{0}_{-3}$	$0 \\ 0 \\ -1 \\ -2$	$\begin{array}{c} 0 \\ 0 \\ -1 \\ -5 \end{array}$	$     \begin{array}{r}       -2 \\       -2 \\       -2 \\       -6     \end{array} $	$^{+5}_{+6}_{+4}_{+1}$	$^{+4}_{+6}_{+6}_{+4}$	$^{+3}_{+4}_{+7}_{+10}$	+5 +5 +4 +5	+5.8 +6.5 +7.2 +9.5	$+3.8 \\ +4.5 \\ +4.0 \\ +1.0$	$ \begin{array}{r}5 \\2 \\ -1.0 \\ -4.0 \end{array} $	+3. 0 +3. 6 +3. 4 +2. 2
8-9 9-10 10-11 11-12	$^{+8}_{-1}_{-9}_{-15}$	$\begin{vmatrix} +11 \\ +4 \\ -8 \\ -13 \end{vmatrix}$	$     \begin{array}{r}     -2 \\     -5 \\     -6 \\     -6     \end{array} $	$ \begin{array}{c c} -4 \\ -1 \\ 0 \\ +3 \end{array} $	$     \begin{array}{r}       -3 \\       +1 \\       +3 \\       +5     \end{array} $	$     \begin{array}{r}     -2 \\     +1 \\     +7 \\     +6     \end{array} $	$     \begin{array}{r}       -9 \\       -3 \\       +4 \\       +8     \end{array} $	$ \begin{array}{r} -6 \\ +2 \\ +9 \\ +11 \end{array} $	$     \begin{array}{r r}     -5 \\     -7 \\     -7 \\     -7 \\     -7   \end{array} $	$     \begin{array}{c}       0 \\       -3 \\       -5 \\       -2     \end{array} $	$^{+8}_{+1}_{-3}_{-4}$	$^{+3}_{-3}$ $^{-6}_{-7}$	+7.5 $+.2$ $-6.5$ $-9.8$	$ \begin{array}{r r} -2.8 \\ -4.0 \\ -4.5 \\ -3.0 \end{array} $	$ \begin{array}{r r} -5.0 \\ + .2 \\ +5.8 \\ +7.5 \end{array} $	1 -1.2 -1.8 -1.8
12-13 13-14 14-15 15-16	-18 -15 -11 -6	$     \begin{array}{r}       -14 \\       -14 \\       -10 \\       -5     \end{array} $	-3 -2 -1 -2	+4 +4 +4 +3	$  \begin{array}{c} +5 \\ +3 \\ +2 \\ +1 \end{array}  $	$^{+6}_{+4}_{+1}_{0}$	+8 +6 +4 +2	$^{+10}_{+8}_{+4}_{-1}$				$     \begin{array}{r}     -6 \\     -6 \\     -5 \\     -5     \end{array} $	$ \begin{array}{r} -11.0 \\ -10.2 \\ -8.2 \\ -5.2 \end{array} $	-1.2 5 8 -1.8	+7. 2 +5. 2 +2. 8 + . 5	$ \begin{array}{c c} -1.7 \\ -1.8 \\ -2.1 \\ -2.2 \end{array} $
16–17 17–18 18–19 19–20	$ \begin{array}{c c} -2 \\ -1 \\ 0 \\ +2 \end{array} $	$ \begin{array}{c c} -3 \\ -2 \\ 0 \\ +1 \end{array} $	$\begin{bmatrix} -2 \\ -3 \\ 0 \\ 0 \end{bmatrix}$	$\begin{vmatrix} 0 \\ -1 \\ -1 \\ -1 \\ -1 \end{vmatrix}$	-3 -5 -3 -2		$\begin{bmatrix} 0 \\ -2 \\ -4 \\ -2 \end{bmatrix}$		$\begin{bmatrix} -3 \\ -2 \\ 0 \\ 0 \end{bmatrix}$		$ \begin{array}{c c} -5 \\ -1 \\ +2 \\ +2 \end{array} $	$ \begin{array}{c c} -3 \\ 0 \\ +1 \\ 0 \end{array} $	$\begin{vmatrix} -3.2 \\ -1.0 \\ + .8 \\ +1.2 \end{vmatrix}$	$ \begin{array}{r r} -3.0 \\ -2.2 \\5 \\ 0 \end{array} $	$ \begin{array}{r r} -2.8 \\ -4.0 \\ -3.0 \\ -1.8 \end{array} $	$\begin{vmatrix} -3.0 \\ -2.4 \\9 \\2 \end{vmatrix}$
20-21 21-22 22-23 23-24	+4 +3 +3 +3	$\begin{vmatrix} +1 \\ +1 \\ 0 \\ +1 \end{vmatrix}$	$\begin{vmatrix} +1 \\ +2 \\ +2 \\ +1 \end{vmatrix}$	$\begin{vmatrix} 0 \\ -2 \\ -3 \\ -1 \end{vmatrix}$	$ \begin{vmatrix} 0 \\ -1 \\ 0 \\ 0 \end{vmatrix} $	$\begin{vmatrix} -1 & 0 & 0 \\ 0 & 0 & +1 & 1 \end{vmatrix}$	$\begin{vmatrix} -1 \\ -1 \\ -2 \\ -1 \end{vmatrix}$	$\begin{vmatrix} -1 \\ -1 \\ -1 \\ 0 \end{vmatrix}$	$\begin{vmatrix} 0 \\ +1 \\ +3 \\ +2 \end{vmatrix}$	$\begin{vmatrix} +1 \\ +1 \\ +2 \\ +1 \end{vmatrix}$	$\begin{vmatrix} 0 \\ -1 \\ -1 \\ -1 \end{vmatrix}$	$\begin{vmatrix} 0 \\ +1 \\ +2 \\ +2 \end{vmatrix}$	$\begin{vmatrix} +1.2 \\ +1.0 \\ +1.0 \\ +1.2 \end{vmatrix}$	+ .5 + .5 +1.0 + .8	8 8 8	+ .3 + .2 + .4 + .7

# Diurnal variation of D.

# [International quiet days. Greenwich mean time.]

1919.

Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gre	oup mes	ns.	Year
I		I	ι.		11	ı.		1	I.	1	r <b>.</b>	1,	п.	m.	
.0 .0	<b>.</b> .	2 2	3 2	4 4	9 5	3 1	6 5	6 4	1 1	+.1	$+.4 \\ +.2$	+.17 +.07	30 22	55 38	, -0.40 23 18 14
3 $4$		.0	$+.1 \\ +.3$	+.1 +.2	3 4	+.1 +.1	3 $4$	$1 \\ +.1$	4 4	2	3 6		10 .00	10 12	13 13 18 10
4 1		+.4	+.9	+1.3	+.8	+1.0	+.8	+1.1	+.3	.0	4 3	07	+1.22	+.98 +2.30	
$+3.8 \\ +4.6$	<b>.</b>	$+2.0 \\ +2.1$	$^{+2.0}_{+2.0}$	$+.8 \\2$	$+3.0 \\ +2.1$	$^{+2.5}_{+1.2}$	+3.7 +2.0	$+3.2 \\ +1.7$	$+3.1 \\ +2.2$	$+2.3 \\ +1.6$	$+2.7 \\ +3.4$	+2.93 +3.20	$+2.58 \\ +2.00$	$+2.50 \\ +1.28$	+2.67
$-2.0 \\ -2.6$	<b>-</b>	-1.4	-2.3 $-2.9$	-1.7 $-1.9$	-1.9 $-2.3$	-1.9 $-2.6$	-2.7 $-3.3$	$-2.2 \\ -2.5$	$-1.0 \\ -2.0$	8 $-1.0$	$-1.2 \\ -2.2$	-1.33 $-1.93$	-1.48 $-2.20$	-2.05 $-2.52$	$-1.62 \\ -2.22$
-1.2 $7$		-1.4 $-1.2$	9 6	2 $4$	$-1.3 \\ -1.2$	$-1.4 \\ -1.0$	-1.2	$-1.2 \\ -1.3$	$-1.4 \\ -1.0$	7 4	8 3	90	-1.22	-1.02 $85$	-1.74 -1.05 78 54
	, -0.1 -0.1 -1.3 -0.4 -0.6 -0.5 -0.4 -0.1 +1.3 +2.0 -1.2 -1.2 -1.2 -1.6 -1.2 -1.2 -1.6 -1.2 -1.6 -1.2 -1.6 -1.1 -1.6 -1.6 -1.6 -1.6 -1.6 -1.6	1.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. II.    1.     1.	1. II. III. III.  1.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. III. IIII. IIII. III. III. III. III.	1. III. III. III. III. III. III. III. I	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1. III. III. III. III. III. III. III. I	1. III. III. III. III. III. III. III. I	1. III. III. III. III. III. III. III. I

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix}3 &2 & +.5 & +.4 \\2 &2 & +.3 & +.3 \end{vmatrix}$	$ \begin{array}{c cccc} 0.00 & -0.50 & -0.78 & -0.43 \\ +.22 &22 &62 &21 \\ +.18 &12 &48 &14 \\ +.08 &10 &28 &10 \end{array} $
$\begin{bmatrix} 5-6 & -1 & -1 & -2 & -1 \\ 6-7 & -3 & -3 & -1 \end{bmatrix}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$oxed{ \begin{vmatrix} .6 & .0 & +.1 & .0 \ +1.5 & +.7 & +.2 & +.4 \end{vmatrix} }$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
13-14 $+3.0 +3.2 +2.14 + 15$ $+4.2 +4.5 +1.14 + 15$	$\begin{array}{c} 4 + 2.8 + 3.2 + 4.5 + 4.6 + 3.6 \\ 5 + 2.2 + 2.0 + 3.5 + 3.4 + 2.4 \\ 7 + 1.5 + .9 + 2.0 + 1.4 + .7 \\ 9 + .6 + .1 + .537 \end{array}$	+2.4 +2.9 +1.9 +2.9   +1.3 +2.4 +1.3 +1.7	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$egin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c cccc} -1.30 & -1.45 & -1.65 & -1.47 \\75 & -1.07 & -1.10 &98 \\38 &82 &92 &71 \\25 &55 &82 &54 \end{array} $

# Diurnal variation of H.

# [International quiet days. Greenwich mean time.]

1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June,	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gr	oup me	ans.	Year.
	]		I	t.		I	п.	,	1	π.		ı.	I.	π.	ш.	
0-1 1-2 2-3 3-4	$r + 1 \\ 0 \\ -2 \\ -3$	7 -1 -3 -3 -3	7 -4 -5 -9 -9	7 -8 -8 -7 -7	7 -4 -4 -4 -5	7 -4 -4 -4 -5	7 -7 -9 -8 -6	$\begin{bmatrix} r \\ -2 \\ 0 \\ 0 \\ 0 \end{bmatrix}$	$\begin{vmatrix} r \\ -4 \\ -4 \\ -2 \\ -2 \end{vmatrix}$	7 -6 -5 -6 -6	$\begin{vmatrix} r \\ -1 \\ -1 \\ -2 \\ -2 \end{vmatrix}$	7 -2 -3 -4 -5	$\begin{vmatrix} 7 \\ -0.8 \\ -1.8 \\ -2.8 \\ -3.2 \end{vmatrix}$	$ \begin{array}{c c}     7 \\     -5.5 \\     -5.5 \\     -6.0 \\     -6.0 \end{array} $	$ \begin{array}{c c}  & 7 \\  -4.2 \\  -4.2 \\  -4.0 \\  -4.0 \end{array} $	7 -3.5 -3.8 -4.2 -4.4
4-5 5-6 6-7 7-8	$^{-4}_{-4}$ $^{-2}_{0}$	-3 -4 -4 -3			$\begin{vmatrix} -5 \\ -6 \\ -6 \\ -6 \end{vmatrix}$	-4 -4 -4 -3		$+1 \\ +1 \\ +3 \\ +2$		$     \begin{array}{r r}     -5 \\     -4 \\     -5 \\     -2     \end{array} $	$ \begin{array}{c c} -2 \\ -1 \\ 0 \\ +1 \end{array} $	$     \begin{array}{r r}     -4 \\     -3 \\     -1 \\     +1   \end{array} $	$ \begin{array}{c c} -3.2 \\ -3.0 \\ -1.8 \\2 \end{array} $	$ \begin{array}{r rrrr} -5.8 \\ -5.0 \\ -5.0 \\ -3.5 \end{array} $	$ \begin{array}{r r} -3.5 \\ -3.5 \\ -3.2 \\ -3.2 \end{array} $	
8-9 9-10 10-11 11-12	$^{+2}_{+3}_{+3}_{+7}$	$     \begin{array}{r}       -3 \\       -2 \\       -3 \\       +2     \end{array} $	$     \begin{array}{r r}     -5 \\     -4 \\     -2 \\     +1   \end{array} $	$     \begin{array}{r r}     -4 \\     -4 \\     -4 \\     -1   \end{array} $		$ \begin{array}{c c} -3 \\ -2 \\ -1 \\ 0 \end{array} $	$ \begin{array}{c c} -6 \\ -6 \\ -4 \\ +1 \end{array} $	$0 \\ 0 \\ +1 \\ 0$	$     \begin{array}{r r}       -2 \\       -2 \\       -3 \\       -4     \end{array} $	$^{+1}_{0}_{0}_{+3}$	$^{+2}_{+4}_{+6}_{+9}$	$^{+2}_{+4}_{+6}_{+12}$	+.8 +2.2 +3.0 +7.5	$ \begin{array}{c c} -2.5 \\ -2.5 \\ -2.2 \\2 \end{array} $	$ \begin{array}{r} -4.0 \\ -3.5 \\ -2.0 \\5 \end{array} $	$ \begin{array}{c c} -1.9 \\ -1.2 \\4 \\ +2.2 \end{array} $
12-13 13-14 14-15 15-16	$^{+8}_{+4}_{+1}_{0}$	$^{+6}_{+8}_{+8}_{+6}$	$^{+7}_{+13}_{+15}_{+17}$	$^{+6}_{+14}_{+19}_{+18}$	$^{+3}_{+12}_{+18}$ $^{+20}$	$^{+5}_{+9}_{+13}$	$^{+8}_{+18}$ $^{+23}_{+22}$	$^{+1}_{+4}_{+5}_{+5}$	$     \begin{array}{c}       0 \\       +4 \\       +8 \\       +9     \end{array} $	$^{+4}_{+7}_{+9}_{+13}$	+8 +6 +4 +3	$^{+13}_{00000000000000000000000000000000000$	+8.8 +6.8 +4.5 +3.2	+4.2  +9.5  +12.8  +14.2	$+3.0 \\ +9.8 \\ +13.8 \\ +15.0$	$+5.3 \\ +8.7 \\ +10.3 \\ +10.8$
16-17 17-18 18-19 19-20		$^{+4}_{+2}_{+1}_{0}$	$^{+14}_{+11}_{+6}$	$^{+15}_{+13}$ $^{+9}_{+2}$	$^{+16}_{+11}_{+5}_{-1}$	$^{+12}_{+10}_{+6}_{-1}$	$^{+17}_{+12}_{+7}_{-2}$	$^{+3}_{+1}_{-1}_{-3}$	$^{+10}_{+7}_{+3}_{+1}$	$^{+14}_{+8}_{+1}_{-2}$	$     \begin{array}{r}       -1 \\       -6 \\       -8 \\       -7     \end{array} $	$     \begin{array}{r}       -2 \\       -5 \\       -7 \\       -7     \end{array} $	$ \begin{array}{r}5 \\ -3.8 \\ -4.5 \\ -4.0 \end{array} $	$+13.2 \\ +9.8 \\ +4.8 \\ +.2$	$+12.0 \\ +8.5 \\ +4.2 \\ -1.8$	+8.2 +4.8 +1.5 -1.8
20-21 21-22 22-23 23-24	$^{+1}_{+1}_{0}_{0}$	$     \begin{array}{r}       -2 \\       -2 \\       -1 \\       0     \end{array} $	$     \begin{array}{r r}     -5 \\     -4 \\     -4 \\     -5     \end{array} $	$     \begin{array}{r}       -4 \\       -9 \\       -8 \\       -9     \end{array} $	-6 -8* -5 -5	-4 -4 -4 -4	$-9 \\ -11 \\ -10 \\ -7$	$     \begin{array}{r}       -5 \\       -7 \\       -5 \\       -3     \end{array} $	$     \begin{array}{r}       -2 \\       -3 \\       -2 \\       -4     \end{array} $	-5 -5 -5 -5	$     \begin{array}{r}     -6 \\     -4 \\     -1 \\     -1   \end{array} $	$     \begin{array}{r}     -6 \\     -4 \\     -2 \\     -2   \end{array} $	$ \begin{array}{r} -3.2 \\ -2.2 \\ -1.0 \\ -1.0 \end{array} $	$     \begin{array}{r}       -4.0 \\       -5.2 \\       -4.8 \\       -5.8     \end{array} $	$   \begin{array}{r}     -6.0 \\     -7.5 \\     -6.0 \\     -4.8   \end{array} $	$     \begin{array}{r}       -4.4 \\       -5.0 \\       -3.9 \\       -3.8     \end{array} $

		,			,										
2-3	$ \begin{array}{c ccc} 0 & -4 \\ -1 & -3 \\ 0 & -5 \\ -1 & -5 \end{array} $	$\begin{vmatrix} -4 \\ -2 \\ -1 \\ -1 \end{vmatrix}$	$\begin{vmatrix} -2 \\ -4 \\ -6 \\ -5 \end{vmatrix}$	-3 -4 -5 -4		$\begin{vmatrix} -5 \\ -5 \\ -4 \\ -3 \end{vmatrix}$	$\begin{vmatrix} -6 \\ -5 \\ -6 \\ -5 \end{vmatrix}$	$\begin{bmatrix} 0 \\ 0 \\ -1 \\ -1 \end{bmatrix}$	$\begin{vmatrix} -3 \\ -4 \\ -4 \\ -4 \end{vmatrix}$	$\begin{vmatrix} -7 \\ -6 \\ -5 \\ -5 \end{vmatrix}$	$     \begin{array}{r}       -5 \\       -5 \\       -6 \\       -4     \end{array} $	$ \begin{array}{r rrr} -4.0 \\ -3.7 \\ -4.0 \\ -3.7 \end{array} $	$\begin{vmatrix} -2.2 \\ -2.5 \\ -3.0 \\ -2.7 \end{vmatrix}$	$\begin{vmatrix} -3.8 \\ -4.0 \\ -4.0 \\ -3.2 \end{vmatrix}$	$ \begin{array}{r r} -3.3 \\ -3.4 \\ -3.7 \\ -3.2 \end{array} $
5-6+ 6-7+		$\begin{vmatrix} -2 \\ -2 \\ -2 \\ -1 \end{vmatrix}$	$\begin{bmatrix} -4 \\ -5 \\ -6 \\ -4 \end{bmatrix}$	$     \begin{array}{r}       -3 \\       -3 \\       -2 \\       -1     \end{array} $	$\begin{vmatrix} 0 \\ 0 \\ +1 \\ 0 \end{vmatrix}$	$\begin{bmatrix} -3 \\ -2 \\ -2 \\ -2 \end{bmatrix}$	-5 -5 -5 -5	$ \begin{array}{c c} -1 \\ +3 \\ +2 \\ +2 \end{array} $		-3 -3 -1 -1	$ \begin{array}{c c} -3 \\ -3 \\ -2 \\ 0 \end{array} $	$ \begin{array}{c c} -2.5 \\ -2.2 \\ -1.2 \\ .0 \end{array} $	$ \begin{array}{c c} -2.5 \\ -1.5 \\ -2.2 \\ -1.0 \end{array} $	$ \begin{array}{c c} -2.8 \\ -2.5 \\ -2.0 \\ -2.0 \end{array} $	$ \begin{array}{c c} -2.6 \\ -2.1 \\ -1.8 \\ -1.0 \end{array} $
		$ \begin{array}{c c} -1 & 0 \\ +3 & +4 \end{array} $	$\begin{vmatrix} -3 \\ -2 \\ -3 \\ -5 \end{vmatrix}$	$ \begin{array}{c c} -1 \\ 0 \\ +1 \\ +2 \end{array} $	$\begin{bmatrix} 0 \\ -2 \\ -1 \\ 0 \end{bmatrix}$			+4 +4 +4 +4	$\begin{vmatrix} 0 \\ +1 \\ +2 \\ +4 \end{vmatrix}$	$     \begin{array}{r}       -2 \\       0 \\       +4 \\       +12     \end{array} $	$^{+2}_{+3}_{+5}_{+8}$	$+1.5 \\ +3.2 \\ +5.2 \\ +10.0$	0 +.8 +1.5 +1.8	-2.2 -3.0 -2.2 -2.8	$ \begin{array}{r}2 \\ +.3 \\ +1.5 \\ +3.0 \end{array} $
12-13 +1 13-14 + 14-15	$\begin{array}{c c} 6 & +9 \\ 0 & +3 \end{array}$	+5 +6 +8 +9	$ \begin{array}{r r} -4 \\ +2 \\ +9 \\ +13 \end{array} $	$^{+5}_{+10}_{+12}_{+10}$	+1 +5 +7 +8	$     \begin{array}{r}     -6 \\     +2 \\     +13 \\     +21     \end{array} $	$-1 \\ +9 \\ +19 \\ +22$	$\begin{array}{c c} +2 & \\ 0 & \\ -1 & \\ -1 & \end{array}$	$^{+4}_{+4}_{+4}_{+6}$	+15 +13 +10 +9	+9 +9 +9 +5	+11.7 $+9.2$ $+5.5$ $+2.5$	$+1.8 \\ +3.0 \\ +5.0 \\ +6.8$	$ \begin{array}{r}2 \\ +6.5 \\ +12.8 \\ +15.2 \end{array} $	+4.4  +6.2  +7.8  +8.2
16-17 17-18 18-19 19-20	$\begin{vmatrix} 2 & -2 \\ 0 & -2 \end{vmatrix}$	$     \begin{array}{r}     +8 \\     +6 \\     +1 \\     -4   \end{array} $	+15 +12 +7 +3	$^{+6}_{+2}$ $^{-3}_{-3}$	$+7 \\ +5 \\ +2 \\ -3$	$^{+21}_{+16}_{+9}$	$^{+21}_{+16}_{+8}_{+1}$	$     \begin{array}{r}     -1 \\     -2 \\     -5 \\     -6     \end{array} $	$^{+5}_{+3}$ $^{0}_{-2}$	$^{+6}_{0}_{-5}_{-7}$	$^{+1}_{-2}$ $^{-3}_{-4}$	$ \begin{array}{r}2 \\ -4.0 \\ -5.0 \\ -4.0 \end{array} $	$^{+6.8}_{+4.8}$ $^{+.8}_{-2.2}$	$+13.8 \\ +9.8 \\ +4.0 \\ -1.2$	$^{+6.8}_{+3.5}$ $^{1}_{-2.5}$
20–21 — — — — — — — — — — — — — — — — — — —	$\begin{array}{c c} 1 & -2 \\ 2 & -4 \end{array}$	$\begin{vmatrix} -8 \\ -9 \\ -7 \\ -6 \end{vmatrix}$		$     \begin{array}{r}       -3 \\       -4 \\       -4 \\       -5     \end{array} $	$     \begin{array}{r}       -7 \\       -8 \\       -6 \\       -3     \end{array} $	-7 -10 -9 -6	-7 -9 -8 -7	$-5 \\ -3 \\ 0 \\ 0$	$     \begin{array}{r}       -3 \\       -1 \\       -1 \\       -2     \end{array} $	-7 -6 -5 -6	-5 -3 -2 -4	$ \begin{array}{r} -4.0 \\ -3.0 \\ -3.2 \\ -4.0 \end{array} $	$ \begin{array}{r} -4.5 \\ -3.8 \\ -2.2 \\ -2.2 \end{array} $	$ \begin{array}{r} -6.0 \\ -7.8 \\ -6.8 \\ -5.2 \end{array} $	$ \begin{array}{r} -4.8 \\ -4.8 \\ -4.1 \\ -3.8 \end{array} $

# Diurnal variation of X.

#### [International quiet days, Greenwich mean time.]

1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gr	oup <b>m</b> ea	ans.	Year.
	1	ι.	I	ı.		11	α.		I	I.	1		ı.	п.	ш.	
0-1 1-2 2-3 3-4	$\begin{vmatrix} r \\ +1 \\ 0 \\ -2 \\ -3 \end{vmatrix}$	r	7 -4 -5 -9 -9	7 -8 -8 -7 -7	$\begin{vmatrix} \gamma \\ -4 \\ -4 \\ -4 \\ -5 \end{vmatrix}$	$ \begin{array}{c c}     7 \\     -4 \\     -4 \\     -4 \\     -5 \end{array} $	7 -7 -9 -8 -6	$\begin{bmatrix} r \\ -2 \\ 0 \\ 0 \\ 0 \end{bmatrix}$	$\begin{vmatrix} r \\ -4 \\ -4 \\ -2 \\ -2 \end{vmatrix}$	$     \begin{vmatrix}       r \\       -6 \\       -5 \\       -6 \\       -6     \end{vmatrix}   $	$     \begin{array}{c c}       r \\       -1 \\       -1 \\       -2 \\       -2     \end{array} $	7 -2 -3 -4 -5	$\begin{bmatrix} 7 \\ -0.7 \\ -1.3 \\ -2.7 \\ -3.3 \end{bmatrix}$	$ \begin{array}{c c}     7 \\     -5.5 \\     -5.5 \\     -6.0 \\     -6.0 \end{array} $	$ \begin{array}{c c}     7 \\     -4.2 \\     -4.2 \\     -4.0 \\     -4.0 \end{array} $	7 -3.5 -3.7 -4.4 -4.4
4-5				$\begin{vmatrix} -7 \\ -7 \\ -6 \\ -5 \end{vmatrix}$	$\begin{vmatrix} -5 \\ -6 \\ -6 \\ -6 \end{vmatrix}$		$\begin{vmatrix} -6 \\ -5 \\ -6 \\ -6 \end{vmatrix}$	$+1 \\ +1 \\ +3 \\ +2$		$     \begin{array}{r}       -5 \\       -4 \\       -5 \\       -2     \end{array} $	$     \begin{array}{r}       -2 \\       -1 \\       0 \\       +1     \end{array} $		$ \begin{array}{c c} -3.3 \\ -2.7 \\ -1.0 \\ +.7 \end{array} $	$ \begin{array}{r rrr} -5.8 \\ -5.0 \\ -5.0 \\ -3.5 \end{array} $	$ \begin{array}{r r} -3.5 \\ -3.5 \\ -3.2 \\ -3.2 \end{array} $	$ \begin{array}{c c} -4.2 \\ -3.7 \\ -3.1 \\ -2.0 \end{array} $
8–9 9–10 10–11 11–12	$     \begin{array}{r}     +2 \\     +3 \\     +3 \\     +7     \end{array} $		$     \begin{array}{r r}     -5 \\     -4 \\     -2 \\     +1   \end{array} $		$     \begin{array}{r}       -7 \\       -5 \\       -3 \\       -1     \end{array} $	$     \begin{array}{r}       -3 \\       -2 \\       0 \\       +2     \end{array} $	-6 -5 -3 +3	$\begin{vmatrix} 0 \\ 0 \\ +2 \\ +2 \end{vmatrix}$		$^{+1}_{\ 0}_{\ 0}_{\ +4}$	$^{+2}_{+4}_{+6}_{+9}$	$^{+2}_{+4}_{+6}_{+13}$	+2.0 +3.7 +5.0 +9.7	$ \begin{array}{r rrr} -2.5 \\ -2.0 \\ -1.8 \\ +.8 \end{array} $	$ \begin{array}{r rrr} -4.0 \\ -3.0 \\ -1.0 \\ +1.5 \end{array} $	$ \begin{array}{r} -1.5 \\4 \\ +.7 \\ +4.0 \end{array} $
12-13 13-14 14-15 15-16	$^{+9}_{+6}_{+4}_{+1}$		$^{+14}_{+16}$	$^{+7}_{+15}_{+20}_{+18}$	$^{+4}_{+12}_{+18}_{+20}$	$^{+2}_{+7}_{+10}_{+13}$	$^{+10}_{+19}_{+24}_{+22}$	+3 +6 +6 +5	$^{+2}_{+6}_{+9}$	+5 +9 +10 +14	+9 +7 +5 +3	$^{+14}_{+10}_{+7}_{+5}$	+10.7 +7.7 +5.3 +3.0	+5.5 +11.0 +13.8 +14.8	+4.8 +11.0 +14.5 +15.0	$+7.0 \\ +9.9 \\ +11.2 \\ +10.9$
16-17 17-18 18-19 19-20	-3 -7 -5 -3		$^{+14}_{+11}_{+5}_{-1}$	$^{+15}_{+12}_{+7}_{+1}$	$^{+15}_{+10}_{+4}_{-2}$	$^{+12}_{00000000000000000000000000000000000$	$^{+16}_{+11}_{+6}_{-3}$	$ \begin{array}{c c} +2 \\ 0 \\ -3 \\ -4 \end{array} $	$^{+9}_{+6}_{+2}$	$^{+14}_{}^{}_{}^{}_{}$	$     \begin{array}{r}       -1 \\       -6 \\       -8 \\       -8     \end{array} $	$     \begin{array}{r r}     -2 \\     -6 \\     -8 \\     -8   \end{array} $	$ \begin{array}{c c} -2.0 \\ -6.3 \\ -7.0 \\ -6.3 \end{array} $	+13.0 +9.0 +3.5 8	+11. 2 +7. 5 +3. 0 -2. 8	+7.4 +3.4 2 -3.3
20-21 21-22 22-23 23-24	0 0 0 · 1		$     \begin{array}{r}     -6 \\     -5 \\     -5 \\     -5     \end{array} $		$     \begin{array}{r}     -6 \\     -8 \\     -5 \\     -5     \end{array} $	-5 -5 -5 -4	$-10 \\ -12 \\ -10 \\ -7$	$     \begin{array}{r r}     -6 \\     -8 \\     -5 \\     -3     \end{array} $	$     \begin{array}{r}       -3 \\       -4 \\       -3 \\       -4     \end{array} $	$     \begin{array}{r}     -6 \\     -6 \\     -5 \\     -5     \end{array} $	$     \begin{array}{r}       -7 \\       -4 \\       -1 \\       -1     \end{array} $		$ \begin{array}{c c} -4.7 \\ -2.7 \\ -1.0 \\ -1.3 \end{array} $	$ \begin{array}{r rrrr} -5.0 \\ -6.0 \\ -5.2 \\ -5.8 \end{array} $	$ \begin{array}{r} -6.8 \\ -8.2 \\ -6.2 \\ -4.8 \end{array} $	$ \begin{array}{r r} -5.5 \\ -5.6 \\ -4.2 \\ -3.9 \end{array} $

1-2	0 -5						6 5 6 5	$\begin{array}{c} 0 \\ 0 \\ -1 \\ -1 \end{array}$		$\begin{vmatrix} -7 \\ -6 \\ -5 \\ -5 \end{vmatrix}$		-4.0 -3.8 -4.0 -3.8	$ \begin{array}{r} -2.2 \\ -2.5 \\ -3.0 \\ -2.8 \end{array} $	$ \begin{array}{r rrrr} -4.0 \\ -4.0 \\ -4.0 \\ -3.2 \end{array} $	$ \begin{array}{r} -3.4 \\ -3.4 \\ -3.7 \\ -3.2 \end{array} $
4-5+ 5-6+ 6-7+	$   \begin{bmatrix}     -4 \\     1 \\     -3   \end{bmatrix} $	$     \begin{array}{c c}     -2 \\     -2 \\     -2 \\     -1   \end{array} $		$\begin{vmatrix} -3 \\ -3 \\ -2 \\ -1 \end{vmatrix}$	$0 \\ 0 \\ +1 \\ 0$		-5 -5 -5 -5	$ \begin{array}{r} -1 \\ +3 \\ +2 \\ +2 \end{array} $	$     \begin{array}{r}       -3 \\       -2 \\       -3 \\       -1     \end{array} $		$ \begin{array}{c c} -3 \\ -3 \\ -2 \\ 0 \end{array} $	$ \begin{vmatrix} -2.5 \\ -2.2 \\ -1.2 \\ 0 \end{vmatrix} $	$ \begin{array}{r} -2.5 \\ -1.5 \\ -2.2 \\ -1.0 \end{array} $	$ \begin{array}{r r} -2.8 \\ -2.5 \\ -2.0 \\ -2.0 \end{array} $	$   \begin{array}{r}     -2.6 \\     -2.1 \\     -1.8 \\     -1.0   \end{array} $
8-9+ 9-10+ 10-11+ 11-12+	$\begin{vmatrix} 6 & +4 \\ 6 & +6 \end{vmatrix}$	$-1 \\ 0 \\ +3 \\ +5$	$     \begin{array}{r}       -3 \\       -2 \\       -2 \\       -4     \end{array} $	$ \begin{array}{c c} -1 & 0 \\ +2 & +4 \end{array} $	$\begin{bmatrix} 0 \\ -2 \\ 0 \\ +2 \end{bmatrix}$		-5 -5 -4 -4	+4 +4 +5 +6	$0 \\ +1 \\ +2 \\ +5$	$     \begin{array}{r}       -2 \\       0 \\       +4 \\       +12     \end{array} $	+2 +3 +5 +8	$+1.5 \\ +3.2 \\ +5.2 \\ +10.0$	.0 +.8 +2.0 +3.0	$ \begin{array}{c c} -2.2 \\ -2.8 \\ -1.2 \\8 \end{array} $	$ \begin{array}{r}2 \\ +.4 \\ +2.0 \\ +4.1 \end{array} $
12-13+1 13-14+ 14-15+ 15-16+	$\begin{vmatrix} 8 & +11 \\ 2 & +5 \end{vmatrix}$	+6 +7 +9 +9	-2 +3 +10 +13	$+7 \\ +11 \\ +12 \\ +10$	+3 +7 +8 +8	$-4 \\ +4 \\ +14 \\ +21$	$^{+1}_{+10}_{+19}_{+22}$	$^{+4}_{+1}_{0}_{0}$	+5 +6 +5 +7	+16 +14 +11 +9	$^{+10}_{+11}_{+10}_{+5}$	+12.8 +11.0 +7.0 +3.5	$+3.2 \\ +4.2 \\ +6.0 \\ +7.0$	+1.8 +8.0 +13.2 +15.2	$+5.9 \\ +7.8 \\ +8.8 \\ +8.6$
16-17 17-18 18-19 19-20	$\begin{bmatrix} -2 \\ 2 \\ -3 \end{bmatrix}$	$\begin{array}{c c} +8 \\ +5 \\ 0 \\ -5 \end{array}$	$^{+11}_{+6}$	$\begin{array}{c c} +6 \\ +1 \\ -4 \\ -4 \end{array}$	$+7 \\ +4 \\ +1 \\ -4$	$^{+20}_{+15}_{+8}$	$^{+20}_{+15}_{+7}$	$     \begin{array}{r r}     -2 \\     -3 \\     -6 \\     -7     \end{array} $	$^{+5}_{+2}_{-1}_{-3}$	$     \begin{array}{r}     +6 \\     -1 \\     -6 \\     -8     \end{array} $	$     \begin{array}{r}       0 \\       -3 \\       -4 \\       -5     \end{array} $	2 -4.8 -6.2 -5.5	+6.5 +3.8 2 -3.2	$+13.2 \\ +8.8 \\ +3.0 \\ -2.2$	$^{+6.5}_{+2.6}$ $^{-1.2}_{-3.7}$
20-21 – 21-22 – 22-23 – 23-24 –	$\begin{vmatrix} 2 & -3 \\ 2 & -5 \end{vmatrix}$	$ \begin{vmatrix} -9 \\ -9 \\ -7 \\ -6 \end{vmatrix} $	-3 -3 -1 -1		-8 -9 -7 -4		-8 -9 -8 -7	-5 -3 0 0	$     \begin{array}{r}     -4 \\     -2 \\     -2 \\     -2 \\     -2   \end{array} $			$ \begin{array}{ c c c c } -4.5 \\ -3.5 \\ -3.5 \\ -4.2 \end{array} $	$ \begin{array}{r} -5.2 \\ -4.2 \\ -2.5 \\ -2.2 \end{array} $	$ \begin{vmatrix} -7.0 \\ -8.2 \\ -7.0 \\ -5.5 \end{vmatrix} $	$     \begin{array}{r}       -5.6 \\       -5.3 \\       -4.3 \\       -4.0     \end{array} $

# $Diurnal\ variation\ of\ Y.$

# [International quiet days, Greenwich mean time.]

#### 1919.

Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gre	oup mea	ans.	Year.
	1	Ι,	13			11	Ι.		I	r.	I		ī.	11.	ın.	
0-1 1-2 2-3 3-4	$\begin{array}{c} r \\ -1 \\ 0 \\ 0 \\ -1 \end{array}$	r 	$\begin{array}{c} \gamma \\ -4 \\ -1 \\ -1 \\ 0 \end{array}$	$\begin{bmatrix} 7 \\ -4 \\ -2 \\ -1 \\ 0 \end{bmatrix}$	7 -5 -3 -3 -1	$   \begin{array}{c c}     7 \\     -8 \\     -7 \\     -4 \\     -3   \end{array} $	$\begin{bmatrix} \gamma \\ -4 \\ -2 \\ 0 \\ 0 \end{bmatrix}$	$ \begin{array}{c c}     7 \\     -6 \\     -5 \\     -4 \\     -2 \end{array} $	$\begin{vmatrix} \gamma \\ -7 \\ -5 \\ -3 \\ -2 \end{vmatrix}$	$\begin{bmatrix} \gamma \\ -2 \\ -1 \\ 0 \\ 0 \end{bmatrix}$	$\begin{vmatrix} r & 0 \\ +1 & 0 \\ -1 & \end{vmatrix}$	7 +3 +3 +2 0	$\begin{pmatrix} 7 \\ +0.7 \\ +1.3 \\ +.7 \\7 \end{pmatrix}$	$ \begin{array}{c c}     7 \\     -4.2 \\     -2.2 \\     -1.2 \\    5 \end{array} $	$ \begin{array}{c c}     7 \\     -5.8 \\     -4.2 \\     -2.8 \\     -1.5 \end{array} $	$\begin{pmatrix} 7 \\ -3.1 \\ -1.7 \\ -1.1 \\9 \end{pmatrix}$
4-5 5-6 6-7 7-8	$     \begin{array}{r}       -1 \\       -2 \\       -3 \\       -5     \end{array} $		$^{+1}_{0}_{0}_{+1}$	$0 \\ +1 \\ +3 \\ +4$	$\begin{array}{c} 0 \\ +1 \\ +2 \\ +4 \end{array}$	$     \begin{array}{r}       -2 \\       -2 \\       -3 \\       -2     \end{array} $	$\begin{array}{c} 0 \\ +1 \\ +1 \\ +3 \end{array}$	$     \begin{array}{r}     -4 \\     -3 \\     -3 \\     +1     \end{array} $	$\begin{vmatrix} -1 \\ -1 \\ +1 \\ 0 \end{vmatrix}$	$     \begin{array}{r r}       -1 \\       -3 \\       -3 \\       -2     \end{array} $	$\begin{bmatrix} 0 \\ 0 \\ -2 \\ -3 \end{bmatrix}$	$     \begin{array}{r}       -1 \\       -2 \\       -5 \\       -6     \end{array} $	$ \begin{array}{c c}7 \\ -1.3 \\ -3.3 \\ -4.7 \end{array} $	2 8 +.2 +.8	$ \begin{array}{r r} -1.5 \\8 \\8 \\ +1.5 \end{array} $	8 9 -1.3 8
8-9 9-10 10-11 11-12	$     \begin{array}{r}     -4 \\     -3 \\     -1 \\     +2     \end{array} $		$^{+4}_{+3}_{+4}_{+6}$	$^{+7}_{+7}_{+12}_{+17}$	$^{+9}_{+11}_{+18}_{+23}$	$^{+1}_{+7}_{+20}_{+31}$	$^{+4}_{+8}_{+17}_{+27}$	$^{+3}_{+6}_{+19}_{+35}$	$  \begin{array}{c} +7 \\ +9 \\ +18 \\ +27 \end{array}  $	$ \begin{array}{c c} -1 \\ +2 \\ +6 \\ +14 \end{array} $	$ \begin{array}{c c} -2 \\ 0 \\ +1 \\ +4 \end{array} $		$ \begin{array}{r r} -3.7 \\ -2.3 \\ -1.0 \\ +1.3 \end{array} $	$ \begin{array}{r} +4.2 \\ +5.2 \\ +10.0 \\ +16.0 \end{array} $	+4. 2 +8. 0 +18. 5 +29. 0	+1.6 $+3.6$ $+9.2$ $+15.4$
12-13 13-14 14-15 15-16	$^{+16}_{+30}_{+37}_{+22}$		+15	$^{+17}_{+15}_{+15}_{+8}$	$^{+18}_{-6}$ $^{-3}_{-8}$	$^{+33}_{+24}$ $^{+16}_{+3}$	$^{+29}_{+19}_{+8}_{-2}$	$^{+35}_{+30}_{+16}$	$^{+31}_{+26}_{+13}$	$^{+22}_{+25}_{+17}_{+9}$	$^{+16}_{+18}_{+13}_{+2}$	$^{+10}_{+21}_{+27}_{+20}$	$^{+14.0}_{+23.0}_{+25.7}_{+14.7}$	+20. 2 +20. 2 +15. 2 +7. 0	$^{+28.8}_{+19.8}_{+9.2}_{-1.5}$	+21.0 +21.0 +16.7 +6.7
16-17 17-18 18-19 19-20	$-1 \\ -16 \\ -21 \\ -18$		$^{+4}_{-4}_{-12}_{-15}$	$     \begin{array}{r}       -3 \\       -19 \\       -24 \\       -23     \end{array} $	-10 $-14$ $-16$ $-15$	$-8 \\ -16 \\ -19 \\ -18$	$-10 \\ -16 \\ -21 \\ -22$	$     \begin{array}{r}     -12 \\     -22 \\     -27 \\     -23   \end{array} $	$     \begin{array}{r}       -12 \\       -18 \\       -20 \\       -19     \end{array} $	$ \begin{array}{r} +1 \\ -9 \\ -16 \\ -18 \end{array} $	$     \begin{array}{r}       -4 \\       -6 \\       -8 \\       -10     \end{array} $	$^{+6}_{-9}_{-17}$	$\begin{array}{r} +.3 \\ -10.3 \\ -15.3 \\ -15.0 \end{array}$	$ \begin{array}{r} -2.5 \\ -12.5 \\ -18.0 \\ -18.8 \end{array} $	$ \begin{array}{r} -10.0 \\ -17.0 \\ -20.8 \\ -19.5 \end{array} $	-4.1 -13.3 -18.0 -17.8
20-21 21-22 22-23 23-24	$-13 \\ -10 \\ -6 \\ -3$			$-15 \\ -7 \\ -4 \\ -3$		$     \begin{array}{r}     -15 \\     -10 \\     -9 \\     -8     \end{array} $	$     \begin{array}{r}       -17 \\       -11 \\       -7 \\       -6     \end{array} $	$     \begin{array}{r}     -17 \\     -9 \\     -6 \\     -5     \end{array} $	$     \begin{array}{r}       -15 \\       -10 \\       -10 \\       -8     \end{array} $	-15 -11 -8 -5	$     \begin{array}{r}     -12 \\     -5 \\     -3 \\     -1     \end{array} $	$     \begin{array}{r}     -13 \\     -6 \\     -2 \\     0     \end{array} $	$ \begin{array}{r r} -12.7 \\ -7.0 \\ -3.7 \\ -1.3 \end{array} $	$ \begin{array}{r r} -14.8 \\ -9.8 \\ -7.8 \\ -5.2 \end{array} $	$ \begin{array}{r} -13.8 \\ -7.8 \\ -6.2 \\ -6.0 \end{array} $	-13.7 -8.2 -5.9 -4.2

$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{vmatrix} -5 & -5 \\ -1 & 0 \\ -1 & 0 \\ -1 & 0 \end{vmatrix} $	$ \begin{vmatrix} -6 & -5 \\ -3 & -3 \\ 0 & -1 \\ 0 & -1 \end{vmatrix} $	$ \begin{vmatrix} -8 & -6 \\ -6 & -5 \\ -6 & -5 \\ -4 & -4 \end{vmatrix} $	$ \begin{vmatrix} -5 & -2 \\ -5 & -2 \\ -3 & -2 \\ 0 & -2 \end{vmatrix} $	$\begin{vmatrix} -2 & +3 \\ -1 & +4 \\ -1 & +3 \\ -1 & +1 \end{vmatrix}$	$\begin{vmatrix} +4 \\ +3 \end{vmatrix}$	+0.2 +2.2 +1.8 +1.0	-3.8 -1.5 8 8	$ \begin{array}{r r} -6.0 \\ -4.8 \\ -3.8 \\ -2.2 \end{array} $	$ \begin{array}{c c} -3.2 \\ -1.3 \\9 \\7 \end{array} $
4-5 +2 5-61 6-73 7-83	$\begin{vmatrix} -1 & -1 \\ -1 & -1 \\ -2 & -1 \\ -3 & +1 \end{vmatrix}$	$ \begin{array}{ c c c c } -1 & -1 \\ 0 & +1 \\ +1 & +2 \\ +2 & +4 \end{array} $	$ \begin{vmatrix} -2 & -3 \\ -2 & -3 \\ -1 & -2 \\ -1 & -1 \end{vmatrix} $	$\begin{vmatrix} -1 & -3 \\ -1 & -7 \\ +1 & -3 \\ +3 & 0 \end{vmatrix}$	$\begin{vmatrix} -3 & -1 \\ -3 & -3 \\ -3 & -4 \\ -4 & -2 \end{vmatrix}$	$\begin{vmatrix} -2 \\ -2 \end{vmatrix}$	$ \begin{array}{c c}2 \\ -1.8 \\ -2.8 \\ -2.5 \end{array} $	$ \begin{array}{c c} -2.0 \\ -2.8 \\ -1.5 \\2 \end{array} $	$ \begin{array}{c c} -1.8 \\ -1.2 \\ 0 \\ +1.2 \end{array} $	$ \begin{array}{r} -1.3 \\ -1.9 \\ -1.4 \\5 \end{array} $
8-94 9-103 10-11 0 11-121	$\begin{vmatrix} -2 & +1 \\ -1 & +4 \\ -2 & +7 \\ -2 & +14 \end{vmatrix}$	+11 + 14	$\begin{vmatrix} +1 & +2 \\ +7 & +6 \\ +18 & +18 \\ +31 & +34 \end{vmatrix}$	$\begin{vmatrix} +8 & +5 \\ +19 & +12 \end{vmatrix}$		0 +3	$ \begin{array}{c c} -2.5 \\8 \\ +.5 \\ +1.5 \end{array} $	+.5 +3.8 +9.0 +17.8	$   \begin{array}{r}     +3.2 \\     +6.8 \\     +17.2 \\     +31.2   \end{array} $	+.4 +3.2 +8.9 +16.8
12–13+9 13–14+24 14–15+34 15–16+29	$\begin{vmatrix} +12 \\ +25 \\ +36 \\ +33 \end{vmatrix} \begin{vmatrix} +19 \\ +20 \\ +13 \\ +7 \end{vmatrix}$	+18 +15	$\begin{vmatrix} +28 & +27 \\ +16 & +10 \end{vmatrix}$	+19  +19  +4  +11	$\begin{vmatrix} +23 & +14 \\ +19 & +16 \end{vmatrix}$	$\begin{array}{c c} +23 \\ +13 \end{array}$	$^{+12.0}_{+21.5}_{+23.2}_{+14.8}$	+22.5 $+20.0$ $+13.8$ $+4.0$	+32.0 $+22.2$ $+9.0$ $-1.8$	+22.2  +21.2  +15.3  +5.7
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} +17 & -5 \\ -3 & -13 \\ -21 & -17 \\ -26 & -16 \end{vmatrix}$	$\begin{vmatrix} -14 & -15 \\ -17 & -20 \end{vmatrix}$	-22 -22	-20 $-16$	-8 -9 -8 -9	$\begin{vmatrix} -21 \\ -17 \end{vmatrix}$	$ \begin{array}{r rrr} -1.0 \\ -13.0 \\ -18.2 \\ -15.8 \end{array} $	$-12.8 \\ -14.2$		$     \begin{array}{r}       -5.9 \\       -14.5 \\       -17.8 \\       -15.9     \end{array} $
$\begin{array}{c cccc} 20-21. & & -15 \\ 21-22. & & -7 \\ 22-23. & & -2 \\ 23-24. & & -2 \end{array}$	$\begin{vmatrix} -20 & -12 \\ -14 & -7 \\ -9 & -5 \\ -8 & -4 \end{vmatrix}$	$\begin{vmatrix} -10 & -9 \\ -7 & -7 \end{vmatrix}$	$\begin{vmatrix} -12 & -6 \\ -10 & -5 \end{vmatrix}$	$\begin{vmatrix} -7 & -6 \\ -6 & -6 \end{vmatrix}$	-8 -1	3 0	$ \begin{array}{r r} -10.0 \\ -6.0 \\ -2.5 \\ -1.8 \end{array} $	$ \begin{array}{r} -11.8 \\ -8.5 \\ -6.5 \\ -4.2 \end{array} $	$ \begin{array}{r} -13.0 \\ -8.5 \\ -7.0 \\ -6.5 \end{array} $	

# Diurnal variation of Z.

#### [International quiet days, Greenwich mean time.]

		-	,					,							-	
Hour.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Gr	oup me	ans.	Year.
		Ι.	]	τ.		I	II.		]	π.		Ι.	ı.	п.	m.	loan
0-1	7 +3 +3 +4 +5	$\begin{vmatrix} \gamma \\ +1 \\ +1 \\ +4 \\ +6 \end{vmatrix}$	7 +5 +5 +5 +6	7 +3 +3 +2 +3	$\begin{vmatrix} 7 \\ +2 \\ +1 \\ -1 \\ -1 \end{vmatrix}$	$\begin{vmatrix} \gamma \\ -1 \\ +1 \\ +1 \\ +2 \end{vmatrix}$	7 +2 +2 +2 +2 +2	7 +3 +4 +3 +3	$\begin{vmatrix} \gamma \\ +4 \\ +5 \\ +5 \\ +4 \end{vmatrix}$	7 +4 +5 +5 +5.	7 +3 +3 +3 +3	$\begin{vmatrix} \gamma \\ +3 \\ +4 \\ +5 \\ +6 \end{vmatrix}$	+2.5 +2.8 +4.0 +5.0	7 +4.0 +4.5 +4.2 +4.5	$\begin{pmatrix} r \\ +1.5 \\ +2.0 \\ +1.2 \\ +1.5 \end{pmatrix}$	7 +2.7 +3.1 +3.2 +3.7
4-5 5-6 6-7 7-8	+5 +6 +8 +8	+6 +6 +7 +7	$\begin{vmatrix} +6 \\ +6 \\ +6 \\ +5 \end{vmatrix}$	+3 +2 +3 +3	$\begin{vmatrix} 0 \\ 0 \\ +1 \\ +2 \end{vmatrix}$	$\begin{vmatrix} +1 \\ +1 \\ +1 \\ +1 \end{vmatrix}$	$\begin{vmatrix} +2 \\ +2 \\ +2 \\ +1 \end{vmatrix}$	$\begin{vmatrix} +3 \\ +3 \\ +3 \\ +2 \end{vmatrix}$	+4 +5 +5 +5	$\begin{vmatrix} +6 \\ +5 \\ +5 \\ +6 \end{vmatrix}$	$\begin{vmatrix} +2 \\ +3 \\ +4 \\ +4 \end{vmatrix}$	$\begin{vmatrix} +6 \\ +6 \\ +6 \\ +5 \end{vmatrix}$	$\begin{vmatrix} +4.8 \\ +5.2 \\ +6.2 \\ +6.0 \end{vmatrix}$	$\begin{vmatrix} +4.8 \\ +4.5 \\ +4.8 \\ +4.8 \end{vmatrix}$	+1.5 +1.5 +1.8 +1.5	+3. 7 +3. 8 +4. 2 +4. 1
8-9 9-10 10-11 11-12	$^{+8}_{+7}_{+5}_{+4}$	+6 +5 +3 +3	+5 +3 +3 +1	$     \begin{array}{r}     +4 \\     +3 \\     +2 \\     -1     \end{array} $	$\begin{vmatrix} +2 \\ +2 \\ 0 \\ -2 \end{vmatrix}$	$\begin{vmatrix} 0 \\ +1 \\ -1 \\ -3 \end{vmatrix}$	$\begin{vmatrix} +2 \\ +1 \\ 0 \\ -3 \end{vmatrix}$	$\begin{array}{c c} +2 \\ +2 \\ +2 \\ -4 \end{array}$	$\begin{vmatrix} +5 \\ +4 \\ +2 \\ -3 \end{vmatrix}$	$\begin{vmatrix} +6 \\ +5 \\ +5 \\ +3 \end{vmatrix}$	$\begin{vmatrix} +4 \\ +4 \\ +3 \\ +1 \end{vmatrix}$	+4 +3 +3 +3	$+5.5 \\ +4.8 \\ +3.5 \\ +2.8$	$+5.0 \\ +3.8 \\ +3.0 \\ 0$	$\begin{vmatrix} +1.5 \\ +1.5 \\ -2.2 \\ -3.0 \end{vmatrix}$	+4.0 +3.3 +2.2 1
12–13 13–14 14–15 15–16	$-1 \\ -7 \\ -13 \\ -15$	$\begin{bmatrix} 0 \\ -3 \\ -7 \\ -7 \end{bmatrix}$	$\begin{vmatrix} -1 \\ -3 \\ -7 \\ -9 \end{vmatrix}$	$     \begin{array}{c c}     -2 \\     -4 \\     -6 \\     -8     \end{array} $		$\begin{vmatrix} -6 \\ -3 \\ -2 \\ 0 \end{vmatrix}$		$ \begin{array}{c c} -6 \\ -7 \\ -8 \\ -2 \end{array} $	-5 -7 -7 -8	$\begin{vmatrix} -1 \\ -5 \\ -5 \\ -8 \end{vmatrix}$	$\begin{vmatrix} -3 \\ -7 \\ -8 \\ -8 \end{vmatrix}$	$     \begin{array}{r}       -1 \\       -5 \\       -8 \\       -11     \end{array} $	$ \begin{array}{r} -1.2 \\ -5.5 \\ -9.0 \\ -10.2 \end{array} $	$ \begin{array}{c c} -2.2 \\ -4.8 \\ -6.2 \\ -8.2 \end{array} $		$ \begin{array}{r r} -2.9 \\ -5.0 \\ -6.5 \\ -6.8 \end{array} $
16–17 17–18 18–19 19–20	$-10 \\ -7$			$ \begin{array}{c c} -6 \\ -2 \\ -2 \\ -2 \end{array} $	$\begin{vmatrix} -4 \\ +1 \\ +2 \\ +4 \end{vmatrix}$	$\begin{vmatrix} +2 \\ +3 \\ +3 \\ 0 \end{vmatrix}$	$\begin{vmatrix} -3 \\ 0 \\ +1 \\ +1 \end{vmatrix}$	$\begin{bmatrix} -3 \\ -2 \\ 0 \\ 0 \end{bmatrix}$			$\begin{vmatrix} -7 \\ -6 \\ -5 \\ -2 \end{vmatrix}$		$     \begin{array}{r r}     -10.0 \\     -8.2 \\     -7.0 \\     -4.5   \end{array} $	$ \begin{array}{r r} -8.5 \\ -7.5 \\ -6.0 \\ -4.8 \end{array} $	$\begin{vmatrix} -2.0 \\ +.5 \\ +1.5 \\ +1.2 \end{vmatrix}$	$ \begin{array}{c c} -6.8 \\ -5.1 \\ -3.8 \\ -2.7 \end{array} $
20-21	$^{0}_{+1}_{+1}_{+2}$		$ \begin{array}{c c} -2 \\ -1 \\ +2 \\ +3 \end{array} $	$ \begin{array}{c c} 0 \\ -2 \\ +2 \\ +2 \end{array} $	$\begin{vmatrix} +1 \\ +1 \\ +2 \\ +2 \end{vmatrix}$	$\begin{array}{c c} +2 \\ -1 \\ -2 \\ -1 \end{array}$	$\begin{vmatrix} +1 \\ +1 \\ +1 \\ +1 \end{vmatrix}$	$\begin{vmatrix} +1 \\ 0 \\ +1 \\ +2 \end{vmatrix}$	$\begin{vmatrix} -2 \\ 0 \\ +2 \\ +3 \end{vmatrix}$	$\begin{vmatrix} -5 \\ -2 \\ 0 \\ +3 \end{vmatrix}$	+1 +3 +3 +3	$0 \\ -1 \\ +1 \\ +1$	$ \begin{array}{c c}8 \\ +.2 \\ +1.5 \\ +1.8 \end{array} $	$ \begin{array}{c c} -2.2 \\ -1.2 \\ +1.5 \\ +2.8 \end{array} $	+1.2 +.2 +.5 +1.0	$ \begin{array}{c c}6 \\2 \\ +1.2 \\ +1.8 \end{array} $
							-	1920	0.					1		I
0-1	$^{+3}_{+4}_{+5}_{+5}$	$^{+5}_{+5}_{+5}$	$\begin{vmatrix} +2 \\ +3 \\ +3 \\ +3 \end{vmatrix}$	$^{+2}_{+1}_{+2}_{+3}$	+4 +4 ·+4 +4	$^{+2}_{+4}_{+3}_{+3}$	+3 +3 +3 +2	$\begin{array}{c c} +4 \\ +3 \\ +3 \\ +3 \end{array}$		$\begin{vmatrix} +2 \\ +3 \\ +3 \\ +4 \end{vmatrix}$	$\begin{vmatrix} +1 & 0 & 0 \\ 0 & 0 & +1 & 1 \end{vmatrix}$	$+2 \\ +2 \\ +3 \\ +4$	$\begin{vmatrix} +2.8 \\ +2.8 \\ +3.2 \\ +4.0 \end{vmatrix}$	$\begin{vmatrix} +1.2 \\ +1.8 \\ +1.8 \\ +2.2 \end{vmatrix}$	+3. 2 +3. 5 +3. 2 +3. 0	+2.4 +2.7 +2.8 +3.1
4-5 5-6 6-7 7-8	$^{+5}_{+6}_{+7}$	+6 +7 +7 +7	$^{+5}_{+7}_{+7}$	$^{+5}_{+6}$ $^{+5}_{+6}$	$+3 \\ +2 \\ +1 \\ +1$	$^{+2}_{+2}_{+2}_{+1}$	$^{+1}_{+1}_{0}_{-1}$	$\begin{vmatrix} +1 \\ +1 \\ +2 \\ +2 \end{vmatrix}$	$     \begin{array}{r}     +5 \\     +8 \\     +4 \\     +5     \end{array} $	$^{+4}_{+4}_{+5}_{+4}$	$\begin{vmatrix} +4 \\ +4 \\ +6 \\ +6 \end{vmatrix}$	+5 +5 +4 +5	$ \begin{array}{r} +5.0 \\ +5.5 \\ +6.0 \\ +6.5 \end{array} $	$ \begin{array}{r} +4.8 \\ +5.8 \\ +5.2 \\ +5.5 \end{array} $	$\begin{vmatrix} +1.8 \\ +1.5 \\ +1.2 \\ +.8 \end{vmatrix}$	$+3.8 \\ +4.2 \\ +4.2 \\ +4.2$
8-9 9-10 10-11 11-12	$^{+8}_{+7}_{+6}_{+5}$	$^{+7}_{+7}_{+6}_{+6}$	$^{+7}_{+5}_{+4}_{-2}$	$^{+5}_{+4}_{+2}_{-3}$	$0 \\ +1 \\ 0 \\ -1$	$^{+1}_{+1}_{+1}_{-2}$	$^{+1}_{0}_{-4}$	$\begin{vmatrix} +2 \\ +2 \\ 0 \\ -7 \end{vmatrix}$	$   \begin{array}{r}     +5 \\     +3 \\     +2 \\     -1   \end{array} $	$     \begin{array}{r}     +3 \\     +4 \\     +3 \\     +2     \end{array} $	$^{+6}_{+6}_{+6}_{+4}$	$^{+4}_{+4}$ $^{+3}_{+2}$	$ \begin{array}{c c} +6.2 \\ +6.0 \\ +5.2 \\ +4.2 \end{array} $	$+5.0 \\ +4.0 \\ +2.8 \\ -1.0$	$+1.0 \\ +1.2 \\ +.2 \\ -3.5$	+4.1 +3.8 +2.8 1
12-13 13-14 14-15 15-16	$^{+2}_{-5}$ $^{-13}$ $^{-18}$	$^{+3}_{-4}$ $^{-12}$ $^{-17}$	$-6 \\ -9 \\ -11 \\ -11$	$ \begin{array}{c} -7 \\ -9 \\ -10 \\ -8 \end{array} $	$     \begin{array}{r}       -3 \\       -2 \\       -2 \\       -4     \end{array} $	-3 -3 -1 -4	$     \begin{array}{r}       -7 \\       -6 \\       -3 \\       -3     \end{array} $	$     \begin{array}{r}     -10 \\     -8 \\     -5 \\     -2     \end{array} $	$     \begin{array}{r}     -4 \\     -5 \\     -6 \\     -4     \end{array} $	$     \begin{array}{r}       -2 \\       -4 \\       -6 \\       -6     \end{array} $	$     \begin{array}{r}       -2 \\       -6 \\       -11 \\       -11   \end{array} $	$\begin{bmatrix} 0 \\ -5 \\ -6 \\ -7 \end{bmatrix}$	+.8 $-5.0$ $-10.5$ $-13.2$	$     \begin{array}{r}       -4.8 \\       -6.8 \\       -8.2 \\       -7.2     \end{array} $	$ \begin{array}{r} -5.8 \\ -4.8 \\ -2.8 \\ -3.2 \end{array} $	$   \begin{array}{r}     -3.2 \\     -5.5 \\     -7.2 \\     -7.9   \end{array} $
16-17 17-18 18-19 19-20	$     \begin{array}{r}     -16 \\     -11 \\     -8 \\     -4     \end{array} $	$-17 \\ -14 \\ -10 \\ -5$	$     \begin{array}{r}       -9 \\       -6 \\       -4 \\       -1     \end{array} $	$     \begin{array}{r}     -6 \\     -2 \\     -2 \\     -1     \end{array} $	$     \begin{array}{r}     -2 \\     +1 \\     -2 \\     -2     \end{array} $	$     \begin{array}{r}       -5 \\       -4 \\       -1 \\       0     \end{array} $	$     \begin{array}{r}       -1 \\       +1 \\       +1 \\       +1   \end{array} $	$^{+1}_{+1}_{+1}$	$     \begin{array}{r}       -3 \\       -1 \\       -1 \\       -2     \end{array} $	-3 -3 -4 -5	$     \begin{array}{r}     -9 \\     -8 \\     -5 \\     -2     \end{array} $		$ \begin{array}{r} -12.0 \\ -9.5 \\ -7.2 \\ -4.2 \end{array} $	$     \begin{array}{r}       -5.2 \\       -3.0 \\       -2.8 \\       -2.2     \end{array} $	$ \begin{array}{c} -1.8 \\2 \\2 \\ 0 \end{array} $	$   \begin{array}{r}     -6.3 \\     -4.2 \\     -3.4 \\     -2.2   \end{array} $
20–21	$-1 \\ 0 \\ +2 \\ +3$	$     \begin{array}{r}     -2 \\     0 \\     +1 \\     +4   \end{array} $	$^{+2}_{+2}_{+2}_{+2}$	$^{+2}_{+1}_{+2}_{+2}$	$     \begin{array}{r}       -3 \\       -4 \\       -1 \\       +1     \end{array} $	$0 \\ 0 \\ 0 \\ +2$	$^{+2}_{+1}_{+2}_{+3}$	$-1 \\ +1 \\ +2 \\ +3$	$0 \\ -1 \\ 0 \\ -1$	$     \begin{array}{r}     -5 \\     -3 \\     -1 \\     +1   \end{array} $	$^{+1}_{+3}_{+5}_{+2}$	$     \begin{array}{r}     -4 \\     -1 \\     +1 \\     +1   \end{array} $	$ \begin{array}{r} -1.5 \\ +.5 \\ +2.2 \\ +2.5 \end{array} $	2 $2$ $+.8$ $+1.0$	$ \begin{array}{r}5 \\5 \\ +.8 \\ +2.2 \end{array} $	$ \begin{array}{r}8 \\1 \\ +1.2 \\ +1.9 \end{array} $

# Summary of monthly means.

#### 1919.

Month.	<b>D</b> .	H.	I.	X.	Y.	Z.	<i>F</i> .
January February March April	° ', -3 37.3 37.9 38.8 38.9	7 27933 929 921 921	51 15.3 15.2 15.9 16.2	7 27877 873 864 864	7 —1764 1769 1776 1777	7 34810 803 807 814	7 44631 624 622 627
May June. July August	39.6	908 918 915 898	17. 3 16. 1 16. 7 18. 9	851 861 858 841	1780 1782 1787 1786	821 808 818 841	624 621 626 633
September October November December	40. 9 41. 8 41. 6 42. 5	883 883 884 871	20. 3 20. 1 19. 8 20. 5	825 825 827 812	1790 1798 1796 1803	852 847 843 841	633 629 627 617
Year	-3 39.9	27905	51 17.7	27848	-1784	34825	44626

#### 1920.

January	3 43.1	27864	51 20.6	27805	-1807	34834	44607
February	43, 6	858	20.8	799	1810	830	601
March	44.4	845	21.9	786	1816	837	597
April		842	22. 1	782	1820	837	595
	1110	012		102	1010	001	000
May	45, 4	847	21.7	788	1825	835	597`
June	45.8	846	21.6	786	1828	831	593
July		838	22.3	778	1830	837	593
August		828	23.0	767	1835	839	589
August	10.0	020	20.0	101	1000	000	000
September	47.4	799	24. 2	738	1838	827	562
October	48.0	784	24.7	722	1841	821	548
November.	48.7	789	24.7	727	1847	825	553
	49.4	785	25.0	723	1853	826	551
December	49.4	100	20.0	140	1000	820	991
37	9.40.1	07007	F1 00 7	977707	1000	0.4000	44500
Year	-3 46.1	27827	51 22.7	27767	-1829	34832	44582
			1	1	i .		

# Summary of annual means.

Year.	D.	Н.	I.	<i>X</i> .	Y.	Z.	F.
1903 1904 1905 1906 1907 1908 1909 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1918 1919 1919	-1 23 2 1 31.0 1 38.3 1 45.9 1 53.7 2 20.5 5 2 11.7 2 20.6 6 3 00.4 3 10.1 3 19.2 3 27.0 3 34.0 3 39.9 9 3 46.1	29336 286 221 173 106 29021 28927 834 739 638 522 401 279 158 28066 27985 27905 27827	• , 49 10. 0 15. 0 17. 0 22. 1 29. 3 36. 3 44. 1 52. 0 50 00. 4 09. 0 21. 2 33. 9 55. 5 51 02. 7 10. 9 17. 7 51 22. 7	7 29327 256 209 159 090 003 28905 810 712 607 487 362 236 111 28015 27931 27848 27767	7 —709 775 835 899 962 1034 1107 1179 1253 1325 1407 1489 1563 1639 1741 1784 —1829	7 33946 965 952 999 34066 106 151 202 258 312 421 533 680 714 783 825 832	7 44865 834 795 799 806 782 755 755 712 710 6492 644 644 626

DECLINATION.
PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

A COLUMN		-	-	-		The second second second	to the same of the	-	- Constitution	-	minimum management	-			200000000000000000000000000000000000000	-	-	-	-	-	1	1	-	F	-		,	:		•	-
Day.	Char.		2	<del>-</del>			-	×	<b>"</b>	2	=	2	2	*	2	9	-	20	2	₹,	77	77	77	2	Mean.	Max	Maximum.	ε	inimum.	143	Annego.
				-	-			L		_							-									h, n	ai	ď.	m.	-	
-																			-	*****											
2.1			-		-						_											_						_			
ю.		364	364 36	4	5 37	1 37	1 364	36	4 35	5 344	341	347	365	384	391	394 4	41.84	0	~	67	S	6 5	6.5	· O	O,	4	2 4 2 6	٥	2	0	9
+		3743	365 37	373 377	7 37	4 39	5 377	377	39	2 368	355	346	352	389	405 4	402 3	386 3	371 3	352 3	341 3	354	359 3	354	383	372	5 25	2 405	10	58 33	10	12
1.5		3713	376 37	ø	5 41	2 38	2 382	38	8 36	2 330	324	351	382	399	407	3963	386 3	368 3	9	3613	362	3553	3653	372	373	4 1 5	9 416	70	22 31	7	66
-	ł	3743	375 38	ન	9	1 40	2 395	37	2 336	6 323	346	369	394	400	403	396	391 3	382 3	62	3663	366	367 3	374	580	375	5 25	5 414	o	27 31	8	96
t-		378 3	375 377	7 39	4	01 38	4 394	8	2 34	335	345	371	384	394	405	413	397 3	381 3	374 3	364 3	364	364 3	362	364	377	15 28	8 415	0	50 32	60	4
s		374 3	382 38	387 38	1 38	4 38	7 384	37	4 35	4 333	323	350	373	384	394	395 3	390 3	384 3	377 3	3743	369	3553	371 3	372	373	15 51	1 397	10	21 31	ы	4 8
5.	7	374 379	179 38	386 384	4 37	8 37	4 37 1	36	5 353	1 334	334	364	394	405	405	405 3	394 3	4	377 3	3743	368	371	372	371	376	15 29	9 4 0 8	o	4.4 33	- 0	80
10.		373 3	375 37	4	6 37	6 37	6 374	36	4 350	0 333	325	342	363	384	394	395 3	394 3	0	378 3	37 4 3	371	371	372	374	371	1600	0 396	5 10	11 32	n	23
=		3743	375 377	7 38		2 37	4 365	36	4 347	7 326	317	348	384	398	394	387 3	382 3	375 3	374 3	374 3	374	374	374	374	371	13 33	3 401	10	18 31	~	8 4
12	٠ ٦	374 3	374 37	374 37	4	4 37	2 365	37	4 35	9 354	364	369	385	399	400	394 3	382 3	377 3	374 3	373	372	372	369	372	375	14 33	1 403	Φ	54 35	-	53
13		377 3	4	389 393	ы	97 39	399	39	2 36	2 335	330	348	366	385	390	392 3	8	(381)	G78 (3	(375) 3	374	374	374	374	377	6 52	2 406	0	20 32	'n	83
7	O)	376 3	372 40	401 365	5 38	4 37	8 374	37	2 36	4 356	354	349	356	374	385	389 3	381 (3	(379)(3	(37 6) (3	(373)(3	(372)	(372)	(373)	374	373	23	2 425	11	20 34	9	0
15		374	374 37	5 373	37	2 37		3	5 36	0 354	n	36	7 2	4	4	3	8 9	390 3	2		373	369	369	369	374	144	4 398	6	36 34	5	53
92		372 3	Q	۱.	38	4 37		37	36	6 353	3	361	381	403	4004	4053	3913	3813	374 3	3713	354:	3643	361	3503	374	13 53	3 414	o	34 34	7	67
-	-4	3633	369 362	32 374	37	5 37	1 37 4	37	5 37	5 359	35	36	379	399	407	4053	4	3923	377 3		365	365	372	369	376	1500	0 415	10	10 35	н	4
×	ત	375 3	380 38	381 384	38	5 38	3 374	37	2 34	n	340	361	373	S	(402)(3	6 2)	3863	384 3	386 3	371 3	361	375	366	371	374 (	4 4 1	59 (404	9	21 32	9	7.8
9		374 3	372 373	3 374		4 37	5 378	37	3 35	4 338	347	374	394	409	405	4053	390 3	373 3	379 3	3763	371	365	367	369	375	13 39	9 412	On O	9 32	6	83
50		3703	369 37	4 37	4 37	4 37	4 370	36	4 33	9 333	333	354	384	409	407	398 3	3913	381 3	3753	3733	374	369	358	365	371	13 4	5 411	8	26 33	0	8.1
-12	-1	3743	38.4 38	4 37	5 37	9 3 8	6 382	36	7 34	7 333	333	363	389	403	394	387 3	391 3	384 3	3793	3793	366	370	372	372	375	13 2:	3 406	a	55 32	n	83
31	<del>-</del>	9	377 38	1 37	38	0 38	5 382	36	9 35	0 331	329	345	374	401	412	403 3	3883	3813	382	374	374	3653	3643	369	374	14 17	41	4	33	Q	23
83	0	369 374	174 37	374 376	n	37	4 37.4	36	5 347	7 323	322	344	374	411	417	409	394	384 3	378 3	374	377	373	373	373	373	14 2.	4 421	10	10 31	2	60
. 4.	0	372 374	174 38	380 375	n	76 377	7 375	37	2 34	5 3 3 5	331	354	381	397	401	397 3	3913	387 3	8 4	382	375	374	371	374	374	14 49	9 405	9	00 38	r)	90
25.1	0	374)(375)	17 5) (37	376(376)	9	76)(376)	6 (37.5)	(3.7	1) 35	5 335	327	361	400	417	419	407 3	390 3	3833	3813	377	376	373	372	371	377	14 00	0 421	9	10 32	10	98
26*1	0	371 374	574 377	7 378	8 37	8 37	8 376	37	3 3 5	5 336		328	351	378	388	3883	0	9	0	375 3	374	373	4	373	-	163	7 391	г п	00 38	n	68
27*	0	3743	374 37	374 375	5 37	4 375	5 37 4	37	0 35	4 338	334	345	363	384	397	3943	3833	384 3	381 3	377 3	374	371	371	371	371	14 46	6 401	o'	00 33	n	68
82	<del>,</del>	3723	372 37	5 378	8 37	4 37	4 372	367	34	4 323	314	350	396	415	498	382 3	381 3	390 3	4	378 3	378	374	371	369	372	13 2	4 419	o	52 31	11	80
58	ત	3713	372 370	0 371	37	0 37	3 372	357	35	1 333	336	360	375	381	374 3	382 3	397 3	3963	4	382	381	378	374	374	372	18 00	0 405	10	00 32	8	11
*0E	0	3743	374 376	6 37	6 37	5 37	5 37 4	367	35	4 334	344	378	405	400	394	395 3	394 3	3913	387 3	383	377	377	374	374	377	12 4	411	o	37 33	7	90
31	2	3743	374 37	379 381	1 37	6 37	4 377	37	3 34	5 329	353	391	408	412	3943	379 3	364 3	3683	3663	3673	369	374	353	369	373	13 2	3 415	9	39 31	9	बु
Mean		373 3	374 377	7 378	М	80 37	9 376	37	1 35	4 338	338	357	379	396	399	3963	389 3	383 3	3763	372 3	370	369	369	371	374					1	<del>-</del> 8
Mean.		3733	376 378	8 377	7	77 376	6 37 4	368	35	2 336	333	355	380	395	3983	3953	3903	3853	3803	7	7.3	372	372	372	373					]	9
Mean†		3733	375 37	6 378	37	7 37	6 373	36	8 35	2 334	326	345	373	392	398	3943	388 3	3843	6 2	376	6 6 6 7 6 4	372	372	373	372						
		- 0.	Local distant	thord down		- Dir.	Fire interesting	1		10,	A.hat 4 44 ad		for 2nd	-		Maria Caracteria		-	THE STREET, ST.	NORTH CARROLL	Contraction Color	-	-		-						
		101	i en ieast disturbeu days	rbed uny:	,	5	e Ilitorius	h rauon	quiet days.		120000																				

DECLINATION.
3º WEST PLUS TABULAR QUANTITIES, sepressed in tenths of minutes.

	Range.	57	4	9 0	03	8	83	103	T				T	 		Τ		 	Τ				Т	8 4	83		
	8	. 4		9 10	17	- CQ	342	319	-				H	 		+			$\vdash$				+	1			
	Minimum.	# 00 TO # 00 A # 00 II	0 W	0 4 0 4	33 32		9 34	58	-				╀	 		$\downarrow$		 	-				4				
	Ā			0 0			0	9																			
			427	4 0 5	425	434	425	4 2 2	T				T	 		t		 	T				$\neg$				
	Maximum.	50 CB	4 5	4 5		39	9	3	H				f	 		t		 	$\vdash$				$\dashv$				
		1 2 2 .		4 6		13	13	4	_				L												_		٠.
	Mean.	383	38.2	37.0	378	384	380	377																380	379		
time	22	376	373	0 to	379	375	375	381								T								378	378		
mean	ដ	373	267	37.6	377	375	376	381					Ī	 		T		 	Γ					375	377		
meridian mean time	2			3 4 7	374	371	375	381				_	T	 		T							-	373	374		
th me	12	37 4	276	37.0	4	375	376	375					r	 		t		 	$\vdash$				+	ᇷ	374		
8	92	0 9 2 5	374	381	374	378	377	375	-				H	 		$\dagger$		 	$\vdash$				$^{+}$	3752	376	_	
nidnig	61	8 8 8 8		2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		381 3	378 3	375					$\vdash$	 -		+		 	-				+	6	6	_	
gatr	-	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 8 5	2 0	10	374 3	381 3	873	-				H	 		+		 	-		-		-+	od I	379 37		
ginnir	18		300	373 37	74 37	4	387 3	97	-				H	 		ŀ		 	-		-						
our be	11		0	3 6	10			n	-	-			-	 		1		 	-					8	0 384	_	
one h	91	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	393	3 6 6 7		5 407	6 405	7 411	_				-	 		Ļ		 	_				4	7 398	3 400		
o spe	12	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	9 6 9	ν α υ α		3 425	5 416	7 417	_					 		1		 	_					407	4		
e peric	=		400	409		433	5 425	5 417						 		L			_					410	416		
ccessiv	22	N N 0	297	J 4	415	423	415	403					L											403	407		
for su	12	376	2.0	0 K			394	379																379	384		
alues	=	351	548	350		374	357	3 4 2								1							- 1	349	354		
erage 1	2	361		3 5	327	355	345	326																4	343		
are av	6	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 0	0 6	343	357	352	334					Ī										- 1	353	351		days.
alues	œ	372	378	378	366	372	368	354					Ī			T								372	369		nal quie
oular v	2	387	ດ. ກຸ	381	375		374	367	Г							T		 					_		375		ternatio
The tabular values are average values for successive periods of one hour beginning at midnight	9	9 9 9	9	381	374	374		371	T					 		t			$\vdash$				$\neg$ t	(V	375		† Five international quiet days,
1	20	391	410	0 K	381	375	375 375	374	$\vdash$				T			t		 	T					~	380		
	4	04	95	2 6	23	3,1	374 3	379	r			<u> </u>	-	 		t		 	$\vdash$				_	S	82	_	.79
	e .	44	0	· ×	-	-	9	0.	-				H	 		+		 	+					86 38	803	-	irbed da
. 1919	_	4 10 1	4	373 37	7	0	75 37	77 37	-				+	 	~	t		 	-				$\dashv$	3	77 38		"Ten least disturbed days.
FEBRUARY	~	0.4	4 5	24 24	14	н	15 37	7 37	+				+	 		+		 	-			~	$\dashv$	5	8		Ten le
FEB	1				10	· m	37		-	-			-	 		+		 	-	-			$\dashv$	37	37		
	y. Char.	62.02		٠, ٠	+	•			-				-	 		-		 	-				+	a a	, u	<u> </u>	
	Day.	- 0	63		Ľ				1=	- 27	=	= =	Ľ	 	===	1	N N	 3 5	98	22	88	8 8	3 7	Mean	Mean	Mean	COMPAND.

DECLINATION.

3º WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

	•	MARCE	Cler			-												,		,	:										
Day.	Char.	1	2 3	4	15	9	1		80	6	10	=	12	13		22	16 17	22	-	19 20	22	21	23	24		Mean.	Maximum.	din.	Σ	Winimum.	Range
7 6																					-		-			-	, m		η.	æ.	
80 T						- To Independent	<del>,</del> .				·····											**********								-	
9	T	387 3	181	90 39	0	87 38	5	83 36	82	703	57	6 4 3	7 4 3	84 38	89 40	04 41	13 42	5 (41	9	08 (40	0.10(3.9	5) 39	0 38	5 38	50	90 1	6 36	4 2 5	0	00	5.7
		383 3		~	3	94 38	6	84 37	78	733	67	713	77 3	94 40	05 42	21 42	5 4 3	2 4 0 5	5 404	405	39	5 38	7 39	3 3 8	7	- 22	5 47			10	
*s		ιO.	3		4	81 38	33 38	6	90 38	81 37	0	66 37	3	80 38	86 4	400 41	11 41	2 405	5 403	3	5 391	1 38	7	88 38	3	8	5 4 6	415		n	
±.6	0-		88	n	3	9	2	ਜ	<u>د</u>	8	7 3	8.2	83 (3)	88)(3	Ø	1406(410)	10) 41	0 405		402 40	39	S	91 35	91 39	0	91 1	6 17	410	3	48 37	9
Ē	Т	н	06		9		3	5	3	86 37	3	643	61 3	65 37	4	84 38	38 39	4 400	4	02 39	7 39	5 39	1 39	0 38	8 38	5	8 00	402	10 5	50 30	09
=		on ·	287 39	0	<u>8</u>	n	3	8	3	3	9	त	CV.	7 3	4	04 40	4		2 40		39	Q	o	9 38	4	i ∞	5 35	411	6	00	6.4
12.	н	3643	2	n	9 1	6	9	7			0	9	4	4	4	~	7	4		39	7 3	4 W	1. 3	9	0	8	5 29	409	0	5	48 6
13		290	m		2	•		2		0	1.7 1.0	4		_		n	5	4	05 408	4		4	S	0 38	1 38	8	5 8	421	0	27 3	52
14			-1		9	63		<u> </u>		9	S	9	N	401 40	409 41	13 41	4	98 39	2 400	n	90 39	2 39	2 39	0 39	0 38	9	5 54	422	. 7	12	62 6
15.	$\neg$	CZ	392 389			32 379			377 37	74 36	69 36	66 37	7 3	88 33	95 40	401 40	04 40	4	08 40	5 40	7 39	9 39	4 39	3	91 38	9	7 23	408	100	3	65
91		384 3	381 37	1 371	3	a		~		+	ч	3	83 3B	ъ	93 39	99 39	7 39	8 39	4 39	3 38	39	4 39	39	1 37	1 38	7	5 00	400	8	18	5.4
11		3703	391 375	5 381	n	n		۲٦.			20 3	ъ	н	391 38	98 3	98 35	96 39	4 39	339	5 39	30	3	91 35	91 39	3	87 1	4 4	403	6 4	0 3	67
18.		391 3	391 391	1 391	n	0	3 37			-		m	10	394 41	410 41	412 40	408 40	3 39	9 39	rs rs	90 39	1 38	7 3	90 38	9 38	7	9	413	9 1	03	47 6
19		0	387 389	19 387	7 38	0	32 374			0	H	œ	in.	407 43	33 45	4	448 44	4	34 41	2 41	0 38	2 37	1 37	4 37	3 39	5 1	5 5 4	459	Ø	8 3	56 103
20		364 3	376 378	8 37	9 38	32 38	18 37	v	361 35	53 35	50 35	54 37	70 38	н	402 41	418 42	421 42	2 4	31 38	1 4	01 39	8 37	9 36	0 35	0 38	2 17	50	443	0.	8	38 103
21		356 3	350 370	0 370	0 38	0	9	5 38	33 38	н	75 37	9	85 40	400 41	0	31 42	4 42	4	02 38	6 37	3 38	2 37	8 38	0 38	1 38	1 9	5 52	426	0	7 3	39 8
55		376 3	385 383	3 383	9	S	~			н	S	2	91 46	401 41	411 48	421 421	1 41	9 397	7 400	38	0 38	6 38	6 37	5 37	8 39	5	4 35	428	0.5	8 36	9 4
8		386 3	387 386	6 402	m		in		3	S	9	2	ਜ	0	10	408 41	.5 406		6 391	1 391	1 391	3	91 38	6 38	7 38	<del>1</del>	5 21	418	• 3 4	4 34	18 70
24.		387	8	4 38	n 1	0	0	23	O.	9	0	0	0	10	6			4		39	8	ы	ß	0	<u>в</u>	90 1	5 47	420	9 5	96 36	8
26	Т		2	8 37	8		4	~	2	2	6	2	र्ज	0	0	9		0 39	8	38	3 38	9.38	5 37	9 38	2 38	4	5 47	418	10	3 35	59 5
92	,-I	387	2	7 38	5	0		2	n		n	~	Θ	₹-	<del>ŏ</del>	4		n n	æ	4 0 0	0	0	0	33	6 38	n	000	409	9 1	5	59 5
27		0 0 0	2	н				n	<u>เบ</u>	342 33		0	ત	9		16 417		in	æ	9 39	0 34	9 36	6 37	9 38	38	<del>п</del>	5 28	420	9	7 32	7
82		388	n	CV.				3	n n	4	-	ก	0	n				8 38	6	38	3 38	7 38	2 38	5 37	9 38	2 15	00	416	8	9 34	7
81		o.	30	5 38	<b>60</b>	6 6 8		ы	3	5	8	0	in	ы	94 40	405 408	8 399	9 39	3 388	37	8 36	3 378	8 37	3 37	1 38	3 15	ω	418	8	6 35	8
9		787	88	8 37	8 37	7 37	7		8	57 35	8	8	ਜ	8	~	407 40	5 40	4	н	38	8 37	1 371	1 38	0 38	8 38	81 14	29	409	8	0 34	8 61
3	T	9	85	9	5 3	n	8 36	9 36	9	61 34	8	58 37	71 37	8 39	2	409 407	4	01 39	5 391	38	8 39	1 38	9 38	8 38	9 38	4 14	56	410	9 1	8 34	0 7 0
Mean	1	833	85	2	4 38	4 38	2 37	8 37	5	69 36	5	69 37	77 38	37 40	00 400	09 41	2 40	9 40	2 397	39	3 38	9 38	6 38	5 38	3 38	7					62
Mean	1	385 3	86 38	6 38	6 38	4 38	5 38	2 37	19 37	7336	8	68 37	7 4 7 8	84 39	04 40	04 40	8	08 40	2 40	0	6 39	4 39	0 38	9 38	8 38	æ					51
Meen		388 3	388 38	8 387	7 38	4 38	4 38	38	32 37	74 36	8	68 37	7 4 38	32 39	4	08 40	7	07 403	40	90	350	3 38	6 2 8	0 38	8 38	80					
		-	POLICE SECTION SECTION	Office of Separation	CONTRACTOR OF THE PERSON	The Control of the Co	STATE OF THE PARTY	-		- Contraction Cont		100	CONTRACTOR OF THE PARTY OF THE	-	- Becking Stateon.	Table Co.	-	-	TECHNOLOGY.	and other College or	-	Total Control	1	The state of the s	-	-,					

† Nve international quiet days. \* Ten least disturbed days.

DECLINATION.

3º FRST PLUS TABULAR QUANTITIES, expressed in tentile of minutes.

	Range.	0		0 0	2 0	9 6	96		1 0	ייי		1	50	1 8	1 4	) u	0 0	h a	) C	0 0	0 0		. 7		7 (	1 10	38	63	2	17	N N	T	3 9	}	
	B	4 0	1 6	1 6	4 7 4	20	12	4	. 4	- Y		56	351		4	-	1 1	1 (	- 0	, 4	1 1	٦ ۷		2 10		- 4	6.4	55	10	54	53	ť	ľ	]	
	Minimam	\$ C	1 1	- 10	, c	9	1	10		4	100	8	103	m	۳		) 10	7 6	א מ	) (C	ο α	1 0	0	0	· Q	2	9	7 35	10	5	8	-			
	E	. α	0	n 0		10	10	_	0	ω.		00	0	8	α		1			, 4		4					9	۷	7	6	7 4				
	m.	4 4 8		4 4	5	4 8		418				427	440	437	420	426	4	٠ 4	'n	n		1 10	416	401	398	409	408	418	412	427	425				
	Maximum	4 33	30	, 4	0			00	•	5 47	200	5 00	5 42	3 47	4 51	n	1 0	r	ır.	4	r	l iu	-	4 K	Ŋ	4 37	533	00	15	13	80				
	en.	91 1	4	7	1	8	1 8	5	Н	4	7	1	4	3 1	-1	9	3 1	4	1 4	4	- 10	4 4	8	4	9	3	8 14	1 15	9 1 4	4 13	9 14	-		8	1
time.	Mesn.	87.3	7	. w	90 38	8	67 38	3 38	5	7 38	3	3 39	1 39	6 39	6 38	9	3	4 N	3	17	1 9	4	3	7 3	6 38	39	2 38	1 39	3 38	9 39	0 38	1 2	0		
mean tiz	2	8.2	87 38	7 0	88 35	9	67 36	67 37	38	5 38	9	6 39	4 39	6 38	9 38		3	8	3	13	9	7 3	4 U	3	8	2 38	0 39	1 39	5 39	7 38	7 39	2 2		9 38	
	R	ω ω	7 3	10	7	n	9	7 3	7 39	39	3	5 39	8 39	8 38	9 38	1 39	8 38	m	H	m	6	5 3	5	9	1 38	4 39	4 39	5 39	5 39	5 38	7 38	38	5	0 38	and and and
meridian	22	0 38	38	10	7 38	7 39	7 36	7 36	2 38	7 39	39	6 39	9 39	4 38	5 38	4 30		2 37		5	9	0	5 39	8	5 39	5 39	5 39	4 39	6 39	8 38	5 38	38	3	50 50 50	- Annual Control
: 60 th	21	9 39	38	n	7 38	6 3 9	2 37	7 37	3 39	97 39	39	7 39	4 39	5 39	1 39	6 39	0 38	3	7 3	38	J.	4 40	39	8 39	3 39	5 39	6 3 9	0 39	39	5 38	0 38	39		45 99	West of the last o
midnight	8	1 58	39	9	9 38	7 39	7 39	38	7 39	<u>4</u>	3	3.9	3 40	0 39	5 39	6 3 9	1 39	6 38	39	3 3	4	4	4 39	339	4 39	3 39	39	6	6 2 3	39	39	7 39.	39	98	The second second
ᇥ	19	3 39	339	20	7 38	3 3 9	8 39	0 407	7 387	8 40	8 400	4 400	0 41	9 400	39	4 39	0 4 0	3 38	9	7 39	Эh	7 40	41	8 398	8 39	9 39	0 39	6 39	4 396	3 3 9 5	0 391	2 397	39	39	- Carron de Carr
beginning	18	5 40	9 40	4	3 397	8 40	0 4 0	2 40	7 397	5 408	8 408	4	4 2	6 409	1 397	2 40	6 42	3 39	3 408	39	4 40.	40	407	5 398	388	33	9	40	9	9	ก 0	4 0	399	398	Total Control Control
	17	1 (4.2	3 4 1	4	0 41	5 41	6 42	5 41	8 41.	8 41	41		432	4 23	41	41	43	40	4 2	4 1	4	417	406	9	9	395	393	406	395	396	406	413	409	409	
one hour	16	4 4	4.3	5	4 23	4 23	43	4	4 23	4.7	436	426	440	427	417	424	439	418	432	427	430	431	407	396	396	406	397	417	406	412	4 4 8	422	419	417	
4	12	4	438	43	421	426	437	408	427	411	437	_	439	436	417	424	435	439	438	431	427	428	406	401	398	408	400	416	410	418	4 2 2	424	421	41.8	
periods	72	432	4 23 3	4	408	405	428	397	418	396	426		437	436	417	417	427	432	434	421	423	418	402	396	395	407	408	415	410	426	421	417	415	412	
successive	13	408	390	n	379	367	400	380	398	380	409	406	420	417	407	399	416	425	417	401	404	406	391	393	387	4 0 0	396	407	403	426	409	401	398	392	
for suc	12	387	360	354	364	357	364	365	377	369	398	œ.	393	394	391	3.83	396	412	394	388	384	389	383	387	380	396	O)	o,	395	419	397	385	384	378	
values	11	367	340	340	351	351	348	352	357	360	395	379	370	377	378	368	378	399	376	385	376	378	375	382	380	400	387	391	385	416	385	374	375	368	
average 1	10	357	327	343	347	360	357	350	355	358	385	ø	356	369	369	355	364	396	367	387	367	369	367	367	377	406	o.	305	376	406	375	369	370	368	
are av	6	350	330	347	349	365	357	351	5	365	378	9	343	9	365	341	371	366	367	389	365	36€	369	4	375	406		7.5	7.5	385	362	365	366	367	days.
values	8	360	347	358	365	375	377	360	387	360	374	9	4	9	366	Q 4 5)	366	381	369	390	367	375	367	~	7.5	388	7.1	99	65	4	0.50	367	364	367	Five international quiet days
tabular	7	369	367	377	363	383	ω	377	6	364	376	20	366	3	374	(359)	369	377	368	376	376	9	365	5	4	90	8 9	9	9	6 4	371	372	370	373	ternatio
The ta	٠	377	377	4	357	8.5	90	387	~	365	378	~	2	9	326	1200	373	384	376	~	375	8	372	S	()	7.5	4	2	7 4	73	89	77	76	379	† Five in
	2	382	381	4	364	87	88	26	83	367	378	8	4	8	376	37 4)	376	376	377	378	989	: 22	17 5	o	25	න			2 20	-	75	378 3	783	80	
	4	~	9		67	8,8	88	æ	0		10	378	84	n	4	8 1 C	~	O.	166	Θ	0	58.2	384 3	S	4	0	380	~	Φ	۲-	in o	83	8 2 3	83	ays.
		6,8	87	~	S	~		~		н	CX.	89	8 7	9 8	83	8 5	d	88	9	87	89 3	Ω (0	3	~	S	8.5	4	0	S	S	υ υ	8 4 3	853	85 3	hurbed d
95	7	390 3		87 3	11	0	o	~	4	77	84	ω .	98	2	9 8	8.4	9	ø	7.4	96	9 6	e) L	9	7.5	89	91	8 5	9	S	0	8 7 10	853	873	873	· Ten least disturbed days.
APRIL	-	ω		~	4	389 3	398	673	3753	843	813	83	9	o .	9 8	88	88	96	9 6	00	91	87	n	ıo.	<u>ه</u>	9	9	9	<u>م</u>	m	ი 0	87 3	87 3	873	• Ten
₹	Char.										- 1	0	2	<u>م</u>	M	2	n	n	4	m	73	n		1 38		Т		7	<u>س</u>		n	30	ค	ñ	
-	Day.	•		÷0	-				œ		_	•=									-			23		1	_	27*	28°T	83	8 8	Mean	Mesn.	Mean	
	لت		-						_									_								_						11	7	2	j

SWEST PLUS TABULAR QUANTITIES, expressed in tenthe of minutes.

MAY         1819         The tabular values are average values for successive           Day.         Char.         1         2         3         4         5         6         7         8         9         10         11         12         13	MAY         1919         The tabular values are average values for           1         2         3         4         5         6         7         8         9         10         11         11         11	S    The tabular values are average values for   2   3   4   5   6   7   8   9   10   11   11   11   12	S   4   5   6   7   8   9   10   11   12   12   13   14   15   15   15   15   15   15   15	The tabular values are average values for	The tabular values are average values for	The tabular values are average values for	tabular values are average values for           7         8         9         10         11         11	values are average values for	are average values for	average values for	values for	\$   =	<u> </u>	13 13	e periods	# P	one ho	hour begi	beginning a	at mid	midnight 6	8 th n	meridian 22	mean 23	time.	Меап.	Maximum.		Minimum.	Range.
91 390 387 385 383 381 370 374 375 384 394 39	391 390 387 385 383 381 370 374 375 384 394 39	1 390 387 385 381 370 374 375 384 394 39	0 387 385 383 381 370 374 375 384 394 39	7 385 383 381 370 374 375 384 394 39	383 381 370 374 375 384 394 39	3 381 370 374 375 384 394 39	1 370 374 375 384 394 39	0 374 375 384 394 39	4 375 384 394 39	5 384 394 39	394	<b>ω</b>	v	o	3 4 2	4	4	9 417	7 403	394	393	394	389	368	368	392	h. m. 15 00 4.	33 23 0	00 32	8 105
374 382 389 377 379 363 362 348 356 341 357 38	374 382 389 377 379 363 362 348 356 341 357 38	4 382 389 377 379 362 362 348 356 341 357 38	2 389 377 379 363 362 348 356 341 357 38	9 377 379 363 362 348 356 341 357 38	379 363 362 348 356 341 357 38	9 363 362 348 356 341 357 38	3 362 348 356 341 357 38	2 348 356 341 357 38	8 356 341 357 38	6 341 357 38	357 38	<b>17</b> 1		9	40	4 23	4 4	4	40	4	4	3	376	366	377	385	15.54	9 4 4	18 32	9 115
387 389 394 399 388 377 376 377 377 38	387 389 394 399 388 377 376 377 377 38	7 389 394 390 380 385 377 375 374 374 377 378 38	0 304 300 380 387 377 375 374 374 377 377 375 377 377 377 377 377 377 377	4 3 9 3 3 3 3 3 3 3 3 3 4 4 5 5 5 5 5 5 5 5 5	380 385 377 375 374 374 377 377 38	0 385 377 375 374 374 374 377 38	5 377 375 374 374 377	7 375 374 344 377 374 377 38	4 545 547 504 51 A A A A A A A A A A A A A A A A A A	400 447 474 4	400	3 6		0 6	2 4 4 0 6	4 7	4 4	2 4 4 9	0 0		40	4 4	0 0	0	0, 0	03	5 40 4	7	4	96 6
387 394 384 376 388 380 372 374 391 403 405 3	387 394 384 376 388 380 372 374 391 403 405 3	7 394 384 376 388 380 372 374 391 403 405 3	4 384 376 388 380 372 374 391 403 405 3	4 376 388 380 372 374 391 403 405 3	388 380 372 374 391 403 405 3	8 380 372 374 391 403 405 3	0 372 374 391 403 405 3	2 374 391 403 405 3	4 391 403 405 3	1 403 405 3	405	i n		0 0	4	1 4	4 4	4 4	4 4	4 4	1 to	4 4 0 0	4 0 4	א ס	J 16 0 0	0 0	16 00 4:	ω ,	20 37	4 4
0 391 387 389 385 387 384 384 390 386 387 392 3	391 387 389 385 387 384 384 390 386 387 392 3	1 387 389 385 387 384 384 390 386 387 392 3	7 389 385 387 384 384 390 386 387 392 3	9 385 387 384 384 390 386 387 392 3	5 387 384 384 390 386 387 392 3	7 384 384 390 386 387 392 3	4 384 390 386 387 392 3	4 390 386 387 392 3	0 386 387 392 3	6 387 392 3	392 3	50	0	9 4 0 3	4	9 42	242		4 403	402	3.9	4	396	10	1 0	90	1 4 1	4 5	7 0	0 0
386 384 394 388	386 384 394 388 382 375 371 369 374 384 39	6 384 394 388 382 375 371 369 374 384 39	4 394 388 382 375 371 369 374 384 39	4 388 382 375 371 369 374 384 39	8 382 375 371 369 374 384 39	2 375 371 369 374 384 39	5 371 369 374 384 39	1 369 374 384 39	9 374 384 39	4 384 39	9.0	Δ)	38	394	4 408	41	6 42	4 4 2 3	402	398	399	396	393	397	300	Ö	27.4	1 4		7 61
0 391 388 386 383 376 379 366 366 374 384 3	391 388 386 383 376 379 366 366 374 384 38	1 388 386 383 376 379 366 366 374 384 38	3 386 383 376 379 366 366 374 384 38	6 383 376 379 366 366 374 384 38	3 376 379 366 366 374 384 38	6 379 366 366 374 384 38	9 366 366 374 384 38	6 366 374 384 38	6 374 384 38	384 38	8	4		4 391	398	41	0 41,	4 409	399	397	397	397	394	392	38.1	389	4	- 10	n	-16
384 384 385 383 378 377 371 363 369 381	384 384 385 383 378 377 371 363 369 381 38	4 384 385 383 378 377 371 363 369 381 38	4 385 383 378 377 371 363 369 381 38	5 383 378 377 371 363 369 381 38	3 378 377 371 363 369 381 38	8 377 371 363 369 381 38	7 371 363 369 381 38	1 363 369 381 38	3 369 381 38	9 381 38	ω N	in	œ,	6 391	408	41	7 42	1 414	402	396	402	405	300	394	393	391 1	6 00 4	22 7	m W	۸ (
1 391 387 392 381 374 373 363 360 367 374 37	391 387 392 381 374 373 363 360 367 374 37	387 392 381 374 373 363 360 367 374 37	7 392 381 374 373 363 360 367 374 37	381 374 373 363 360 367 374 37	1 374 373 363 360 367 374 37	4 373 363 360 367 374 37	3 363 360 367 374 37	3 360 367 374 37	0 367 374 37	7 374 37	37	x+ 1	37	ω	38	9 396	6 40	4 401	395	395	398	395	394	394	395	385 1	6 00 4	05 7	01	2
394 394 390 389 385 382 372 364 374 393 39	394 394 390 389 385 382 372 364 374 393 39	394 390 389 385 382 372 364 374 393 39	4 390 389 385 382 372 364 374 393 39	389 385 382 372 364 374 393 39	385 382 372 364 374 393 39	5 382 372 364 374 393 39	2 372 364 374 393 39	2 364 374 393 39	4 37 4 393 39	4 393 39	o N	1	40	S.	40	4	6 40	3	8	398	40	402	401	202	396	393 1	4 50 4	7 90	18 36	4
1 393 392 388 386 384 375 356 342 354 387 40	393 392 388 386 384 375 356 342 354 387 40	392 388 386 384 375 356 342 354 387 40	2 388 386 384 375 356 342 354 387 40	386 384 375 356 342 354 387 40	5 384 375 356 342 354 387 40	4 37 5 356 342 354 387 40	5 356 342 354 387 40	6 342 354 387 40	2 354 387 40	4 387 40	4 0	10	42	4 23	4 4	4	4	4.2	41	418		406	398	8.7	4	399 1	3 53 4	51 7	36 32	8 123
283 384 373 366 376 374 354 333 333 344 36	385 384 373 366 376 374 354 333 333 344 36	384 373 366 376 374 354 333 333 344 36	4 373 366 376 374 354 333 333 344 36	366 376 374 354 333 333 344 36	5 576 574 354 353 353 344 36	6 374 354 333 333 344 36	4 354 333 333 344 36	4 333 333 344 36	3 333 344 36	3 344 36	8	~	ω	m	4	4 3	4	4 2	405	401	397	403	403	390	304	386 1	4 56 44	8	34 32	4 119
1 397 396 394 391 387 385 386 382 357 356 36	397 396 394 391 387 385 386 382 357 356 36	396 394 391 387 385 386 382 357 356 36	6 394 391 387 385 386 382 357 356 36	391 387 385 386 382 357 356 36	387 385 386 382 357 356 36	7 385 386 382 357 356 36	5 386 382 357 356 36	6 382 357 356 36	2 357 356 36	7 356 36	9	~	9	7 384	4	4	4	2 415	410	405	394	404	396	394	305	392 1	5 41 42	0	50 34	8 76
1 394 392 395 394 394 386 362 356 356 3	394 392 393 394 394 386 362 356 356 364 37	392 393 394 394 386 362 356 356 364 37	2 395 394 394 386 362 356 356 364 37	394 394 386 362 356 356 364 37	394 386 362 356 356 364 37	4 386 362 356 356 364 37	6 362 356 356 364 37	2 356 356 364 37	6 356 364 37	6 364 37	37		38	5 394	412	42	5 42	5 415	399	392	397	398	395	387	394	3911	5 00 42	4	5	0
1 393 385 386 391 386 381 367 355 339 354	393 385 386 391 386 381 367 355 339 354 38	385 386 391 386 381 367 355 339 354 38	386 391 386 381 367 355 339 354 38	391 386 381 367 355 339 354 38	1 386 381 367 355 339 354 38	6 381 367 355 339 354 38	1 367 355 339 354 38	7 355 339 354 38	5 339 354 38	9 354 38	8	_	396	6 411	418	42	4 23	5 425	416	413	406	405	396	392	394	393 1	5 00 42	8	4 4 33	94
1 395 395 394 392 392 386 366 354 361 372	395 395 394 392 392 386 366 354 361 372 39	395 394 392 392 386 366 354 361 372 39	394 392 392 386 366 354 361 372 39	392 392 386 366 354 361 372 39	392 386 366 354 361 372 39	2 386 366 354 361 372 39	6 366 354 361 372 39	6 354 361 372 39	4 361 372 39	1 372 39	9	^-	406	6 418	431	4	3 446	6 435	425	407	39.0	405	394	395	396	400 1	6 00 45	1 .7	57 34	5 106
0 406 402 385 388 383 383 374 370 364 364 36	406 402 385 388 383 384 370 364 364 36	402 385 388 383 383 374 370 364 36	385 388 383 383 374 370 364 364 36	388 383 383 374 370 364 364 36	383 383 374 370 364 364 36	3 383 374 370 364 364 36	3 374 370 364 364 36	4 370 364 364 36	0 364 364 36	4 364 36	n			9		4 10	4	7 422	405	4 0 5	402	39	396	396	395	394 1	4 35 4	35 7	19 36	3 72
2 294 292 389 384 384 384 377 364 354 355	394 395 389 384 384 377 364 354 355 37	393 389 384 384 384 377 364 354 355 37	389 384 384 377 364 354 355 37	384 384 384 377 364 354 355 37	384 384 377 364 354 355 37	4 384 377 364 354 355 37	4 377 364 354 355 37	7 364 354 355 37	4 354 355 37	4 355 37	37	~~	o i		4	4	4		405	407	403	402	399	96	396	392 1	5 14 44	6 11	13 35	8 8 9
1 288 393 394 390 386 382 373 357 363 370 37	368 393 394 390 386 382 373 357 363 370 37	393 394 390 386 382 373 357 363 370 37	2 394 390 386 382 373 357 363 370 37	4 390 386 382 373 357 363 370 37	386 382 373 357 363 370 37	6 382 373 357 363 370 37	2 373 357 363 370 37	3 357 363 370 37	7 363 370 37	3 370 37	37		38	0	4	4	43	2 425	4.1	411	403	405	393	396	386	393 1	6 00 4	34 7	28 35	1 83
1 584 585 568 353 348 344 342 344 356 362 36	384 383 368 353 348 344 342 344 356 362 36	383 368 353 348 344 342 344 356 362 36	3 368 353 348 344 342 344 356 362 36	353 348 344 342 344 356 362 36	348 344 342 344 356 362 36	344 342 344 356 362 36	4 342 344 356 362 36	2 344 356 362 36	4 356 362 36	6 362 36	36		33		6	4	4	4.1	41	418			403		4	382 1	5 26 42	5	34 33	98 6
385 388 393 398 399 376 367 374 384 3	385 388 393 393 390 376 367 374 384 3	388 393 392 393 390 376 367 374 384 3	8 393 392 399 376 367 374 384 3	3 392 393 390 376 367 374 384 3	393 390 376 367 374 384 3	3 390 376 367 374 384 3	0 376 367 374 384 3	6 367 374 384 3	7 374 384 3	4 384	n		4		4	4	40	8 405		411	392	398	504	403	400	396 1	3 00 41	2	33 35	7 58
1	304 520 524 524 524 537 575 562 357 375 3	300 304 504 504 587 575 562 357 375 5	0 5 2 4 5 4 5 4 5 4 7 5 7 5 5 6 7 5 7 5 7 5 6 7 5 7 5 7 5 7	4 244 244 287 375 362 357 375 3	394 387 375 362 357 375 3	4 287 375 362 357 375 3	7 375 362 357 375 3	5 3 5 7 3 7 5 7 5 3 3 3 3 3 3 3 3 3 3 3	257 375 3	7 375 3	<u>~</u>	<b>!</b>	00	0	n n	38	9	S)	50	397	Ō	iJ O	06	88	40	œ	9 58 3	8	5 35	3 46
1 100 1009 100 410 410 410 400 500 500 500 401 41	101 109 107 410 410 400 584 584 401 41	209 307 413 410 400 584 584 401 41	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	410 410 564 564 564 401 41	410 400 584 584 401 41	0 400 564 564 564 401 41	0 564 564 564 401 41	2 284 384 401 41	4 284 401 41	401 41	4	N I	4	4	4	4	4	40	38	394	400		(A)	4	396	o,	3 51 42	9	34 36	58
1 400 401 391 393 379 364 346 340 355 364 38	403 407 391 393 379 364 346 340 355 364 38	704 309 307 406 305 374 374 374 38	4 400 307 406 305 37 4 37 4 70 35 36 4 38	2 307 406 304 346 340 355 364 38	40E 40E 4240 340 355 364 38	9 364 346 340 355 364 38	4 346 340 355 364 38	6 340 355 364 38	0 355 364 38	2 364 38	2 8	(1)	30	4.	4.1	41	41	4	0 4	-1	н.	H	0.20	0.5	0.1	93		7 7	33	3 84
4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	44 TO 10 TO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 1 1	4 1	١ ١		9	4	4	ą.	4	4	4	٥.	On .	4	2	9	or 4	<del>1</del> 0	5 54 42	7	15 36	2
0 3 3 4 5 6 5 6 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	300 390 390 304 500 504 500 304 500 300 300 300 300 300 300 300 300 300	390 390 394 594 565 574 564 567 373	0 5 4 6 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6	0 524 525 574 584 567 373	34 365 374 384 367 373	4 585 574 584 567 373	5 574 584 567 373	4 284 267 373	4 567 373	7 575		3	37	37	9	S. O	0		ο :	396	9	4 0 23	ਜ :	o	~	387 2	100 4	ю Ю	9	39
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100 100 100 100 100 100 100 100 100 100	194 395 397 391 391 384 377 385 406	390 391 391 384 377 385 406	337 331 331 384 377 385 406	321 331 384 377 385 406	1 391 384 377 385 406	1 284 377 385 406	4 277 385 406	285 406	2 406		2	4	4	4.	4.2	4		n		403	403	405		405	404	1 25 43	2	38 37	4 62
0 401 400 394 391 385 380 369 357 356 368 38	401 400 394 391 385 380 369 357 356 368 38	400 394 391 385 380 369 357 356 368 38	394 391 385 380 369 357 356 368 38	391 385 380 369 357 356 368 38	385 380 369 357 356 368 38	5 380 369 357 356 368 38	0 369 357 356 368 38	9 357 356 368 38	7 356 368 38	6 368 38	5	9	4	418	417	418	408	396	400	405	405	407	405	405	104	394 7	3 00 41	4	35 35	2 67
0 400 397 394 394 387 383 365 354 355 366	400 397 394 394 387 383 365 354 355 366 38	397 394 394 387 383 365 354 355 366 38	7 394 394 387 383 365 354 355 366 38	394 387 383 365 354 355 366 38	387 383 365 354 355 366 38	7 383 365 354 355 366 38	3 365 354 355 366 38	5 354 355 366 38	4 355 366 38	5 366 38	38		4 9 6	400	408	409	414	407	395	401	396	397	398	402	401	392 1	5 00 41	6 7 1	5 35	1 65
0 405 405 394 387 384 376	405 405 394 387 384 376 355 347 359 373 39	405 394 387 384 376 355 347 359 373 39	5 394 387 384 376 355 347 359 373 39	387 384 376 355 347 359 373 39	384 376 355 347 359 373 39	4 376 355 347 359 373 39	6 355 347 359 373 39	5 347 359 373 39	7 359 373 39	9 373 39	39		411	418	433	435	425	406	394	394	394	398	399	403 4	02 3	951	4 9 43	6 7	43 34	9.2
1 392 389 3	91 392 389 387 385 380 368 362 365 374 3	392 389 387 385 380 368 362 365 374 3	2 389 387 385 380 368 362 365 374 3	387 385 380 368 362 365 374 3	385 380 368 362 365 374 3	5 380 368 362 365 374 3	0 368 362 365 374 3	8 362 365 374 3	365 374 3	3743	10	4	392	400	411	417	419	413	403	403	401	401	397	3943	933	9.3				7.5
95 392 391	95 392 391 389 384 380 370 364 367 379	392 391 389 384 380 370 364 367 379	2 391 389 384 380 370 364 367 379	389 384 380 370 364 367 379	384 380 370 364 367 379	4 380 370 364 367 379	0 370 364 367 379	364 367 379	367 379	7 379	_1	90	399	404	411	415	416	407	399	400	400	400	398	3983	963	46				9
2 390 384 381 372 367 373 387 3	94 393 392 390 384 381 372 367 373 387 3	393 392 390 384 381 372 367 373 387 3	3 392 390 384 381 372 367 373 387 3	390 384 381 372 367 373 387 3	384 381 372 367 373 387 3	4 381 372 367 373 387 3	1 372 367 373 387 3	367 373 387 3	373 387 3	387 3	2	26	402	406	411	4 1. 4	413	403	397	400	4 4 0 0 0 4	0 4 0 0 0 0 0 0 4	398	3983	5 5 5	9.4				
* You least disturbed days. † Five international quiet days.	+	+	+	+	† Five international quiet days.	† Five international quiet days.	ive international quiet days.	stional quiet days.	priet days.	÷										AND DESCRIPTION OF THE PERSON	CONTRACTOR OF THE CONTRACTOR O									

DECLINATION

PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

Five international quiet days.

DECLINATION.

3º WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

		JULY	66			F	The tabular		values are	re average	ige values for		successive	ve periods	70	one hour	r beginning	ning at	t midnight	ight 60	45	meridian	mean t	timê.	W	A STATE OF THE PARTY OF THE PAR		
Day.	Char.	-	2	60	4	9	9	-	80		11 01	22	22	=	18	19	12	82	61	8	21	ន	ន	Z	Mean, M	Maximum.	Minimum.	Range.
_	н	402	400	403	403	υ υ	89	7 4 3	61	513	54 36	4 37	200	3 41	0 414	4 13	4 0 5	407	415	415	415	4104	405 4	01 3	95 15	4 416	A. m. 8 32 344	7.2
81	-		394	3903	6	4	783	7 3	57	5 4 3	6 4 3	in.	4 40	5 41	5 420	415	407	405	405	405	405 4	4054	405 4	010	92 13	57 420	7 53 352	68
٠	_	8	394	3943	3943	9 4	91	85 3	613	69	74 38	8 39	8 41	5 43	2 435	432	416	406	403	405	4053	3963	593	94	99 14	15 436	7 41 354	89
·		4	66	03	00	00	97 3	87 37	76 3	743	77 38	39	5 41	3 418	8 422	421	422	415	415	406	4054	405 4	103 3	97 4	01 16	00 423	8 19 369	5 4
₽,4	0	26	394	394 3	96 3	94 3	90 3	84 37	9 3	8 4 4	05 41	5 41	5 41	5 417	7 419	416	415	416	415	414	4114	405 4	0.5	05 4	04 14	29 421	7 18 374	47
ţ		403	405	0.5	053	9	95 3	7 3	4	803	85 39	4 40	5 41	5 417	7 421	423	422	415	415	418	4084	409 4	105 4	0.5 4	05 16	0.0 484	8 00 375	49
۲-	-	-	400	97	94	7 3	783		9	743	793	2 40	3 41	9 434	4 436	435	434	422	418	415	4154	4143	94 3	93	03 14	22 438	7 41 364	7.4
œ		4		n	3	88	8 4 3	6.8	5 4 3	50	54 35	4 38	2 40	5 42	3 425	425	423	415	414	409	405 3	96	0.5	4054	94 14	28 432	8 00 334	86
•					5 4	05 3	93	53	4 10	64 3	6 5	5 38	9 41	0 424	4 425	419	415	412	409	415	415 4	415 4	98	0 5 4	02 14	33 425	8 56 354	7.1
2		9	C)	0	5	91 3			703	713	80 39	1 40	5 41	5 42	9 426	424	415	401	405	410	415 4	112 4	05 4	054	01 14	00 431	7 57 364	67
=		405	405	^	5	4	ο. ω.		4	743	39	1 41	1 41	7 431	1 437	436	485	415	408	411	4104	105 3	94 3	9 4	04 14	46 440	8 7 371	69
21	-	4 9 5	395	4 w	5	<u>4</u>	0	4	4	543	76 39	40	5 43	1 448	2 438		4	415	415	415	4164	413 4	103 4	05 4	01 13	50 443	7 55 346	97
2		ß	403	10	9	н	4	4	50	44 3	45 36		7 40	5 4 2		43		425	414	414	409 4	409 4	05 4	۴ H	98 16	20 439	9 16 338	101
<b>±</b>		ın		10	3 4	02 41	3	99 37	79 3	74 3	65 36	4 37	4 37	6 396	6 415	425	425	415	406	418	405 4	105 3	66	399 3	98 15	52 426	9 22 364	62
15	0	405	403 4	n	99 3	97 3	94 38	83 36	653	47 3	54 37	4 4 0	3 42	7 44	8 455	448	434	424	415	408	4094	105 4	0.5	405 4	05 14	36 456	8 45 344	112
1.91		404	401	399 3	3	4	8	3	n n	69	70 38	0 38	9 39	4 402	2 415	425	4 2 2	418	410	410	407 4	02 4	00	3953	96 16	0.0 425	7 44 352	73
′=	4	403 413	413	417 41	4	5	07 3	7 3	2	493	3 37	n			7 456			440	437		423 3	34	96	391 4	411 13	53 465	8 11 342	123
ž	-1	400 437	427	409 39	10	iu iu	iO iO	9	5	723	4 37	38	40	6 415	5 425		4	415		415	416 4	4154	60	402 4	403 1	30 442	8 35 364	7.8
61	ત	405	405		9	4 ₩	4 W	4 10	7	593	S	30	œ	5	4 4 3 4	4	4	415		409	408 4	105 4	0.5	401 4	02 13	50 435	8 22 354	81
30	0	405	4024	20	5 3		4	94 38		783	76 37	8 38	9 398	8 406	6 420	428	434	429	415	415	414	415 4	0.5	405 4	03 16	24 435	8 28 375	9
-172		405	398	394 39	n N	3	n	6	ų	86	4	6£ T	7 41	5 4 2		4	4	415	4	415 4	415 4	1.5	4104	07 4	04 13	00 423	8 37 384	39
23		405	405	ਜ	n	4 5	1	n N	5	69	38	0 39	40	5 41	8 435			424	418	409	405 4	001	94	8 4 4	01 15	47 442	9 18 361	81
23		383	375		5	4	4	9	8	4	37	4 38	43	9 41	6 430		4	425	9	412	415 4	415 4	0.5	415 3	95 16	30 435	7 8 344	91
7,	н	405		10	5	4	5	4 5		82	4 38	6	5 40	8 41	4		4	426		414	414	407 4	00	405 4	06 16	14 436	7 3 374	62
25					4			81 37		643	73 38	4 39	7 40	5 417	1425	425	425	415	413	418	4114	054	0.5	406 4	02 15	4 426	8 19 359	67
20	۰		407	408 40	4	7	4 2	u u	9	4	75 39	5 4 1	2 41	9 434	4 435	4	4	414	414	414	415 4	144	11 4	08	06 14	30 436	8 6 357	7.9
27		406	4104		6	<del>ار</del> ا	10	4 10		5 4 3	Q	1 38	4 400		9 431			415	411	412	418 4	0.0	0.5	405 4	00 15	30 436	8 17 345	91
28.	0	405	405	405 40	4	<u>ы</u>	7	9	n	60	7 39	0	7 41	4 23	8 435	436		421	411	412 4	421 4	405 3	96	405 4	04 15	5 438	8 15 354	8 4
53	0	405	904	405 40	5	n		n		77 3	n	9 39	9.	5 41	5 415		424	421	414	405 4	406 4	408 4	0.5	405 4	403 16	5 424	8 10 367	57
ŝ		405	405	405 40	<u>2</u>		5	4 3		4	Φ	4 403	1 409	4	8 425	435	434	425	415	413 4	4124	413 4	406 4	405 40	4 16	00 437	7 42 359	7.8
31	П	405	401	400 40	4	03 39	53	81 36	66 3	58 36	68 37	7 39	6 29	4 400	405	414	413	407	403	409 4	4094	07 4	023	97 3	96 16	16 416	8 18 354	62
Mean		401	402 401	101 39	9	95 38	91 38	1 3	68 3	65 37	72 38	1 39	5 41	0 422	2 427	428	424	417	413	412	411 4	407 4	034	02 40	0.1			7.5
Mean		403	4024	402 40	0	98 3	93 38	3 4 37	733	69 37	78 38	8 40	1 411	1 418	423	425	484	417	413			07 4	0 4 4	034	0.2			99
Mean		403	402	402 3	99	97	93 38	32 37	20 3	66 37	78 39	40	4 4	422	4 2 9	430	4 2 5	418	413	410 4	408 409	4 90	0 3 4	02 4	03			
		. T.	* Ton loset disturbed days	turbed de	No.	+	Five inter	netions	oniot d	dovo	The same of the sa	-	00000 ACC	-			- Company	Parameter parame			-		-					

DECLINATION.

STREET PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

1	ę,	_	o,	CZ.	O)	н	8	9	9		10	н	_	C)		Q		~	Q	<del>ر</del>	O.	0	C2	-	7	Oğ.	9	~	c)	n	~	00	्ा	d	ď		
	Ran	L	2	9	9	4	7 6	4 7	8	9	9 10	3 12	8 35	4 10	8	8	0	8	0	0 10	10	9	02	9	8	8	2	7 12	8	6	B	8	0	ď	7		
a constitution as	mam.	Ļ	32	9 35	9 34	3 37	9 35	2 35	6 35	6 35	38	2 32	58	5 32	36	8 35	35	1 36	3 4	35	0 34	9 34	5 36	5 34	35	36	5 35	33	36	3 35	3.4	35	34				
	Min	•	Ω	7	7	~	7 4	7 4	n		7 2.	7.4	5.5	7 3	7 5	8 4	7 5	8 25	80	7 52	7 30	7 4	7.1	7 3	7	7	7 2	8 00	7 38	9 1	8 17	8 00	8				
		_	4	4 5	28	413	425	30	424	19	53	4 4 4	649	426	56	3.4	4	4.7	434	51	4 4 3	43	4	4 5	444	40	53	6.4	47	445	33	56	3.6				
	Махітат		2 C 4	38	32 4	00	47 4	30 4	38	354	4 9 4	184	00	334	21 4	00	30	22 4	86	48 4	404	164	4 6 4	39	57 4	434	50 4	474	9	564	30	4 6 4	534				
	W		15	1 4	16	7	14	14	15	Н	13	1 4	4	14	14	13	1.5	1.4	15	14	4	13	15	13	ਜ	13	13	13	13	13	15	13	5	1			ii
	Мезп,	ŀ	399	407	398	397	400	400	398	398	399	401	404	496	407	399	401	407	399	403	409	408	405	405	411	410	412	412	411	411	406	409	405	404	402	402	
ı tíme.	72		402	400	403	402	403	403	402	401	405	392	372	413	402	405	4 0 2	402	400	382	411	413	411	408	414	413	406	402	403	413	413	405	413	404	406	405	ļ.,
ı mean	ន		4 0	400	408	403	402	405		395	405	401	375	410	402	402	4 0 2	404	402	404	402	406	413	407	415	413	409	401	411	413	413	413	413	405	407	404	Ì
meridian	21		403	400	413	409	405	409	405	400	404	405	387	413	402	404	400	410	403	402	400	410	413	402	414	413	409	408	413	418	415	417	420	407	411	407	
끂	21		404	411	418	411	405	409	398	403	408	406	426	413	403	408	411	413	409	402	401	413	415	413	419	415	413	413	413	423	420	417	421	411		4 0 8 4 1 0	ļ
ght 60	R		408	413	423	408	400	410	410	403	403	409	4 2 9	414	4 0 2	904	413	413	413	408	413	414	413	411	417	413	409	413	413	421	421	419	0.2	412	4	4 0 8 8 0 8	1
midnight	13		404	413	423	403	401	413	413	406	402	405	435	405	402	413		415	414	414	413	419	413	406	418	413	415	417	413	421	413	417	123	413	411	411	į.
ing at	82	-	413	523	424	398	413	411	413	411	402	401	423	410	410	421		421	423	432	416	414	415	401	4224	413	420	488	418	427	414	423	27	416	414	414	
beginning	11		n	433	426	402	421	414	423	413	413	411	415	413	423	433		32	433	40	56	420 4	10	408	53	23	33	32	8	19	53	33	34	24	420 4	23	
hour	16		53	10	15	0.5	53	53	23	16	25	28	36	413	41	33	4 ا	414	33	454	38 4	9 8	23	417 4	28	32 4	4 4 4	444	34 4	37 4	31 4	37 4	344	30 4	24	31 4	
of one	15		22	434	18 4	410	423 4	284	134	415 4	30 4	434	4.5 4	4234	53	33 4	37 4	5.4	n	4 9 4	4 0 4	34	194	30	4	33 4	474	564	38 4	434	314	48	334	344	264	35 4	
periods	41		4104	4 4 4	413 4	60	421 4	4244	402 4	4134	431 4	443 4	534	423 4	4 4 4 4	20 4	23	4 3 4	4234	4 3	435 4	424	4164	434	4414	404	52 4	63	445 4	4 34	31 4	52 4	427 4	33 4	25 4	29	
	13	-	0.2	43.4	60	00	11	16	96	17	52	43	16 4	11	6	96 4	402 4	334	60	419 4	23	404	415 4	434	443 4	35 4	464	534	4 4	30 4	2 6 4	34	9	23 4	184	164	
successive	21	1	4 76	3 4	99	91 4	02	9 4	93	416 4	414	38 4	80 4	02	403 4	753		184	92	014	4134	30 4	134	334	38 4	24	32 4	434	334	134	18	144	98 41	7	08 4	00	
ies for	=	-	88	09 4	833	8 4 3	9 4	92 4	92		9 4 4	17 4	57 3	92	89 4	62	623	96	72 3	834	0.2	05 4	034	4	0 8 4	05 4	134	2 4	13 4	9.2	00	97 4	733	94 41	924	5.8	
ge values	01	-	77 3	8 4 4	663	83.3	85	77 3	91	753	68 3	78 41	523	80 3	733	5 4 3	n n	813	653	65	0 2 4	81 4	8 5 4	83 41	8 4 4	92	92 41	91 4	90	6 4 3	76 4	75 3	543	77 39	9	65	
ауегаде	6	_	727	683	53	8 4 3	723	69 3	82	6.5	52	41 3	3.8 3	573	72 3	533	52 3	62 3	70 3	5.2	8.7 4	61 3	74 3	623	5	82	733	50 3	703	65 3	5 4 3	64	503	643	66 37	59 3	ays.
values are	-	H	10	60 3	52	76 31	65 3	62 3	63 3	55 3	38 3	29 3	28 3	52 3	2 3	62 3	6.2	68 30	55	58 3	55 38	58 3	63 33	52 36	62 37	23	62 37	47 3	65 3	62 36	57 33	62 36	62 3	58 30	61 36	9	Five international quiet days
	8	+	3	68 3	71 3	80 3.	80 3	69 3	69 3	23	623	58 33	58 33	52 3	92 3	8 4 3	89	823	0	76 3	92 3	82 3	79 36	5	n N	78 37	4	833	7	2	82 35	6	3	6 3	5 36	8 35	rnations
e tabular	7	H	89 37	82 36	2	7 3	90 38	3	5	6 33	7 3	3	2 3	7 3	5	2	7	1 3	12 37	n n	7 3	4 3	(3)	7 37	1 38	0	2 37	3	11 38	96 38	9	8 37	2 38	1 37	8 37	3 37	Nve inte
The	9	-	n n	i)	3 38	2 38	2	7 38	1 38	1 38	2 38	2 38	7 37	6 36	6 40	2 40	01 39	39	2 38	8	4 40	1 39	01 39	0 39	5 40	0 39	01 39	2 40	04 40	0 40	2 38	7 38	02 39	9 39	4 38	8	-
	-	-	8 39	7 39	3 38	5 39	5 39	6 38	2 39	5 39	9 39	5 39	4 46	1 36	5 40	2 40	4	6 39	4 39	9 40	1 41	7 41	4	2 40	4 40	4 40	4	5 40	4	3 41	7 39	20	4	4 39	8 39	1 39	
	-	ŀ	8 39	6 397	0 383	39	0 39	2 39	5 392	1 395	2 399	395	1 504	2 381	3 405	3 402	6 4 0 2	2 39	7 394	5 409	9 421	2 407	5 403	2 402	5 404	9 414	9 405	7 405	402 404 417 410	409 410 411 413	2 397	7 402	8 402	4 404	2 398	407 405 406 401	* Ton least disturbed days.
6161	3	ŀ	9	9 3 3 6	0.68.0	1 400	1 400	9 402	2 3 9 5	402 400 401	2 402	2 4 0 2	6 421	0 402	3 413	3 403	2 406	4 0	7 397	2 4.05	399	4 402	9 405	5 40	408 409 405	414 413 409	3 409	408 407 407	4 41	0 41	413 423 402	3 407	3 408	4 404	3 402	5 40	st distur
UST	2	L	4 39	399	390	2 401	2 401	2 399	402 402	2 4 0	402 402	402	3 406	400	413 413	404 403	5 402	2 401	402 397	5 402	004	404	5 409	5 40	40.	4 7	3 413	40.	40	41.	\$ 42	413 408	5 4 0 8	404	403	4	Top les
AUGUST	-	-	30	402	392	402	402	402	40,	404	40,	404	393	389	41	407	406	402	404	405	402	417	413	406	408	41,	413	406	40,4	405	41	4 1	413	405	404	407	
	Char.	L	н				-	<u> </u>	н				~2					1_		O2			_	4			٥		н				٥			-	
	Day		-	8	•	*		•	-	· **	•6	. 5	=	12	13	-		٤	- 1	81	91	8	21	g	8	24	25	26	27	8	8	30.	72	Мооп	Youn	Meen	

DECLINATION

PLUS TABULAR QUANTITIES, expressed in tenthe of minutes 3º WRST

Pive international quiet days,

DECLINATION.
3º WEST PLUS TABULAR QUANTITIES, expressed in teseths of minutes.

	Range.	123	ď		, ,	4	124	7.2	20	20	69	7.0	40	76	09	77	61	0 4	69	3.8	4 2	3.9	50	9	12	46	46	55	59	61	61	6 4	3.4	4 9	6.1		
		7.					39	9.6	381	392	73	7.4	9	372	381	368	81	399	392	4.10	400	90	391	93	16	93	88	377	385	85	83	4	66	H		ı	
	Minimum	۳ ا	0		7	6	543	6 3	3	453	36 3	17 3	00	39 3	553	8	N	4 4 3	50	43	5.2	32 4	163	00	4 4 3	363	0.0	413	4	4	493	25.53	253				
	Σ	۰.					10	6	Ō	o,	o,	0	a	œ	o,	O	8	0	10	O1	00	8	6	ω	ý	0.	ō	10	8	o	ď	80	т				
	á	4 9 4	453	441	1	405	463	470	431	442	442	452	454	448	441	445	442	439	461	448	442	445	441	457	463	439	434	432	4 4 4	446	4 4 4	443	433				
est-Mercann	Maximum	₹ <del>4</del>	7	٠ ٦	,		52	56	47	22	ы 4	33	47	00	30	16	13	31	4	12	00	35	00	00	00	9	00	4	20	53	27	2 4	24				
W. Control	_	5 18	7 1 4	4 1 6		2	5 16	2	3	8 16	7 14	9 1 4	4 15	5 15	3 15	4 16	0 16	7 5	4 15	3 16	4 16	3 15	9 1 6	3 24		0 15	8 16	3 15	7 3	0 14	0 16	916	0 16	8	8	S.	ę
.	Мезп	4 7	4.1	4 1		4	40	42	41	4	41	4 1	41	41	41	4	41	41	54	42	42	42	41	4	41	42	41	4	41	4 2	4 2	41	42	4 1	4.1	41	
t time.	z	400	418	4 1		4	408	422	417	412	421	413	413	412	416	418	402	412	406	422	422	421		4	423	419	417	411	425	421	421	412	418	416	417	416	
mean	B	430	421	412		4 3	400	424	422	411	419	416	418	418	418	421	393	41.9	421	422	422	419	421	418	417	418	417	405	423	416	421	418	419	417	418	416	
mendian	zi l	403	422	416			415	423	418	412	416	412	413	413	413	415	402	422	425	422	422	418	481	424	434	421	419	416	484	411	433	419	421	418	417	416	
٤	z.	402	4 2 5	422		304	425	416	414	423	418	413	418	417	420	415	413	423	435	421	422	420	421	483	2.2	428	423	5 2 2	425	416	426	423	425	421	418	44 419	
3	a	431	431	20	_	4	436	422	116	435	419	415	418	422	419	422	417	425	453	422	422	422	10	0	9	n	427	424	425	424	31	428	4304	26	21	45 000	
midnight	2	19	32	30		2	43	22	422	440	422	421	422	428 4	422	429	422	433 4	454	423	30	422	4	4	6	428	27	00	न्ध	32	4 4	32	30	30 4	254	44	
ä	81	594	37 4	3		7	554	324	22	30	31	32	Q	434	4234	35	31	3.4	51	37	439 4	30	8 2	30	9	434	324	184	27 4	254	417	30 4	314	344	324	30	
peginning	11	7 1 4	4424	4	- 4	0	61 4	4434	4224	417	35 4	404	447 4	2	417 4	434	4 0 4	38 4	534	4 7 4	ਜ	38 4	36 4	0	ਜ	7	334	27 4	31.4	364	424	4 1 4	324	404	38 4	35	
hour b	91	50	~	4	-	4	314	424	0	39 4	34	3 4	5	446 44	438 4	448 44	40 44	32 43	53 45	4 2 4 4	40 44	4	88	44 0		438 43	32 4	30 42	31 4	43.4	33 4	38 4	31 4	39 4	414	3.9	
eu e	$\dashv$	5 4	44	10	-	4	4	4	4 42	4	4	9 44	5 45	O)	432 4	0	8 44	2 43	9 45	4	5	4 4 4	6 43	0	_	m	8	5	4	4	5	4	4	5 4	9	ال 4	
ods of	22	4 4	4 4	C)	-	7	2 42	643	3 47	2 43	5 44	9 44	5 44	2 44	9	2 43	5.4	5 43	9 43	4 43	0 43	5 44	<del>-</del>	0	8	8 43	6 42	7 42	5 43	9 44	9 42	2 43	3 42	7 43	0 43	5 4 3	
ve periods	2	6 42	2 43	4	- 0	D	2 41	7 43	2 41	2 43	0 43	3 44	6 43	3 43	3 41	3 4 2	0 41	6 4 2	2 42	5 4 2	5 43	4 43	5 4 3		7 42	6 4 2	5 42	8 41	9 43	2 4 2	0 41	8 42	1 42	5 42	8 43	4 23	
successive	2	39	0 41	4		4	9 362	8 42	2 41	6 42	3 43	4 43	9 41	2 41	3 403	2 403	8 40	4 4 7	2 4 2	34	4 2	8 42		4 7	41	41	42	9 40	۲ 4	42	7	5 41	4 2	6 41	8 41	4 4	
107 51	22	3.8	39	4	•	4	36	4	4	40	4 1	4 1	39	40	30	39	38	41	4.1	42	42	4 1	418			407	4 7	9	4 2	41,	4	4	418	40	40	4	
Agrae	=	379	387	· r^		,	371	409	392	397	396	392		392	389	381	388	408	402	416	418	410	407	4		398	398	386	405	399	390	300	411	396	395	ω ω	
	2	378	378	381	0	7	379	400	385	395	387	379	363	381	384	371	389	402	400	420	402	409	396	438	0	397	393	389	394	394	388	400	411	393	388	385	
100	o	379	380	381		2	385	405	392	399	390	383	367	381	392	374	388	402	403	433	403	409	304	(Q		405	397	396	388	403	403	402	410	395	390	388	days
Ranim	8	393	392	387		) )	379	402	408	410	418	411	384	392	402	390	400	404	777	418	412	412	T 0 7	-	397	477	404	405	395	454	420	412	417	404	402	398	an quiet
tabular values	-	402	409	4	-		388	402	404	408	412	424	402	414	408	403	402	409	412	413	417	416		57	9	416	408	7.5	405	416	416	414	419	60	12	90	ternation
The tab	9	60	420	10			97	412	412	412	00	488	421 4	411	415	412	410	3.2	20	30	53	21	7	23	00	16	411	413 4	4064	90	16	16	28	13 4	164	4184	Five international quiet days.
-	.0	114	4234	N	0	7	983	324	22	12	034	13	13 4	15 4	204	15 4	412 4	12 4	12 4	22	31 4	32 4	16 4		1.8	154	174	۲ <del>۲</del> ۲	05	124	334	20 4	25 4	17 4	19 4	174	_
		10	422 4		•	4	387 3	413 4	5.2	4164	4124	4	431 4	1.5 4	422 4	421 4		411 4	134	11	424	4	4	17 4	420 4	4	417 4	4	4	4	4	421 4	4	8 4	1 4	4	g,
	7	413 41	420 43	4	-	4	7 31	4	4	5	4	4	2 4	4	9	8	4		24	-4	4	2 4	0.4	4	4	4	7 4	6 416	1 425	5	3 428	0	4 41	7 41	2 48	4 4 1	bed day
6161	*	. 4	2 4 2	5 43		4	6 377	3 414	6 42	4 4 1	0 41	0 42	5 432	8 41	3 41	1 42	5 41	7 41	1 42	2 41	1 422	2 422	0 43	0 42	40	4 4 2	2 417	6 41	5 40	2 43	2 4 2	1 42	3 414	8 417	1 42	9 419	st distur
BEK	~	3 412	403 412	412 435 433		4 4	405 406	419 453	422 426 423 422	414 414 415	419 420 418	421 420 420	419 425	413 418 418 415	413 413 419	420 421 422	420 415 414	402 407 410	414 421 422 413	411 412 412 411	429 421	2 422	421 420 420 418	480 480 480 417	439 404 400	424 424 424 431	420 422	416 416 416	413 405 401	422 422 425 431	420 422 423	422 421 420	413 403	418	0 421	419	* Ten least disturbed days.
OCTOBER	-	413	۷,	4	,	4	40	415	4 2	4 1	415	4.2	4 1	41	4 7	426	420	4	4 1.	4	425	482	42	4 2	43.	42,	42(	416	41.	426	420	42.	41.	417	420	417	•
cinimanacit	Char.	CZ.	_	1 0	2 .	4	O2	7	4	ત	٦	ત	L.	0			CV2	1	٦		7						0		٦	٦	-	٦	н				
CONTRACTOR CO.	Day	-		4 6	~	*	ş	۰	-	- 00	-	2	=	12.	100	1,51	. 2	£	2	- 25	Ē	<b>50</b>	21.4	8	23	34,	25	56	51	8	8	8	-	Mean	Mean	Mean	

DECLINATION.

Sº WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

	-	NOVEMBER 1919	i												1										-						
Day.	Char.	-	2	es.	4	s	9	2	8	6	10	11	23	23	7	15	16	17	81	13	R	21	22	n	7	Mesn.	Maximum	-	Minimum		Range
	_								_								-				Γ						h. m.	۲	ı.	H	l
_	•	0 2 4	2 2 4	4 × C		2		4	-	410	408	404	410	œ	5	n	ਜ	441	435	430	423	421	417	428	420	419	1628 4	2 4 5	8 55	406	36
~1		417 415	415	414 415	415	Ö	41.2	410	409	401	396	405	418	429	428	4384	438	437	4294	420	417	416	413	412	410	417	16 00 4	440	9 16	391	9
~		409	409 409 410 409 41	410		<del>-</del>		90	399	388	379	379	ω,	410	419	4224	28	4354	430	426	418	418	416	417	417	411	16 52 4	36	9 57	375	61
4	CQ.	418 413 418 413	413	418		0	403	396	382	387	393	411	438	440	449	4434	448 4	4 4 6)12	1304	4300	426)	(4 2 2)	419	420	417	420	13 45 4	55	8 58	378	77
٠	-	418 416 416	416	416	416	414	416	416	413	405	405	416	426	426	428	427 4	30	435 4	434	428	484	423	417	419	419	4 2 C	16 51 4	37	8 49	399	38
9	0	421	421 423	423	419	416	414	416	416	406	409	418	436	43.6	430	4234	23	4304	4334	431	425	421	417	417	420	422	12 00 4	37	9 20	404	33
į.	0	416 416 417 417	416	417	417	414	415	415	412	399	396	400	411	413	414	413 4	417 4	426 4	4104	424	419	419	414	414	414	414	17 20 4	35	4		4 1
*	0	414 414 416 415	414	416	415	n	411 4	413	407	393	387	394	413	423	433	434 4	3.4	434 4	427 4	421	414	412	412	413	413	415	16 00 4	36	17		5.3
ţ	0	412 412 412 413 41	412	412	413	Q	411 4	402	401	385	392	8		433	435	4344	33	4334	4224		ন	_	12	(V)	18	15	50	1 4	5	a	57
• 2	0	420 419 419 418	419 4	119	418	415	413 4	410	399	381	368	376	398	413	432	439 4	39	438 4	424	420	412	412	411	416	н	13	5 00	1 4	3	vo	7.5
=	4	425 436 434 427	436 4	434	427	н	416	413	411	401	383	391	412	438 (	(4 4 5)	(4 4 89 (4	(4.4 9) 4	4494	442	432	424	421	401	413	413	423	16 11 4	4 9	9 2 8	377	7.2
12		411 423 422 431 43	423	22	431	S	4354	422	9	410	401		407	412	422	431 4	432 4	4334	426 4	419	413	410	410	410	410	418	4 4 1 4	471	0 16	396	51
 81		411 416 421 428	416	42	428	0	414	419	420	411	400	393	26	4007	410	418 4	4224	4224	4204	415	410	409	410	408	410	413	3 33 4	29 1	0 18	391	38
		411 413 418 419 41	413 4	418	419	0	414	416	411	4 0 0	390	388	397	410	418	425 4	32	433 4	56	419	417	413	418	411	410	413	16 00 4	34	9 58	386	4 8
.9	-7	412 413 416 417	413 4	416	417	4164	4134	417	418	404	391	388	399	400	401	4094	204	130 4	26	419	419	417	416	415	416	412	16 32 4	31 1	32	383	48
91		416 419 418 418	4 19	418	418	0	4264	4224	415	80	396	391	398	411	429	429 4	38 4	146 4	534	40	430	420	414	412	418	420	17 29 4	61 1	0 17 3	387	7 4
		420 421 420 419	424	024	419	8	त्त	0	ਜ	2		398		2	419	425 4	37	439 4	427 4	419	415	411	415	417	417	415	16 12 4	9 4	9 36 3	385	61
<u> </u>		418 429 425 418	9 2	5 2	4 1 8	4	0	3	0	03	0.2	0	417	0	9	430 4	39	4 39 4	427 4	23	418	417	416	419	418	419	16 00 4	0 4	9 1 8	398	5 4
<u>.</u>		419 418 419 418 41	418	611	418	8	9		œ	66	86	406	418	429	429	4324	30	4314	29 4	0 8	418	418	418	418	418	418	15 16 4	33	8 56	397	36
2	$\neg$	418 419	419 4	422 423	423	2	419 4	418	415	395	388	393	409	418 4	421 4	122 4	29 4	30 4	264	2.1	418	418	419	422	425	417	16 00 4	434	9 43 3	8.5	6
		429 429 429 429 42	4294	621	429	S	4224	425		01	76	392	398	408 4	418 4	427 4	34	136 4	29 4	2,2	414	412	412	413	421	418	16 0C 4	39 1	0 00 3	87	52
 23		419 419 423 423 42	419 4	53	20.53	н		4		66	00	11	417 4	419 4	419 4	4214	28 4	34 4	27	423	417	413	413	413	420	417	16 12 4	35	9	8.7	4 8
8	<del>ੱ</del> ਜ	420 423 422 417 41	423	25	417	9	r)	13	æ	6,0	82	87	398	α.	427 4	432 4	34	30 4	25	419	415	409	409	409	410	413	14 40 4	38	9 2 6	7.9	59
		419 421 423 435	424	500	525	2	4124	10		392	9 8	96	408	4214	4394	4 4 5 4	41 4	34 4	21	418	415 4	412	410	412	413	417	14 44 4	47	9 12 3	82	65
22	Т	481 4	419 4	421	421 /	ᇯ	4164	4164	413	401	393	398	404	4164	1214	4294	32 4	32 4	24	421	422 4	416	417	418	420	417	16 31 4	433	9 24 3	9.1	42
56		419 4	423 4		433	~	424	(3	4224	409	400	394	402	4124	428 4	434 4	38 4	36 4	29 4	25	421	420	416	420	422	421	16 00 4	40	9 55 3	46	46
			423 427		428	424	23	4234	423	406	394	384	396	414 4	32	439 4	414	35 4	25 4	21	418 4	417	417	418	4204	420 1	15 31 4	44 10	2 47 3	83	61
.83		4224	423 424		424	4	421 4	418 4	414	396	387	383	397 4	425 4	4 9 4	150 4	6 4 4	55 4	37	427 4	4254	423	422	424	424	423 3	15 24 4	67 10	25	79	88
8	2	n	8	o	434	489 4	4254	5.5	425	413	401	395	4034	415 4	427 4	4404	4 4 4	38 4	33	4254	4214	419	416	420	425	123 1	15 30 4	46 10	'n	95	51
e :		4264	4264	92	126	426	424	88	426	416	409	4124	4164	418 4	137 4	474	474	474	38	427 4	126 4	16	416	4164	424	426 1	16 00 4	50	23.4	0	4 5
Mean	1	418 420 421 421 41	204	214	1214	0	4164	415 4	412	4 0 0	394	397 4	0.04	418	427 4	3.1	3.5	3.6	0	107	0	136	1;	416	1.17	100	-	$\frac{1}{1}$	1	+	T
Mean	7	417 417 419	117 4	19	419 41	8	416 4	15	4113	396	389	392 4	4064	8	5	30 4	4	34	52	न	17	10	5	ø	0					Ι.	200
Mean	-	415 4	416 4	418 4	418 4	417 4	115 4	13	409	396	393	399 4	412 4	121	23 4	25 4	28 4	31	4234	20 4	17 4	15	415	4154	4164	415				J	1
	-	Ton	Ton best disturbed days.	turbed	808	_	+ Fyge int	Five international	130	days	The state of the s	This Special Colors		and processing	-	-		-	-	The second second	-		1	-	-						

DECLINATION

PLUS TABULAR QUANTITIES, expressed in tenths of minutes 3º WEST

† Five international quiet days.

## HORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammas.

HORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in gammas.

Day. Char.					With the Person of the Person	-		-	-					-		-	-	The state of the s	Name and Address of the Owner, where the Owner, which is the Owner, which is the Owner, where the Owner, which is the Owner	-		ŀ	H	ŀ	-	Contractor of the last of the	-		The second	The second second
	-	61	•	4	10	9	2	90		2	=	2	2	2	92	92	- 1	81	61	8	2	22	8	Z4	Mean.	Maximum	-	Min	Minimum.	Range.
	3 9 9	404	416	411	418	419	415	416	406	402	9 9 9	4 0 5	397	405	418	4154	116 4	12	15	18	417 4	18	9 4	11 41	1 1	5 50.4	424	લ લ લ	0 392	32
	ч	421	425	426	481	424	427	431	430	425	425	426	408	4004	405 4	402 3	395 4	401 4	4064	411 4	409 4	407 4	420 42	28 41	9	7 32 4	438	1612	2 386	
4 6	416	418	420	421	434	433	427	431	428	428	428	431	424	423	431 4	425 4	413 4	4114	413 4	16	415 4	418 4	426 42	5 4	23	4 37 4	440	16 4	3 410	30
, ,	421	425	424	432	433	434	434	435	428	421	418	415	422	414	411 4	412 4	408 4	08	405 4	406 4	414 4	4054	09 41	12 41	0	7 17 4	4361	191	3 401	3.5
•	415	407	412	418	423	426	430	432	421	406	398	407	428	443	4384	430 4	32	427 4	427 4	427 4	4264	22	426 42	36 42	23 1	5 37 4	447 1	10 4	3 3 9 6	51
1	423	419	419	426	428	428	425	484	421	411	405	410	419	425 4	426 4	424 4	19 4	11	410 4	17	483 4	25	426 42	26 42	0	54	431 1	10	404	27
	4 2	426	427	431	431	430	427	426	422	420	418	420	423	429	438 4	4414	36 4	35	4354	32	428 4	426 4	427 42	2 4 6 2	7	5 23 4	443	10 46	0 417	26
. •,	429	429	430	432	432	433	433	433	426	421	420	425	428	437 4	4294	430 4	4404	437 4	437 4	38	437 4	435 4	434 43	2	4321	5 40 4	442 1	10 4	4 419	5
		432	431	435	437	437	438	440	437		411	411	415	417 4	4204	422 4	417 4	418 4	418 4	4234	425 4	4224	424 42	26 42	9	7 33 4	441	11	5 409	n
	427	426	425	428	430	431	433	439	444	448	448	448	444	437 4	4334	431 4	334	37	438 4	39 4	37 4	3 4	32 43	2 4	36	9 52 4	450	2 15	9 424	26
1	432	432	434	432	434	434	434	440	446	448	4 4 4	0 4 4	437	435 4	434	434 4	434	34	38 4	0 4	4.40 4	38 4	38 4	37 43	_	9 29 4	4 9	1 30	0 431	18
	439	440	441	442	442	442	442	452	465	473	480	4 8 2	480	476 4	4734	4664	5.2	5 2	453 4	4534	452 4	544	4 9 4	45 45	56 11	10	482	0	3 439	4
		444 444	439	432	438	441	447	452	462	463	465	458	454	439	4234	416 4	413 4	402 3	384 3	385 3	391 3	8 4	81 37	79 42	26 10	35	468 2	C)	5 370	98
2 :	392	394	399	4 0 8	407	408	413	426	439	460	469	469	462	446	4163	397 3	399 4	406 4	408 4	408 4	4124	12	421 42	23 42	21 11	21	471	00	7 388	83
	422	418	415	416	421	424	427	435	440	447	456	458	454	450 4	4434	430 4	418 4	01	406 4	401 3	397 4	405 41	16 41	15 42	26 11	3	460 8	20 4	398	9
<u> </u>	413	410	414	416	420	422	420	434	443	444	453	456	443	4484	4484	34	417 4	07	405 4	417 4	419 4	418 41	17 41	9	27 11	1 5 4	56	17 58	8 400	56
9 :	423	425	428	424	428	427	427	428	435	439	446	4 4 9	453	456 4	4554	4 4 4 4	35	428 4	4224	421 4	427 4	429 42	27 43	29 43	3 1	5 5	458	7	6 421	37
		429 430	431	434	432	434	432	438	4 4 2	440	5 5 8	431	437	438	4334	35 4	88	421 4	4164	416 4	421 4	428 48	25 42	5	30	8 49 4	443 1	ω ω	9 414	8
	4 2 5	427	428	427	429	430	429	429	432	439	4 4 4	446	447	4 4 8 4	448 4	6 4	4464	434	39	4	4324	427 42	22	4	35 1	1 35 4	50 2	5	8 419	3.1
÷ 8	4 2 1	426	434	4 4 2	443	446	450	456	462	462	456	451	453	455 4	57	468 4	473 4	470 4	69	65	53 42	2	401 38	38 44	7	5 4 5 4	80 8	3 4	0 385	5.5
$\vdash$	388	394	402	414	412	416	419	421	435	448	433	421	4204	4053	399 3	91	404	404 4	403 4	403 4	412 4	60	98 39	95 41	0	2.2	445	0 31	381	6.4
	398	400	411	416	412	415	415	423	432	437	432	429	423	4164	4053	393 4	401 4	418 4	421 3	392.3	373 3	8 4	396 40	401 41	0	9 16 4	440 8	0	9 366	7 4
	400	398	410	416	417	415	427	4 0 4	435	424	431	431	428	424	403 3	87	387 3	3763	367 3	392	404	20	396 40	4064	4 0 9	3	4401	17 15	9 370	7.0
0	402	403	408	410	409	410	410	418	422	426	427	424	421	421 4	(C)	423 4	421 4	419 4	420 4	418 4	416 4	417 4	418 41	16 41	7	0 23 4	6 2 4	0 33	1 401	8
-	415	414	414	413	412	414	415	419	421	488	4 20	416	413	4094	0.5	4104	4164	418 4	21	4234	419 4	415 41	4	15 41	9	8 16 4	423 1	4	0 404	19
0	416	415	418	422	422	423	484	437	447	448	455	455	452	4484	444 4	36	427 4	28 4	88	427 4	264	27 42	0	. 7 60	31 1	0 36 4	57	23 52	2 405	52
	402	410	409	413	415	416	423	435	448	459	462	456	450	4434	4394	4	4484	426 4		409 4	60	423 38	5	52 43	4	0 2 3 4	62	3 4	5 330	132
58	341	359	393	378	380	385	394	406	420	425	4 2 9	4 2 8	420	4103	394	00	60	402	03	93	413 41	15 40	8	07 4 (	00	1 56 4	325	S	8 335	97
8				_																										
90																								-						
<b>=</b>	415	416	420	422	424	425	426	432	435	436	436	436	434	432 4	4284	25 4	23 4	0.2	4194	419 4	204	18 41	17 4 1	15 4	25		1		-	51
Beogn	426	426	427	428	429	430	429	432	433	431	429	429	432	4334	1324	32	430 4	28	27 4	28 4	2 9	27 42	7 4	27 42	68					27
Mean	428	428	428	9.5	430	430	430	435	440	4 4 2	4 4 2	4 4 3	4394	137 4	37 4	36	4 4	5 5	37 4	27 77 44	85 87 4	4 7 3	28 4	27 4	4					100
		Ten least disturbed days.	licturbed	days.		† Fire	Five international	onal quie	quiet days.														l		1					

HORIZONTAL INTENSITY.

\$7500 PLUS TABULAR QUANTITIES, expressed in gammas.

	Range.	77	7.5	31	33	46	85	09	98	4	88	0,0	3.4	83	7.9	33	7.8	77	12	4	128	7.3	61	4	0 4	4 4	4 8		56	4 23	33	43	58	38		
		366	359	395	411	394	377	385	405	418	431	5 2 5	412	380	377	407	367	352	406	342	295	2	350	380	387	383	390	4 8	367	384	386	389				
	Minimum	. œ ⊛ ⊗	4	0	80	51	31	9	0	37	0	13	6	5	35	O	00	17	19	10	2	9	4	00	00	2	Ö	17	20	5 4	13	51				
		3 1.5	4 17	12	-	0 20	2 21	0	0	0	0	73	9	3 19	6 17	0	7 5	1	0	6 21	3 18	8	1 16	0	7 2 4	7	38	9	3 16	6 21	9 15	2 18				
	Maximum.	2 4 4	3 43	5 4 2	2 4 4	4 4 4	4 46	5 44	4 4	8 46	5 45	2 4 8	7 44	5 46	0 45	6 4 4	7 43	7 42	0 43	3 43	8 42	4 4 2	9 41	0 42	4 2	3 42	643	9 47	1 42	5 42	7 41	5 43				
	Mari	λ. 9 1.	7	5	24	2 4	1.5	25.55	1130	7	9 2	4		ы	9	4	11 5	4	0	ю О	1	13	رج 4	9	S. 4	2 6	0		12 1	11 3	0	1 5				
	Mean.	60	80	7 4	24	22	421 1	416 1	423 1	361	48	501	28 1	429 1	414	424 1	4111	98	414 2	99 1	71 1	841	386	402	402 1	404	418(1		402	406	402 1	409 1	413	481	422	
time.	24 3	1 4 4	034	104	20 4	19 4	87	0.5	417 4	314	37 4	29 4	28 4	411 4	90	18	80	06	17	63	32 3	16	9 8	9 5	90	9 8	53	8 2	402	9 8	03	4104	03	4154	11	
mean t	g	412 4	0.2	11 4	22	21 4	88 3	05 4	416 4	31 4	364	4 4 4	264	90	03 4	15 4	377 3	0.4	19 4	513	453	08	98 3	97 3	903	933	25 4	374 3	404	4113	402 4	4084	404	4164	4114	
meridlan	22	03	90	09 4	23 4	034	793	414 4	12	31 4	37 4	447 4	25 4	4054	05 4	21 4	90	0 4	19 4	523	503	7.4	883	99	933	963	24	9 9	4054	06	4054	90	50	18	14	
th mer	21	4 4	96	11.4	420 4	98	9403	18	21 4	32 4	38	4484	204	88	07 4	426 4	943	0 4	418 4	48 3	57 3	29	8 4 3	9.6	9 4 3	013	144	613	26	9 4 3	0.7	403 4	02 4		25 24	
8	8	0 5 4	87	08 4	417 4	08 3	991(3	415 4	480 4	4324	37.4	25	17 4	8 4 3	00	53	983	0 4	419 4	463	19	77 3	843	96	96	03 4	15 4	88	03	993	01 4	9 5	02 4	18	212	
midnight	2	0.00 0.00 4	8 4 3	412 4	न्द	217	000	15	12	33	36 4	534	19 4	94	864	164	98 3	01 4	418 4	553	123	683	633	93	95	99 4	15 4	103	96	99	9 9 4	93	0 1 4	174	214	
ä	82	03 46	370 3	17	29 4	18	0.12	416 4	421 4	324	364	484	17 4	02	813	417 4	903	02	18	523	453	733	633	10	95	983	144	14	923	94	97	033	024	4164	204	
beginning	21	9 3	793	19 4	34	204	95 (4	15	18 4	31 4	364	554	2 4 4	4	863	27 4	043	017	7	93	863	643	623	8 4 3	97 3	96	13 4	0 9	72 3	92	95	07 4	044	4	20	
hour b	16	723	9 4	4	324	25	19 3	4	7 4	4 0) 4	39	4	32	31 41	94	38 4	4	4	17 41	953	663	89	623	7	08	020	9 4	4	95 37	03	893	0 4	11 4	24 41	2 4 4	
one	15	75 3	60	17 41	30	27 4	38 4	40 42	24 41	500(4	4 4 4	81 47	334	484	20	36	20 41	04 40	15 41	96	71 3	00	69	94 38	7 4	124	28 (41	31 42	153	4	93	21 41	184	50 4	9 4	-
periods of		0.1 3	4	9	4 0 4	4	464	4 2 4	30	540	50 4	4	3 4	59 4	26 41	37 4	30 42	104	15 41	23	87 3	014	82	08	25 41	5	328 (4	404	15 4	13 41	96	24	25 4	33 4	4 6	
	7	13 4	17 41	03 41	4 0 4	23	56 44	4	4	4	52 4	12 47	37 4	59 4	38 4	38 4	37 4	417 4	4	4	94 3	07 4	95 38	4	4	14 41	36)(4.	68 4	20 4	19 4	01	25	29 47	36 4	38	NAME AND POST OF
successive	=	5 4	4	5	4	7	58 4	4 4	441 43	51 (45	5 4	65 47	5	58 4	4 6 4	39 4	37 4	2	-	34 43	18 3	25 4	391 3	1 4 2	22 42	17 41	38 (4	4	4	4	4	30 4	33 4	38 4	4 0 4	The second second
values for	12	8 41	3 41	3 40	0	32 42	53 45	33 44	O.	60 46	57 45	5	5 44	57 45	42 4	37 43	29 4	9 42	5 4 2	33 4	4	5	98 39	5 4 2	7 42	3 41	32 4	68 47	20 42	1 42	6 41	17 4	31 4	36 4	38 4,	and the second
e valu	٥	33 41	5 41	7 41	'n	₩ 4	4	3	3 44	4	4	1 45	5 44	7 4	4	4	4	3 48	2 41	4	03 41	18 42	90 35	0 41	3 41	6 4 2	4	4	5 4 2	4 4 2	07 41	4	28 43	33 4	36 43	O STATE OF THE PERSON NAMED IN COLUMN 1
average	=	8 4 3	4 4 2	6 41		8 43	3 44	6 4 2	57 44	441 45	5 45	4 45	2 4 4	0 44	37 45	4 43	9 43	3 42	7 41	1 42	4	04 43	ы	416 42	08 41	5 4 2	5 43	3 45	03 41	3 41	3 40	1 41	5	8	30 4	-
es are	6	9 5 5	1 4 2	7 416	~	'n	8 4 4	0 41	9 43	Q	6 4 5	9 44	4 4 4	0 4 4	3	2 4 2	8 42	8 41	9 407	0 42	3 3 9	82 40	7 391		4	7 42	8 42	7 44	4	1 41	8 40	1 41	7 42	24 2	ال 4	
ar values	-	9(42	4 43	5 41	2	~	31 43	1 41	2 4 2	27 43	39 44	6 43	6 4 3	42 44	1 42	0 4 2	1 41	7 39	2 4 0	1 43	5 39	9	3 38	5 407	7 401	1 41	1 418	1 43	3 40	1 41	39	9 40	4 41	8 42	9 42	
tabular	_	24.1	0	2 41		0	4	9 411	6 422	4	8	7 436	7 42	0	8 421	8	5 41	n	5 413	4	4	0 37	4 40	9	3	6 41	1 411	8 43	7 39	0 41	4	6 40	4 41	7 41	8 41	When the first terms of the contract of the co
The	9	3 42	4	8 422			2	0 409	4	5 42	7 43	5 437	5 4 2	~	08 41	9	4 4 1	0	3 41	3 4 2	8 38	6 37	9 40	4	3	4 41	8 411	6 42	7 39	7 41	4	7 40	1 41	4 41	6 41	1
	2	4 4 1	4 4		4 1	4 42	42	8 41	0 41	4 2	4	0 43	6 4 2	4	4	4		37	4 7	9 4 2	3 37	7 36	3.9	4	ุก		7 408	4 4 2	3 39	4	4	1 40	9 4 3	1 41	5 41	-
	Ľ	1 4	4	4		4 2	4 2	5 4 0 8		3 423	5 436	9 440	4	4 3	7 408	3 42	in	0	4	4 1	37	36			6 396	7 391	7 407	2 424	7 393			4 4 1 1	8 409	0 41	4 415	e mentantos de la constante
66	-	5 14 1 10		7 412	426	5 4 2 4		2 4 0 5	9 4 0 9	1 423	3 435	9 439	1 413	4 3 2	9 407	2 41	3 42	37	4	7 417	6 378	3.6	3	6	3		-	1 422	4 387			0 4	6 4 08	8 41	413 41	
	2	4 0 5					42	9	3 410	421		43	3 4 2 1	429	409		4 7	8 358	4	9 417	366	36	38	n	6	33	4	3 421	3 404				4 0	6 408		AND DESCRIPTION OF THE PERSON
MARCH	L	412	0	415	415	4 8	418	387	408	419	432	439	4 2 8	4 2 9	400	430	41.	358	406	419	359	365	3 9 8	38.	391	3.0	395	423	398	4 0 8	39.5	4 0 2	405	406	411	1
	Char	-	-	н	ı c	, -	+					_			-		+	1 0				1	, Q		0		1	Q		-			L	ļ.	L	-
	Day	1	• •	• •		• •	9	•	. ;			=	: :	2 :	9 :	= :	4:	2 :		2 :	2 8	3	<b>5 6</b>	22 8	3 3	s :	3	3 8	7 6	8	R :	8 3	1:	Nem )	Mean	

HORIZONTAL INTENSITY. 27500 PLUS TABULAR QUANTITIES, expressed in gammes.

	Rauge.	30	21	31	46	5 5	102	120	99	7.5	6	42	4	5	33	30	- 1	87	8 9	51	57	39	4 6	09	2.2	40	35	5 4	4 1	59	r G	53	3.9		
		904	403	417	403	404	347	317	367	363	384	387	387	110	200	415	317	342	359	375	353	374	360	377	400	402	403	395	410	384	396	T	_	i.	
	Minima	. 1	88	20	36	ın	4 5	C)	35		27	26	3.4	37	00	50	52	11	5 2	38	23	4 3	5,4	10	144	3	58	00	10	12	0.0	1			
,	L		0,	0	80	4	23	19	-	19	0	2,2	16	ن	-	18	17	18	17	100	17	15	50	-	0	0	16	18	17	16	17				
	num.	436	422	448	449	459	449	437	433	43	433	429	411	452	453	454	434	429	427	426	410	413	406	437	427	442	438	449	451	443	431		į.		
	Maximum	£ 53	5 14	4 30	0 58	1 52	1 50	9 36	0 43	200	2 27	0 56	7 4 3	1 39	7	5 8	7 47	0 23	0 17	116	0 10	9 5 6	9 52	0 35	34	6 6	0 23	9 39	25.23	0 16	00				
	ij	ν. ч	6 1	5	เก	8	7	8	8 1	8 7	9	4		4	2	-	-	9 7		-1	3 1	_	-	1 8	7		Н	4	6 11	2	5	0	н	9	I
je je	Mean	7 41	0 41	2 43	9 41	9 42	4 4 2	5 38	2 39	4 35	6 40	7 40	9 40	3 43	6 43	2 43	3 40	3 38	9 390	6 400	339	1 392	5 39	2 40	4 41	1 41	3 417	9 4 2	5 4 2	8 41	9 41	3 41	6 42	6 4 2	
an time.	ಸ	6 41	1 42	3 43	7 40	0 41	2 38	8 36	39	6 38	6 39	0 39	2 40	2 4 2	6 42	0 42	5 39	3 40	5 38	6 38	8 39	1 38	5 38	1 40	0 40	2 41	3 41	5 41	5 41	4 40	8 40	4 0	5 41	5 41	
an mean	8	4 41	1 43	4 4 4	5 40	8 42	4 37	1 35	39	5 37	1 39	2 39	2 40	1 42	5 42	0 4 2	6 37	9 39	1 40	9 3 8	39	7 38	36	40	41	41	4 4 1	4 41	5 41	40	5 40	0 40	41	5 4 1	
meridian	23	41	4 2	4 4	40	41	35	35	39	37	40	39	40	4 2	42	4 2	37	37	39	38	40	37	377	401	407	413	4 4	41	41	407	4 0	4 0	415	4 1	
60 th	ı	416	4	437	404	418	365	353	399	378	403	395	406	484	424	423	346	388	388	383	385	378	367	405	408	413	414	409	413	402	406	399	414	44 40 44	
midnight	84	418	418	436	404	421	394	333	396	365	394	396	404	423	425	421	358	356	382	382	377	382	382	406	413	412	413	405	411	407	408	398	414	44 42 15	
	91	417	417	434	405	424	434	337	391	369	389	399	397	418	425	416	339	356	371	398	361	381	373	405	410	409	411	401	411	401	408	396	413	421	
ing at	22	413	417	436	404	456	427	370	384	374	396	398	390	411	425	454	328	356	363	400	357	381	386	404	403	405	404	401	410	397	399	396	412	420	
beginning	11	417	419	443	411	437	426	399	392	387	398	401	389	419	431	438	360	362	377	395	367	381	393		401	408	405		412	390	904	402	418	52	
hour	91	422	422	445	420	439	435	407	400	399	399	409	397	429	437	451	402	380	388	398	9.0	8.1	2 6	406	409	415	415	420	416	20	97	11	25	30 4	
of one	15	4 5	20	46	4 5	4 6	38	0 4	401	413	60	12	90	30	4 4	53	23	375	85	20	00	389 3	398 3	4164	417 4	418 4	50	4304	60	07 3	20 4	17 4	30 4	374	
periods	1	2 5 4	19 4	39 4	26 4	544	37 4	07 4	034	5 6	18	17 4	024	39 4	454	4 9 4	17 4	83	378 3	13 4	95 4	00	16	425 4	416 4	419 4	421 4	31 4	4 4 4	15 4	29	204	32 4	414	
	13	30 4	19 4	394	27 4	584	35 4	417 4	414	434 4	324	419 4	93 4	484	448 4	51 4	08 4	380 3	8 4	20 4	93 3	399 4	94 3	0	٦	2	7	31 4	47 4	23 4	30	22 4	35 4	434	
successive	21	344	17 41	38 4	2 4	57 4	464	25 4	9	364	314	27 4	98	51 4	52 4	52 4	144	09 3	5	25 42	5 90	05 3	92	33	18 42	31 42	29 42	4	51 4	32	2 8 4	27 4	39 4	4 5 4	
es for		32	4	39 4	5	51 4	434	33 4	52 42	30 4	30 4	7 4	02	447 4	4	5	8 41	5 4	0 38	3 4 2	08 40	1 4	1 3	5	0 41	5 4	7 42	4	<del>ب</del>	1 4	4	9	8 4	9	
e values	Ξ	7 4	3 4	4	6 41	3	4	4	7 43	4	4	3 42	02 40	4	6 45	4 4 4	4 4 2	5 4 2	8 41	8 42	4	1 41	8 39	8 43	2 4 2	1 43	5 43	8 44	7 45	5 44	1 4 2	5 4 2	5 43	1 44	
average	2	0 42	5	7 43	4 40	37 44	1 44	4 43	2 427	2 4 2	7 42	9 42	4	1 43	7 44	8 43	1 42	6 41	0 408	1 41	5 40	00 41	5 39	4 4 2	1 48	8 44	8 43	1 44	4 4 4	5 43	4 2 2	9 42	8 43	3 4 4	
es are	6	5 42	a	5 42	7 40	4	6 44	-	0 422	8 412	9 417	1 409	1 40	7 42	0 43	73 42	2 43	6 406	1 400	7 41	6 405	4	2 40	6 42	5 42	6 43	7 42	5 44	5 43	1 41	5 4 1	5 41	2 43	5 43	uiet day
r values	8	5 41	7 41	4 48	6 40	7 42	6 43	0 411	5 41.0	5 398	5 409	1 401	6 411	6 417	0 430	5475	9 43	4 1	1 39	5 39	4 40	3 401	8 40	4 41	3 4 2	0 42	4 4 1	0 43	4 4 2	8 41	5 41	2 4 1	42	5 4 2 5	tions! q
tabular	2	9 41	0 41	4 4 2	5 41	3 417	8 43	6 40	8 39	5 39	4 4 0	401	4 40	41	43	3)(4 2	42	406	39	39	4 0	4	39	40	4 23	42	47	43	4 2	41	4 1	41	419	4 2	Five international quiet days
The	۰	41	42	4 23	41	41	4	39	39	39	40	40.6	40		429	42	427	412	392	393	401	402	395		420	417	415	428	424	416	417	41.2	419	421	† Biv
	٥	419	4	424	413	413	442	408	386	397	404	400	404	414	427	422	426	394	389	390	398	398	393		414	416	414	416	426	414	483	410	417	421	
	-	418	417	422	415	418	423	401	382	397	405	6.68	406	413	425	425	421	385	397	395	397	397	401	394	410	415	413	41	425	609	4 83	408	416	419	daya
•	,	418	'n	421	425	411	418	375	373	399	410	398	406	411	422	423	484	377	396	398	392	390	393	385	408	412	413	Q	424	411	5.5	406	415	418	* Ten least disturbed days
1919	2	409			438	410	417	357	370	401		282	399	411	421	454	423	381	384	401	389	388				406	412	0	423	418	413	40	412	417	least d
APRIL	-	409	415	418	436	408	416	357	37.2	392	387	395	396	411	420	426	423	S	0	389	392	8	388	388	404	405	411	0	3	415 4	411	404 4	412 4	416	Ta
~	Char.		•								H		+			0	Г					Г		-			0		0			4	4	7	
	Day.	•	•	#	•	2	•	-		•	92	•=	22	2		15	9	12	81	2	30	12	73	23	75	25	26•↑	27.	- 82 - *	. 63	8	Ness 3	Mean*	Mean	

HORIZONTAL INTENSITY. \$7500 PLUS TABULAR QUANTITIES, expressed in gammas.

		MAY	EE				The tal	tabular v	values	are average		values for	r successive		periods o	of one	hour be	beginning	at	midnight	60 th	meridian	an mean	n time.				
Day.	Char	-	7		,	9	9	2		•	2	=	71	12	7	19	16 17	\$2	19	8	21	ន	g	24	Meen.	Maximum.	Minimum.	Range.
-	H	4	415	416		413	413	415	420	432	445	4 8 4 8	4484	8 4	4 8 4	4	4 0 4 2	26 41	8 41	8 43	6 43	5 42	9 418	408	428	h. m. 10 21 449	24 00 38	5 6 4
•		368	379	381	386	388 3	397	407	418	4224	430	406	407 3	94 3	793	7 4 3	68 34	3 33	35	3 37	4 36	0 30	4 287	326	374	9 28 437	22 3 270	167
8	O)	312	312 354	351 353	-	374	400	398	391	379 3	365	357 3	3563	563	643	703	70 36	6 36	6 36	4 35	5 35	3 35	7 361	378	364	5 5 409	0 11 30	6 103
•	ત	373	373	381	~	83		83	383	87	92	3963	399 3	97 3	87 3	913	06	1 36	0 35	4 36	37:	1 36	4 352	350	378	11 30 402	23 36 346	9 2 9
4	-1	355	376:	377	569	85	383	385	384	390 3	389 3	389 3	391 3	873	833	76	371 36	59 36	9 36	2 37	0 37	0 367	7 378	387	378	11 30 393	0 13 35	0 43
•5	0	376	376 373 375 377 3	375	377	82	382	85	06	96	398 4	4004	408 4	02	00	97 3	88	31 37	6 37	S	2 38	6 386	388	387	387	12 39 404	1 35 378	32
	o	387	384	387	391	88	385	387	389	394 4	4034	407 4	412 4	4 60	03 4	02 3	99 39	5 39	1 39	5 39	6 398	8 396	6 396	398	396	11 55 413	38 38	31
<u>.</u>	0	400	400	401	400	01	405	409	412		431 4	436 4	30	424 42	4	27 4	28 42	4 41	5 40	7 40	396	6 396	6 394	389	411	10 13 437	24 00 387	ري ري
_	н	389	394	399	400	10	406	410	419	4314	~	4364	4	434 4	344	364	31 42	1 41	4 41	3 40	5 40	2 410	0 410	409	416	9 30 439	0 14 386	53
•	4	409	416	415,	413	8	406	409	411	4174	4264	427 4	4194	4064	07 41	9	20 41	1 407	7 407	41	0 41	2 410	0 409	408	413	10 11 428	13 11 402	26
-	0	408	408	108	108	80	ō	410	411	418 4	4314	4434	4464	414	31		418 41	4 417	7 42	4 4 2	5 48	3 423	423	422	024	11 35 446	2 10 407	39
21	н	419	417	416	417	8	2	424	4	409	4104	8	418 4	17 4	204	23.4	19 41	5	08 40	7 40	5 403	1 403	1 392	385	413	6 7 427	24 00 380	4.4
22	œ	389	397	371	267	11	11	381	377	374 3	9	363 3	372 3	65 37	9	663	55 35	5 36	8 36	9 37	1 37	3 39	2 379	384	373	1 00 419	16 6 34	7.5
. =	н	391	394	395	202	60	393	399	400	4013	66	402 4	103	99 3	93 3	823	91 38	19 37	2 35	7 38	5 383	3 380	0 401	394	391	22 40 407	18 38 35	3 54
4	ᅱ	405	407 4	00,	101	91	391	387	387	390 3	89	391 3	5943	97 4	034	074	03 40	39	8 39	6 39	399	9 4 00	0 402	397	397	0 49 415	7 32 38	31
16*	٥	398	398 391 393 397 3	393 397	397	4 6	395	397	395	390 3	397 3	9 5 4	101 4	134	17 4	26 4	23 40	7 39	4	7 40	4 0	1 403	1 399	399	401	14 44 428	8 49 387	41
11	H	400	401	1001	404	0.5	404	ī,	4	411 4	419 4	19	4234	34	354	334	09 37	5 36	4 35	5	33	9 36	2 369	372	397	14 18 440	19 21 34	96
81	ત	385	395	183	380	8	390	389	389	394 3	5943	24	4004	07 3	96	953	97 39	5 38	8 39	39	6 39	7 398	8 399	399	393	11 38 410	37	3 37
2	н	399	400	397	593	94	396	398	401	403 4	07	4104	402 4	402 3	96	4004	02 39	9 39	4 38	4 39	4 396	9 390	0 377	371	396	15 17 421	24 00 36	5 56
8	ч	362	368	377	381	84	388 3	391	391	3933	595 3	983	5963	943	934	023	98 39	3 40	0 40	140	140	3 417	7 397	389	392	21 19 423	0 46 358	65
72	œ	391	397	107	901	0.5	15	422	4	417 4	417 4	16	4	3	4	8 8	28 39	4	6 35	4 37	4 387	7 412	2 414	416	404	15 27 499	18 14 341	158
Ħ	н	428	428 407 4	601	001		9	Q.	17	8	4	37	3.4	0	4	9	is is	2	4	9	5 360		2 365	364	397	0 36 445	18 58 330	115
8	ત	365	368 3	372	574	9	9	3763		375 3	376 3	9 8	4 8	2	5	6	375 37	n	n	3	œ	ω	8 391	ы	378	23 40 397	00 00 363	3 34
8		408	392	396	969	12	0	00	in	395 4	001	93	9 8	374 37	0	523	n	0	н	3	9 36	2 358	8 361	358	373	0 24 420	16 38 310	110
38		369	386	572	270	3873	3933	398 3	398	401 4	4104	411 4	8	403 40	407 41	2	405 39	8 39	2 397	4	6 40	39	4 389	386	395	10 17 414	0 9 356	58
36		386	391 3	96	102	40		03	-	426 4		5	00	82 37	3	59	4 8	S	9	0	9	7	4 377	374	382	ы	17 7 332	97
22		382	391	188	986	16	O)	4 6		4	7	4	63	9	4	5	8 2	9	0	4	8 391	9	1 391	392	394	23 42	0 5 372	51
.88		392	392	165	392			399	402		4234	427 4	3 4	435 42	29 41	4	05 39	2 38	8 39	4 39	9 401	40	4 405	401	405	12 20 437	17 32 386	51
28		406	404	103 4	105	402 4	408	403	402	403 4	108 4	11	415 4	412 4	60	98	91 39	4	02 40	07 41	0 411	47	3 415	416	406	22 33 419	15 43 389	30
30		415	416 4	117 4	419	19		424	423	4234		23	25 4	60	4	284	21 41	4	1 41	4 41	3 407	4 1	3 414	418	0	13 30 435	20 52 404	31
•	٥	418	414	ω	105	0	7		7	4194	135 4	444	504	55 45	5	0	4	9	0	6 41	2 416	4	8 418	418	422	13 9 458	3 29 404	54
Y.			M.	93		9 5	ml.	0	0 1	0	80	0		08	o	4	98	6	1	38	39	33		_	397		,	63
Mean		-	2	00	3	3	2	3	4	5	2	7	4 5	4	4 7 7	4	1 2	4	4	4 6	396	o	40	4	408			00
Meen		399	398 3	98 3	6	397 3	66	402	403	4104	1394	2 5 4	27 4	244	19 4:	144	08 40	4 40	3 40	Ω J 4	0 4	9	7 398	397	406			
		T.	*Ten least disturbed days.	turbed d	ays.	-	† Five in	ternation	Five international quiet	days.				-														

20 21 407

 00 416

IJ

œ

20 13

16 17

386 411

402 405 

431 403 377

404 402

 412 418

406 405

412 413 412

409 411 414

426 422

410 408

414 414 416

410 411 412

452 23 45

420 11 14

405 424 

418 412

4 4 3

404 399

\* \* \* \* \*

421 428

421 425

399 402 

ч о

404 408 408 408

4 0 B

. 77 2 2 2

તંલ н INTENSITY. HORIZONTAL

values for successive periods of one hour beginning at midnight 60 th meridian mean time 27500 PLUS TABULAR QUANTITIES, expressed in gammas.

The tabular values are average

UNE

Char. 

41.7 

**нно** э

1 2 2 1

16 ·

19.4 20.

 f Five international quiet days. least disturbed days.

HORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in gammas.

### ### ### ### ### ### ### ### ### ##	6 409 415 10 45 452 20 38 397 4 413 415 12 46 425 7 46 405 3 403 409 5 42 40 406 8 409 415 7 409 416	
	409 415 10 45 452 20 38 415 12 46 425 7 46 415 12 46 425 7 46 425 7 46 425 40 40 415 40 415 40 415 40 415 40 415 40 416 416 416 416 416 416 416 416 416 416	
	4 10 9 4 15 10 4 5 4 5 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
ા     તંત્રાન 4 4 જેવંગ ગીજા એ ને જાગી 4 4 0 0 ની થયા ને 6	400 415 10 45 45 415 10 45 45 45 415 10 45 45 45 45 45 45 45 45 45 45 45 45 45	ſ
1 0000 40000000 400000 6400000 6400000 640000000 640000000 640000000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 6400000 64000000 64000000 64000000 64000000 64000000 64000000 64000000 640000000 640000000 640000000 6400000000	409 415 10 4 413 415 12 4 4010 416 12 4 409 415 409 416	
	4 0 0 9 4 1 5 1 4 1 5 1 4 4 1 5 1 4 1 5 1 4 1 5 1 4 1 5 1 4 1 5 1 4 1 5 1 4 1 5 1 5	
्रित्वत विव्वविद्यालय स्था स्थानिक स्यानिक स्थानिक स्यानिक स्थानिक स्यानिक स्थानिक स्थानिक स्थानिक स्थानिक स्थानिक स्थानिक स्थानिक स्य	4 4 4 1 3 4 4 1 4 4 1 4 4 1 4 4 1 4 4 1 4 4 1 4 4 1 4 4 1 4 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1	
x 444444444444444444444444444444444444	4 4 4 4 4 0 H H O O O	
- 〒12   ほどうりつ H のりりつりつ O O O O O O O O O O O O O O O O O	0 + m n n h	
## ## 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6	
	4 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
# 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 6 6 6 7 4 6 6 6 7 8 6 7 9 9 9 9 8 8 8 9 9 9 9 9 8 8 8 9 9 9 9	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
# # 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
E 4 4 4 4 4 4 4 4 4 6 6 6 4 6 6 6 6 6 6	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
т 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 6	4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
	4 1 4 4 4 4 4 4 4 4 4 4 4 4 1 6 4 1	
2	4 4 4 4 4 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8	
N	4 4 4 4 4 5 5 5 6 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	
81         4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6	
801 11 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4 4 1 9 8 9 1 1 4 9 1 5 7 8 9 1 5 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	at days.
8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Five international quiet days.
#   4040 @ w d O o o o @ w b d d o w u o   4 c d c b   4 b d :	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	internat
	4 4 4 4 6 8 8 4 4 6 9 8 9 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	+ Five
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4 4 4 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6	davs.
8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 9 4 4 9	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Ten least disturbed days
2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 1 3 4 0 8 4 0 9 4 0 9 4 1 0	an least o
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	٠
4	000	
Day	29° 30° 31° Mean Mean	

\* Ten least disturbed days.

HORIZONTAL INTENSITY.
500 PLUS TABULAR QUANTITIES, expressed in gammas

Ten least disturbed days.

HORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in gammas.

			-	2	0,	0	8	23	4	ري ري	ın	0	4	ro.	_	.01	CQ.	~	<u></u>	ω	101	0	9	CZ	9	-4	0	_	6	O2	4	1 9	7		
	Range.		77	9	ที	러	10	9	5	7	٥	ñ	α	n	C2	5	4	m	~	13	9	r)	4	0	4	'n	w	n2	C)	Ω	<b>α</b>	2	'n		
	ei l	~	281	Η.		5	295	345	366	308	324	361	384	2	367	342	352		338	242	294	330	344	328	340	361	S	φ	373	370	36				
	Minimum		5		22	8	ω	3	50	4 7	55	00	'n	4	ະາ ໝ	17	52	2	50	O	4	33	70	40		28	4		'n	4 5	9				
		4 4 4	n	4	1.5	4)(2 4	1 3	0	17	18	17	9	_	Н	4 16	23	4 15	6 15	23	15	00	6	0 %	28	2 3	2	3		Ω	2 16	0,				
	i i		455	~	386	(37	403	405		423	389	391	408	41.1	394	401	394		416	380	359	380	390	410	3.8	392	ω	œ	9	30	4 0				
	Maximum	ė, o		ભ	디	0	10	4	ī,	13	45	5.9	18		3.4	54	5.4		5	0	7	43	2.7	57	0	44			n	4	6				
	_	4 4 0	8 11	3 75	2	19	9	2 10	6 12	7 11	2 12	8	4 15	7	7	8	7 11	6	8	7 8	1 22	1 13	8 11	2 12	4.	275	н	0 8	8 12	13	4 4	4	nl	0 1	ı
	Mesn	39	38	33			35	37	38	9	37	57	39	3.8	38	38	37	38	3.8	31	33	35	36	3.8	36	23	37	37	38	8	ω 0	37	38	39	
time	22		350	343		355	347	37.5	386	360	381	350	30	7	386	355	386	382	347	298	341	364	380	357	375	374	~	385		384	394	370	385	385	
mean	g	391	351	334		3 6.9	339	375	384	359	377	389		~	388	350	391	384	363	285	351	357	377	333	357	374		384		384	395	368	386	385	
meridian	22	9.1	46	33	-	371	36	78	83	5.4	378	381	O.	375	384	369	384	85	349	3.08	3.4	54	366	347	367	374	ω	383	379	381	399	367	384	385	
th me	1	92	123	513		7	17 3	763	783	423	753	80	06	68	28	9	77	92 3	58	88	15 3	55.3	50	67	99	7.4	17	Q	7.5	80	03	6 4	81	88	
8	12	33	60	30		5	.2 31	4 37	5 3	6	663	9	933	0	803	6 37	5 4 3	833	643	532	11 3	503	53	853	663	3	6.8 3	813	828	77 3	0 5 4	60 3	0	200	
midnight	8	5 39	7 30	8 33		4 37	3 31	3 37	2 37	1 31	1 36	8 37	5 3	ъ	5 3	4 37	1 37	9 38	3 36	3 5	1 3	4 3	50	6 3	3	137	त	5	8	9	4	2	50	ल ल	
at mi	£	3 3	5 32	9 32		6 37	7 32	0 37	9 37	4 31	1 35	7 37	7 39	8 35	2 37	3 37	9 37	5 37	4 37	6 26	1 31	3 34	5 35	33	0 36	137	9 38	6 38	0 38	6 37	3 40	2 36	0 38	3	
	18	398	₩ 4	31		366	33	370	365	31	35	37	9	35	37	37	35	37	38	56	31	34	35	40	36	37	37	37	9.6	37	4	36	38	9	
beginning	17	385	385	328		362	336	368	377	323	370	380	400	365	369	371	356	373	386	261	316	354	363	390	355	372	376	371	390	374	402	364	379	391	
hour	16	382	382	348	349		331	359	384	334	38.0	381	4.06	365	374	359	356	373	389	251	321	364	375	382	347	380	374	371	390	384	405	366	380	393	
of one	121	7.9	03	57	51		29	61	9 5	43	83	81	90	69	83	73	68	377	87	7.2	329	7.5	6 2	9 8	5	80	376	7.7	0.1	83	406	372	8 3	305	
periods	72	82	23	371 3	513		373	763	11 3	63	386 3	3763	0 6 4	95 3	843	853	803	8 5	96	89 2	38	77 3	377 3	94	69	89 3	7.8	80 3	89	89 3	90	0	87.3	66	
	-	98	36 4	763	55 3		503	83	9	88 3	87 3	68 3	0 4 4	03 3	833	88 3	903	533	02 3	0.6	453	623	81.3	06 3	683	90 3	793	783	953	92 3	00	8 4 3	893	0.2	d
successive	=	3	4	5	4		3	3	8 41	4	ري ري	5	4	4	3	3	3	4 W	3	8	9	6 3	7 3	4	9	7 3	6 37	8 37	3	0	4	10	1 3	4 00	for 5th
for	122	3 40	0 45	2 37	1 36		8 36		1 41		3 8	4 36	7 40	9 40	7 38	39	2 39	39	9 40	3 3.2	34	1 34	0 38	0 39	8 35	2 38	7 37	0 37	0 39	65 39	3 8	6 38	6	9 40	
values	Ξ	4 4	6 45	9 37	3 37		6 37	4 0	6 41	6 41	38	2 36	9	5 40	5 38	39	39	5 40	4 4 0	5 35	3 4	2 34	38	38	3 3 4	8 3.8	7 3.6	7 37	8 39	38	8 8	38	38	5 39	substituted
average	10	413	446	365	37		396	0	39	396		36	39	4	38	9	39	40	4	37	34	33	36	37	36	378	35	9	38	38	38	18	ω	a	9¢p
are av	6	407	426	360	376		389	σ	382	384	375	363	390	404	388	397	393	403	414	372	347	338		373	361	377	357	370	388	384	386	381	œ	391	t days.
values	8	394	402	360	~		389	7	375	383		370	390	407	398	392	382	396		365	343	346	362	386	368	374	369	37.6	385	38.6	389	3.8.0		387	nal quie
tabular v	1	50	4	6 5	83		9.3	62	2 6	88	69	7.9	390	405	87	9	77	87	4	58	6	52	0	69	372	377	378	381	386	386	391	370	83	-	Five international quiet days.
The tab	-	953	0	663	77 3	-	72 3	6 4	773	88	9	81	87	0.20	ω	ø	8 4 3	8 4 3	æ	S		4	7.1	6	63	374	7.9	81	87	85	76	α ν	83	87	Five in
F	F	953	S	Q	6 3	-	803	ניז			0	9	853	01 4	4	0	753	0	n	0	0	7	n	ત	57	66 3	773	82 3	89	863	91	0.00	(3	8	
	F	10	5	n 0	-	_	4	19	7 3	10	9	7 3	3	4	М	- 4 ω	4	9	7	3	0	5 3	7 3	8	0	9	6 3	9	9	3	ત	4	1 63		١,
	4	39	1	5 35	n		9 36	10	1 2	ī,	1 1	10	6 38	4	3 3 8	്	n	1	n	2	m	150	<u>_</u> n	<u>_</u>				9 37		9 38	ы	4	-	1	bed day
1919	-	3.9	30	3.5	3.6	<u>.</u>	3.6	3 6	3.7	10	1 10	38	n B	6	38	38	36	3.7	36	3.5	15	4	37	38	37	36	37	37	38	38	38	3.7	1 8	38	t distur
MBER	87	1 10	1 10	35	3.6	)	376	, K	37	100	7 6	38		100	380	3.7	3.6	1 10	37	4	1	3.4		38	36	36	37	379	38	3.86	ى ھ	37.4	38	38	Ten loast disturbed days
SEPTEMBER	1	391	١ ٥	S	5 10	)	360	) 4	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		) (	၂ထ	O	0	ı w	380	369	4 8	ω	G		14	. 9	œ	7	v	373	378	387	385	ω	372	379	386	
· ·	Char.	С		-	_		O.	2 0				-					Т	_				Т		1 -1	н		Т		٥	0	ч	T			
	Pag.	1		9 0	, .	<b>*</b> .						:	: :	: :	3	₹ :	4:	2 :	3 3	9 9	2 8	3 8	5 8	3 8	3 8	· *	- 92	2	, a	, 8	30 \$	<b>a</b>	Mesn.	Mean	
-	1_				_		۰							_			_				-	_					_	_	-	_			ــــــــــــــــــــــــــــــــــــــ		.3.

100 340

HORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammas.

	Minima	,H	0	9	4 5	50	27	57	15	61	27	13	51	48	77	00	4 5	4 5	98	B	4 5	36	33	φ	0	23	2	7.5	5	4	38	0			
	Ž.	20.5	0	4	11	11	2	4	30	13	18	æ	000	ત	25	24	Ü	1.5	Ú	17	н	ત	23	œ	н	14	53	<u>ი</u>	16	1.5	23	6			
		0	361	420	396	541	380	388	393	385	393	393	412	406	414	415	387	393	410	390	406	404	424	382	387	390		377	403	399	411	382			
	Maximum.	32.2	5	374	9	52 5	5	9	453	213	3	503	3.4	484	00	6 4	7.3	18 3	19 4		51 4	204	27 4	28		393		593	8	273	6	9			
	Ma	1.2 3	23.7	<del>د</del>	ω	105	7	151	17 4	103	12 3	12 5	123	4	12 0	7 3	12.	101	9	7	9	122	9	112	10.2	43	13 4	195	n	CQ On	11 2	9			
	Mean.	328 1	329	347	354	3.61	355	372 1	374 1	373 1	377 1	381	387 1	391 1	396	384	359 1	352 1	368	375	386	392 1	383	343 1		377 1	377 1	359 1	360	364	370	360	368	383	388
ne.	-	49	m	463	363	503	593	4 7	63	533	4	7 7 3	_	853	93	163	4 4 3	330 3	65	3763	81.3	6	32	361 3		378 3	307 3	10	m	5 4 3	50	533	ᇹ	0	0
an ti	22	त्य स	360 35	n	ъ	5 3	7 3	9	ы	4 10	7 37	0	0 38	5	M,	7 3	n	4	3	9	'n	4 399	ल	0	4		0	7 36	5 35	8	50	1 3	6 35	138	0 37
meridian mean time	8	8 231		7 348	6 322	1 38	5 367	0 37	7 358	8 37	8 37	4 380	6 380	6 38	1 390	9 327	2 348	5 32	8 366	5 37	0 381	5 39	3 351		5 33	5 377	33		6 355	0 358	7 335	1 35	6 3 5	0 38	38
meridi	83	2 188	351		326	8 331	9 355	360	357	378	368	5 384	4 37	6386	391	349	352	325	368	37	380	395	363	348		375	360	369	366	360	337	351	35	380	3.80
60 th	2	ਜ ਜ	347	348	312	32	35	359	350	373	370	38,	37	38	395	362	362	323	366	378	378	395	373	344	374	373	366	372	346	361	342	354	354	381	₩ 8~3
	8	1.07	345	353	321	328	355	365	360	372	370	384	376	386	397	364	363	335	361	376	378	393	378	348	374	372	371	969	336	355	4 4 5	357	354	381	<b>പപ</b> യയ ഠവ
midnight	2	166	340	348	326	318	338	371	376	371	367	385	378	387	398	363	358	317	359	370	379	392	379	340	372	372	367	364	333	352	350	360	355	380	ις (Ω
ing at	81	2 4 8	337	333	310	311	342	365	383	366	370	385	379	387	397	374	351	313	353	365	377	389	378	336	0	374		362	327	349	351	358	355	379	385
beginning	17	306	333	341	323	334	355	369	379	362	374	379	385	385	392	372	349	216	352	363	377	387	372	533	367	372	345	358	325	345	346	354	356	378	384
hour	16	328	337	346	333	345	3503	375 3	379 3	370 3	380 3	377 3	396	387	394	380 3	362 3	316 3	351 3	364 3	381 3	390 3	361	333	365	3693	350 3	3603	32.2	341 3	358	3583	360 2	3803	387
of one	15	17	333	347 3	351 3	67	347 3	378 3	381 3	378 3	387 3	3793	403 3	389 3	396 3	378 3	369 3	3433	3593	372 3	388 3	395 3	3563	337 3	3643	368 3	392 3	364 3	340 3	343 3	3693	362 3	9	4	3903
	-	n	352 3	S	Q	7 3	2	381 3	387 3	0	391 3	387 3	406 4	399 3	402 3	0	378 3	3663	4	9	953	4003	366 3	347 3	368 3	9	S	3663	355 3	345 3	387 3	ᆔ	7736	390 38	397 3
ve per	=	433 38	353 33	1 34	7 36	9 37	8 35	383 38		5 37						5 38			6 37	0 37	ъ				10	5 37	2 42					8 37	5 37	-53	
for successive periods	=	-	0	52 351	0 367	3 37	8 358		9 391	3 365	0 392	6 3 9 3	2 409	4 403	2 411	9 405	5 384	2 377	91 376	380	1 395	1 404	9 388	8 369	8 37	8 38	6 422	2 370	0 370	6 361	0 401	0 37	9 38	5 39	1 402
for st	22	4 1	35	3	5 380	4 55	0 358	8 382	5 389	363	6 390	9 38	5 402	404	412	409	3 38	385	М	9 382	3 401	4 401	5 389	378	6 382	6 388	4	372	380	386	4 10	380	9 38	339	407
values	=	4 1 1	347	352	37	457	36	37	38	379	38	37	396	405	408	407	38	391	399	37	40	39	38	379	38	38	403	371	385	395	409	380	38	39	397
average values	e.	415	339	342	375	407	356	381	383	383	383	372	389	403	405	406	283	391	408	385	402	392	392	378	384	385	386	367	374	399	406	381	385	390	395
are av	6	415	332	346	394	395	352	379	374	381	376	370	387	401	399	408	372	387	407	388	397	392	369	362	380	382	385	365	374	393	402	381	382	387	392
alues	œ	416	325	344	389	384	35.4	376	370	376	379	376	389	397	393	413	360	377	393	389	395	390	399	347	377	382	385	360	371	385	394	372	379	387	390
The tabular values	2	408	330	333	379	369	356(35	371	374	368	377	384	389	391	3.89	408	355	375	380	386	391	388	421	337	370	379	385	356	379	380	388	363	376	384	387
he tak	9	403	315	333	371	361	3616	369	376	373	376	380	389	391	391	403	353	369	368	381	390	388	415	336	366	379	386	352	380	376	380	362	373	383	388
1	2	352	308	336 3	372	358	(359) 3	370 3	376	379 3	375 3	3863	388	391 3	393	402	3463	372 3	361 3	375 3	386 3	388 3	406 4	3353	364 3	77 3	384 3	348 3	372 3	372 3	374 3	349 3	ᆔ	382 3	387 3
	_	3883	2983	360 3	372 3	367 3	360 B	369 3	374 3	0,	733	390 3	382 3	389 3	391 3	4004	351 3	368 3	353 3	368 3	0	3863	413 4	320 3	363 3	763	383 3	3563	387 3	362 3	370 3	3443	70 37	380 3	2
	F	10	w	369 3	369 3.	348 3			372 3	379 37	373 3	83 3	379 3								8 37	1	4	8		5 37							6 37		2 38
665	-	5 38	388		1 36		2 (360)	4 367	1 37	7 37	2	38	9 37	5 382	1 387	7 394	4 355	51 363	4 360	6 366	6 378	4 386	4 409	8 2 8 8	58 362	4 37	8 381	4 349	6 373	3 358	5 367	5 340	2 366	6 377	5 382
BER	.64	8 38	0 27	2 377	7 371	9 338	2362	4 36	2 371		4 37	0 37	7 379	285	1620	397	0 334	n	0 344	7 366	7 37	5 38	2 404	2888	9 35	3 37	8 378	4 32	4 366	3 353	365	5 33	8 362	5 37	1 385
ÓCTOBER	Ľ	388	260	342	357	339	342	364	372	367	37	37(	377	3 8 2	390	398	310	344	330	367	377	385	402	330	35	37	378	37,	364	353	362	33	358	37	381
	Char.	.03	-	+1	-1	r <sub>2</sub>	71	н	ત	н	<u>н</u>	ч	0	0	0	Q	М	α	н	н	4	н	C3	<b>C</b> 2	0	0	2	н	4	4	н	н			
	Đạy.	_	69	>0	~	- 40	9	^	<i>4</i> .	6	·3	=	-22	13	14.	22	97	11	8	6	30	21.1	8	23	**	26	26	22	88	53	30	F	Мова	Mean	Mean

† Five international quiet days.

Ton least disturbed days.

BORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in gamm

٠.		NOV	NOVEMBER	6 <del>6</del> 5			The	tabular	The tabular values	are	average	values for	-	successive p	periods o	uccessive periods of one h	1	esses in gan beginning		at midnight	60 th	meridian	n mean	n timė.							
	J. Char	-	[2]	8		9	اوا	6	8	s	10	п	21	13	21	15	16 17	18	13	8	22	a	ន	2	Mean.	Maximum		W	Minimum.	Rang	1
	0 0		36	36	36	36	36	37	8	38		3	11	0	0 9	3523	503	57 36	4 37	1 37	1 37	3 37 4	372	371	369	4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	388	1.5	4 34	8	Го
~		371	37	1 37			30	38	9	ω 9	9	38	φ ω	m	7.1	9 9	673	œ	ਜ	1 37	4 377	378	376	375	377	8 00	395	151	15 36	3	
			37	7 37	6 378	8 1	38	8	9		9		405	70	$\overline{}$	ω ίζ	833	φ	0	39	39	4 391	r.	386	389	12 3	409	CZ	23 37	5	-
*			<b>υ</b> :	1 37	37	37	(C)	9 1	9	40	47	37	3	35	2 4	00	99 (3	07/131	5	032	53.2	6 334	n	329	352	9 42	414	13 2	4 28	175	8
1	$\perp$	T	٠ ا	2 2	6000	4	٥ 4	5	55	35	36	36	63	61	55	20	463	4	9 35	2 35	5 357	357	356	357	351	9 4 4	366	0	32	9 37	_
_			9 1	1 36	1 361	9 1	9	37	0	3	37	36	4	6 5	9	57	3	3	0	7			372	371	366	8 26	384	155	4 350	n	14
_			37	2 27	37	37	e O	ι 19	0	S S	n	n	ω ο 4	н	9	ਜ	378 37	74 37	6 38	0 382	3.85	383	381	379	382	8 23	395	0 3	8	Q	9
~	*8		3 8	3 6		n :	ю 1	<u>س</u>	40	40	40	4	4 0 4	0	Q D	60 60	913	89 38	5 38	6 387	38	382	382	383	392	7 59	407	0	8 379	Q	
-		_	9 6	38	38	0	o,	S O	39	3	38	37	7.8	4	CQ.	763	83 38	37 39	2	92(391)	1 (389)	390	385	384	386	19 30	392	13 2	8 370	~	
٦		7	3 8	3 3 3	8	38	39	30	40	39	5	5	372	20	7.5	80	893	4	3 40	9 39	6 395	393	388	389	388	17 17	407		H		_
=		1 0	7 1	<u>ત લ</u>	יו ה	9 1	9 1	9 1	9	4 1		0	307	0	ত	5 4 3	4 8 6	9	8 33	6 35		359	343	332	374	8 22	4774	(240	0 33	28 82	Tax
12		) i	2 2	4 2 4	35	n	9 9	36	3	2	n		67	4	0	4 W	51 35	35	9 36	5 368	3 370	369	369	370	362	10 40	378	0	7 32	52	
12		2	N 1	2	37	<u>ო</u>	ი დ	8	5	5			0	9	S	6	77 38	30 38	38	6 38	6 387	385	386	387	386	1054	406	20	0 37	35	
<u> </u>		ι Ω	9	30	3	3	9	30		403	40	399	76	381 3	3743	372 37	73 37	9 38	1 38	385	5 381	380	377	378	387	8 52	404	13 4	9 37	34	
• 9		37	7 3	38	3	38	38	39	40	40	4	4	0	391 3	5833	783	77 37	8 38	5 38	9 38 9	389	387	388	390	388	8 48	4 0 8		37	32	- 41
16			5 y 8	900	3 9 5	9	4	4 4	4	41		4 5 5	2.22	3023	5763	733	69 36	52 33	2 30	3 308	8 322	332	340	355	377	10 52	432	18	4 29	3 139	
2		2 0	4 6	4 3 4 2	548	32	50	9	30	37	37	36	67	4	2 6	70	59	9 34	0 35	358	8 360	362	360	359	359	13 22	377	163	6 31	58	
<u>~</u>			9 0	6 367	267		37	2	(C)	ο : Ω	30		o	ō	9	4.2 3.3	3	36	3 36	98 6	9 368	370	370	370	368	10 17	391	13 4	33	2	
61			0 0	0 1	0 1	2	2	2	25	37	27		ω_	7.7	2 5 5 5	75 37	75 37	5 37	6 37	378	9 380	381	380	380	375	22 14	3 8 2	1 2	9 3 6	8 14	
20	;	_	200	2 6	ก	S I	38	39	2	1	2	391	391	387 3	883	77 3	76 37	8 38	2 38	938	6 385	383	385	384	384	7 16	393	15	8 37	19	
7		0 0 0	יי מ	4 585		n 6	m :	8	(n)	3	4 0		9	4	00	ट स्	843	2 35	36	375	378	375	367	363	383	10 00	402	17 1	7 34	9 53	_
#		2	0 1	1	1	9	<u> </u>	0	5	4 0	m m	357	त	4	4 2 3	463	52 35	3 3 5	5 35	357	7 359	358	359	360	367		406	133	4 33	9	
8		2 1	9 1	2	n	36	9	37	37	33	n	۲.	o	0	<u>4</u> ω	573	~	4 36	5 36	3 36.	3364	360	354	350	366	11 16	380	23 2	4 5	0 30	
<b>a</b>	<b>н</b>	2	2	<u>م</u>	37	•	<u>س</u>		385	9 0 0	384	60 60 60	273	371 3	5763	743	74 37	3 37	5 37	37.5	2 373	374	377	378	374	7 58	386	4	35	5 31	
8	+	37	37	10	38	38	38	- 1	39	4	3		9	384 3	3733	71 37	74 37	6 37	5 37	3 368	8 364	367	365	361	379	8	402	23.23	35	9	
26		<u>.</u>	9	9	9	<u> </u>	9	27.1	375	0 0 0	384	8 4	382	372 3	ट त	4 6	54 35	9 36	4 36	8 371	1 372	371	372	372	369	10 52	385	15	3 35	2 33	
25		376	50	9 379	37	37	37	38	28		n	384	379	374 3	375 3	379 38	83 38	4 38	5 38	38,	4 383	381	380	379	381	910	4 6 6	13	37:	23	
å		3	9 9	3	9	e O	ς Ω	ω y	S			375	3743	367 3	629	603	62 36	36	7 37	374	4 377	378	379	38	277			14 2	35	m	
8		S C	n n	, G	8	<u>س</u>	386	S)	397	326	394	स 6 8	395	392	4 8 4	ह त 8	81 37	9 38	386	388	9 387	384	382	381	386	7 35	308	165	1 37	N	
8			ი ო	0 391	988	399	60 00	403	402	T 0 7	392	389	385	3733	65	61 35	59 36	36	36.	364	365	364	365	369	379	6 55	0		35	4	
7	1	27.2	2.7	2 27 4	24.6	2	6	10		1	1	- 1	7	+	+	+	4	4			- (										
Trees.			5 6	5 6		6	0	ρĮ	2	١	9	280	8	377 3	69	6.6	6636	5 36	9 3 6	9 37 1	372	372	371	371	376					4 4	
Keen		2/2	ñ	n	n	ω	1	389	395	394	300	387	3863	3813	783	773	79 38	38	3 36	5 385	385	384	382	383	384					27	
Mesn		378	37	9 381	382	383	386	387	391	391	88 88	387	3863	382	78 3	763	77 37	38	38,	378	378	378	378	378	382						
			Fon least	* Ton least disturbed days.	days.		+ Five	interneti	t Five international oniat do	M down	and the same of th			-	of the same of the			-				1		1							

54821-23-4

INTENSITY. HORIZONTAL

PLUS TABULAR QUANTITIES, expressed in gammas. 

† Five international quiet days.

VERTICAL INTENSITY.
34500 PLUS TABULAR QUANTITIES, expressed in genomes.

## 60 th mertdian mean time.  ## 60 th mertdian mean time.  ## 60 th mertdian mean time.  ## 60 2		1	0		0	- Na	r)	4	ત	O	S	8	0		4	m			0	CQ.	0	S	9	4	H	<u>ਜ</u>	CV.	6	ਜ	4	ري ري	-	col	EQ.	न	
Color   Colo		Rail							4 w									L	4	4	n	_	5		10	C)	4	7		4	М	2	4	2	۳	
The tabular range   The tabular are average values for auccorative periods of one holds without 80 th meridian man times.   The tabular range values for a control of the		CAUCH.	01	8	5 6	28	27	68		O)	0	68	6	O	88	30	8	29		8	8	8	88	9		9	27	5	O,		œ	0				
The third of the control of the co		Met	ł	0	0		**	4	H		н	c			m	ч	S	5	5 7	4	S	0	-	οı		М		1 39	0	0	33	4 7	47			
Author   Part		-	0	0	8	7	6		5	<u>14</u>	~	S	6 1	9	6	-CO		7	4	7	7	7	4	H	4	7	1		7	7	n	7	7			
MANARY   1		in in	n	n	n	n	m	m		М	М	М	М		n	М	n	М	n	М	ы	ы	n	6	3	М			31	w		32	32			
MANARY   March   Mar		Mas	₽ C	7	o o	n						-						0	ы		н	м		5	ı,	0	5			4	5	. 9	7 4 6			
MANARY   1949   1940		Gen.	0	0	0.5	20	18	CQ2	Ωŧ	18		т				7 4	13		17				13	15	01	11		60	07	90				23		7
AMUANA   Was	ne.	-	4	8	(V)	0	3 2	6	8	9	n	규	0	Q	Q	Q	4	규	ত	ত	w w	5	0		เก	<u>в</u>	10 3	a	Q	8	4	n o	n	0	4 EU	-
AMUMAN   1939   1		-	4	8	0	S	4	4	O.	~	0	0	0	00	5	in Fr	9	3	S	0	<u></u>	3	5	6	6	7	0	<u>о</u>	ল ম	υ υ	N N	n	3	m i	ח מ	-
ANVIARY   939   14   6   6   7   6   1   6   1   1   1   1   1   1   1		-	3	6	2	5	3	6	4 υ	ध	ध	9	6	М	N	5	8	8 3	ਜ	6	9	3	8	3	5	EU FU	2	ল ল	<u>ه</u>		n n	n a	n	1	ט ויי	_
ANVIARY   939   14   4   5   6   1   1   1   1   1   1   1   1   1		21	9	3	0	7 3	6	1 3	00	3	5	9	7		3	0	5	3	М	ध	w	5	ы		3 31	ы	5			4 31	М	n	m	m t		-
AMVARY   1939   1	8	12	7 3	3	n	ы	3	2	М	M	М	5	n	IJ	М	3	'n	ы	n	М	М	31		М		ы	5						n		יותו	
ANULARY   1994	night	8	50	iJ	n	23			n	n	31	ы	n		(31	01	32	32	32	53	3	31		31,	н	31			31	316		ч	-	31,	1	
AMULARY WEST Code   1		13	30	υ 0	31	31	ы		32	31	3,	н	н	31	3	5	н	C)	ч	€	c)	н				н				310	314	313		315		
AMUARY 1999  The tabular values are average values for successive periods of one hour 1 2 8 4 6 6 7 8 9 10 11 12 18 14 16 16 16 16 16 16 16 16 16 16 16 16 16		81	0	0	0	ч	н	ન	œ	H	ત	н	н	ਜ	œ	æ	н	0	0	н	н	ᆌ	ч	0	0	ч	o				314	0	이	ન -	1 4	1
AMUARY 1999  1 2 4 6 6 7 7 8 9 10 11 12 13 14 16 16 16 16 17 18 19 10 11 12 13 14 16 16 16 16 16 16 16 16 16 16 16 16 16		17	Ö	o,	ω		C2	C)		rí	ч	႕	н	ч	ਜ	œ	0	0	0	0	н	4	ન	0	0	4					0	Ó	o.	0 0	0	1
Obs. 1 2 8 4 6 6 7 7 8 9 10 11 12 13 14 16 16 16 17 18 18 14 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	hour	91	3/	O)	ω	4	H	ਜ	œ	н	н	ન	н	0	16	н	0	0	6	0	0	٦	н	0	o	0	o	Ö	27	6	0	0	m)	0 0	0	1
JANUARY   1999   The tabular values are average values for successive periods   1   2   8   4   6   6   7   8   9   10   11   12   13   14   14   15   15   15   15   15   15	70	9	0,	6	0	0	0	⊣	23	08	0	60	त्	24	н	0	0	त	0.5	00	त ०	6	80	0	96	80	8 9	0	٥ ٦	00	6	<del>-</del>	6	40	1 7	1
JANUARY   1939   The tabular values are average values for autocessive   Coar.   1   2   3   4   6   6   7   8   9   10   11   13   13   13   13   13   13	eriode	z	50	83	000	त 6	0.1	6 1	13	90	80	4	0	6	00	4	16	00	80	8	0	0.7	0.2	4	26	0	8 6	0	6	o o	त	न			0.00	-
Column   1		22	9.7	8	87	0.20	81	19	01	01	01	66	00	66	6	0 4	03	96	0 2	9 6	8	90	0	0.1	2 6	90	4	0	0	00	ر 4	न (	2	0 0	0 0	-
JANUARY   1938   The tabular values are average values   Coher.   2		22	0	87	त	0.5	5 5	त	~	80	0	98	0	6	87	07	6	0	0	न	0.7	60	93	0	0	0	80	0	00	07	त	न ० (	4	2	100	+
JANUARY   199			6	60	0.3	13	90	0	0	0.20	0.5	6	00	60	न	0 1	60	16	0	00	60	0.5	60	90	4	4	6	σ,	0,	0		ना	-	1	10	-
JANUARY   199		H	4	9.3	90	18	10	98	15	0 8	4 0	02	03	0	98	15	0	เา	9	9	0	8	n	0	m	<del>ار</del>	(2)	2	2	o O	n n	n o	2 1	0 0	N	-
AMUARY 1898  - Color   1   2   8   4   6   6   7   8   - Color   1   3   6   5   5   5   5   5   5   - Color   2   0   3   0		$\vdash$	60	0.2	70	8 8	4	S	~	ਜ	in	7	ਜ	7	22	10 10	_	~	6	S	n			त	n n	4 W	1 3	<u>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </u>	ر ا	CO.	U.	त :	7	n a	3 6	
JANUARY   1939   The tabular   1   2   3   4   6   6   6   6   6   6   6   6   6		Н	0	~	Q	0	S	4	9	n	~	5	9	~	9	6	ᆔ	O.	9	<u>رم</u>	4 W	(1)	ω	9	2	5	4 0	0 1	ก :	9	n n	4 (	5	ט ני	i co	Five international quiet days
AAVUARY   1938   4   6   6   6   6   6   6   6   6   6	lar va	Н	0	7	CQ.	ਜ	S	8	~	S	0	7	8	<u>ه</u>	8	ণ	2	5	<u>ه</u>	6	9	0	8	7 3	8	ω :	2 2	1	1 4	4 N	0	n 1	1	J 10	4 W	ational
ANUARY 199	e tabu	$\vdash$	0	8	त	4 W	0	0	<u>ы</u>	i i	0	3	ਨ	6	9	ਨ	5	9	9	10	4 W	8	0	8	8	n :	<u>8</u>	4 6	ก I	9 1	n i	1 m	2 0	5 0	W	ve inter
ANUARY 1979	Ę	9	. n	7 3	0	5	5	9	7	ان ان	2	1 3	4	(C)	0	9	8	0	9	50	m m	9	n.	ω ω	0	ω 1	၁  ်	1	۱. ۱	n 1	9 1	יו רי	1	J 10	n	E
ANUARY   489   ANUA		La la	ы	S	'n	8	5	5	n	M	3	2	10 10	<u>4</u>	<u>اط</u>	3	5	'n	n	n	(A)	2	M,	'n	n	ıΩ į	0 1	J 1	٦ .	9 1	9 1	0 4	1 0	3 2	31	-
ANULARY 948  - Chart		4	n	n	3	328	132	33	32	~	~	32	S	S)	23	3.1	31	31	50	S	20	25	31		25	5	7	0 '	1	9 (			4 6	3 5		d days.
ANUARY  - Char.  - Ch	6161	0	31	50	9	S S	3.5	53	32	es es	23	32	25	C)	3,1	31	31	31	<b>13</b>	3.1	37	2	31	3,1	325	97	٦ ا	1 6	7	d :	7	7 7	4 .	4 5	31	* Ten least disturbed days.
# 000000 H H H O O O H O H H H O O O O O		61			30	32	32	33	20	S S	S S	32	rs CS	50 50 50	317	303	316	31	3	3	31	3	32	319	322	317	213	4 .	4 .	4 4	1 :	J .	2 2 7		314	en least
# 000000 H H H O O O H O H H H O O O O O	JANUA	-	306	302	0	325	321	327	327	9 8 9	CQ I	325	32	350	315	308	4	314	326	322	320	522	O2	3	OZ.	0 0		1 .	1 .	7 .	0 .	J 4	7 1 0	315	313	T.
Day. 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	•	Char	0		Ω	()	2	н	ત	<b>н</b>	0			<del>-</del> -ا	C)	ન	4	Ω	C)	Ω	н.	7	-	н	0		T						4			1
		á	•-	*.	es	4	2	.5	~	∞	•	•	=	12	13	2	3	9	2	ž	2	20	77	23	8	75	25	9	27	8	8	90	1	Mean	Meen	1

VERTICAL INTENSITY.
34500 PLUS TABULAR QUANTITIES, expressed in gammas.

	<b>b.</b>	EBRUA	FEBRUARY 1919			É	The tabular	ar values	a a	average	values	for suc	successive	periods	ouo jo	hour	beginning	ä	midnight	t 60 th	meridian	ın mean	n time.				
Day. C	Char.	-	~	•	10	9	1	8	6	90	Ξ	12	22	7	22	9	1	_ g	13	21	ដ	ន	z	Mean.	Maximum.	Minimum.	Range.
-		318 3	318 31	14 31	2 (31	2)(31	1)(31	0(30	9 30	9 306	6 2 3 9	306	308	308	306	302	07	113	17 31	9 3	8 316	315	312	311	A. m. 19 39 319	A. m. 10 28 296	52
61		4	2	2	6 31	16 32	0 31	C/V	31	30	3 295	298	296	868	297	2963	302 31	12 31	16 32	325	1 322	325	323	311	22 37 334	13 11 289	4 5
m		314	318 3	318 317	7 32	3 318	18 316	6 317	7 311	1 306	5 306	307	300	298	302	301 3	302 30	08 31	15 318	31	9 318	320	319	312	4 32 328	12 54 293	35
•		316	314 3	316 317	7 317	17 314	31	6 316	31	30	9 309	306	306	302	306	306 3	312 31	4	15 31	17 319	9 315	324	326	314	22 51 327	13 44 299	8 8
		3133	311 3	312 315		310 309	30	4 303	3 308	30	3 298	300	300	9.62	283	2782	92 29	3	06 30	7 31	1 311	315	316	304	0 00 323	15 25 272	5.1
•,9	0	3133	309 3.	310 311	1 309	802 60	105 80	7 307	30	1 29	2 285	292	296	301	3003	301 3	01 29	9	05 30	09 31	4 314	318	318	305	23 22 319	10 14 284	3.5
		317 3	314 3	314 314	4 309	307		6 303	30	1 298	8 297	301	303	305	8 9 6 2	292	36	97 30	02 303	30	5 307	315	313	305	0 17 318	15 30 292	5.6
		3133	313 313	13 311	1 308	908 80	908 90	6 304	4 296	6 291	1290	294	300	302	297	294 2	292	93	297 301	305	303	307	307	302	0 15 314	10 26 289	2 5
		310	309 311	11 311	1 308	905 80	96 305	5 301	9	4 28	4 282	291	295	2968	2952	2962	98	301 3	303 30	03 30	906 9	310	312	301	23 50 313	9 58 275	38
10.		3133	312 3:	313 312	2 312	12 311	1 307	7 303	3 298	53	4 289	294	294	294	8 662	299 3	301 30	300 30	00 30	0 301	302	304	307	302	0 53 313	10 40 288	25
ᆫ		308 3	311 3:	312 310	0 311	1 308	30	5 306	30	30	2 298		298	302	301	297 2	98	00 30	03 30	2 30	2 301	303	303	303	2 00 312	10 46 293	19
		303 3	303 3	306 306	6 307	305	30	4 307	30	4 29	9 292	284	276	270	273	275 2	286 2	93 28	96 29	7 29	4 294	289	289	294	7 45 308	13 26 266	4 2
		292	292	291 293	3 299	862 60	8628	8	62 6	28	5 285	285	284	279	878	280 2	293 29	4	290 297	7 303	300	293	299	2 6 2	23 27 305	14 55 272	33
		303 3	300	33 307	7 304	308	8 308	8 307	7 305	5 305	299	294	2 6 2	294	2962	295 3	300 30	309 30	309 308	8 309	305	310	305	303	17 45 311	12 26 290	21
		3.01	299 3	300 305	5 305	306	6 309	9 311	1 308	8 302	299	294	293	2948	2968	295 3	305 30	301 33	310 310	0 311	316	316	313	304	22 00 326	12 48 290	36
91		3103	307 3:	313 313	3 316	6 31	.3 313	3 315	31	30	902 9	302	295	297	301 2	297 2	92 29	99 30	5 31	3 3 1	4 314	313	318	307	7 13 316	12 46 287	8 9
		312 3	312 310 312	10 31	2 31	14 310	0 310	0 309	30	6 302	5 6 6 2	293	288	291	2882	287 2	91 29	98 30	3 307	31	0 313	311	310	304	3 55 315	15 48 285	30
	0	307 3	307 305 307	07 (307)	7)(306)	60000	5)(304)	4 303	8	8 297	7 297	296	298	868	293	2962	899 891	6	302 30	5 309	310	318	312	303	22 23 314	14 16 290	2.4
		309	307 3		5 305	5 30	30	5 300	29	3 289	291	294	294	2948	293	292	294 29	10	299 301	30	4 304	305	306	300	0 00 310	9 00 289	21
	1 3	306 3	306 3	307 306	6 301	1 301	1 300	8	6 290	0 5 0	287	287	285	281 8	285 2	289 2	85.28	31 28	86 28	8 290	286	287	290	292	2 50 308	13 32 279	29
		2952	297 3		5 301	30	00 301	1 295	9	2 3	4 286	283	282	272	S	7	4 8		96 29	6 2 9	9 302	299	304	293	3 10 311	14 45 268	4 10
53		306	306 30	307 306	6 2 9	8 299	862 6	8 299	2 297	7 297	292	202	290	286	285 2	284 2	295 30	301 30	304 29	28	6 308	314	313	868	22 44 317	20 20 275	4 2
		307	311 3	313 310	т	02 302	306	6 302	305	5 296	205	305	301	3005	292	293	308 30	4	310 31	4 31	5 318	314	314	306	20 10 320	9 40 288	32
র		13	317 3:		3 31	4	S						302	0	2 2.4		301 30	4	309 30	30	8 309	311	315	308	2 43 318	15 00 296	22
26 *1	3	3103	312 3	312 312	n	11 31	0	0 310	0 305	ဂ္ဂ	4 304	301	300	298	2962	299 3	04 30	2	308 30	8 306	5 307	309	311	306	2 00 313	14 30 295	18
	0	13	312 3	31	3 31	.3 31	30	8 312	308	8 307	1307	306	306	305	303	300	0 2	307 30	02 20	30	906	306	304	308	2 38 317	15 29 297	20
	2	0.5	314 3	309 31	4 31	4 31	310	0 318	310	0 307	301	300	300	308	302	305 3	113	0.5 2.9	96 30	4 30	6 311	300	300	306	1 35 323	18 29 288	3.5
88	n a	302 3	143	18 31	5 32	1 32	9 35	6 320	0 311	1 304	1 297	294	962	295	2952	291 2	97 2	94 25	68 66	4 301	302	300	298	305	6 25 328	15 17 289	39
53				-					_									_								-	
8																											
7	+	7		7	+		+	1		-	I		1	†	+	+	+	+	+	+	-			ı			
Мевл	-1	309 3	309 31	न	0 31	0 30	9 30	8 307	30	O.	23	0	295	2	4	2	3	00 30	4	5 307	308	309	309	303			31
Mean	6)	3113	310 3:	311 310	n	09 30	8 30	6 305	3	0 295	293	295	297	2982	2962	295 2	297 29	98 30	23	4 30	6 307	309	310	303			26
Mean	.61	3103	310 3	311 311	1 31	30	8 30	9029	30	2 299	296	295	294	294	293	92	97	99 30	30	44	1 306	309	310	303			
		Ten	Ten lesst disturbed days.	rbed days		1.8	f Five international quiet days.	stional qu	riet days	,	THE PERSON NAMED IN	and a second	artis accounts		Name and Publishers	-	management.	and a second				000000000000000000000000000000000000000	COLUMN TOWNS	Parameter Salar			

least disturbed days.

VERTICAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in gamman.

VERTICAL INTENSITY.
TABULAR QUANTITIES, expressed in as

		Range.	(3	50	27	9 8	16	9	3.7	8	ч 4	28	17	6 8	03	17	13	33	4 7	27	8 1	2 4	1.4	23	7	۲ 4	2 2	81	7	18	1.4	OZ OZ	23	20	
	and the same of th		8 8 8	287	287	888	968	279	296	300	307	303	303	300	298	300	306	307	295	308	314	311	314	309	314	316	308	309	н	315	312	307	T		
	200	Minnin	급	13	5.4	43	9 4	00	11	77		5 2	27	0	25	00	4 2	10	ω	ω	23	36	40	ΟĮ	00	4 0	20	4 3	o		0	8	1		
		2	52	15	77	α	17	11	19	11	9	6	O	o,	0	11	8	11	ω	15	53	12	ω	77	9	7	7	۲-	7		တ	11			
	ľ	7	10	4 4	4 4	14	13	18	33	8 2	51	31	0 %	6	23	17	13	40	53	35	N	35	28	32	8 8	30	33	27		5	26	6	1		
	1	Maximum.	n,	63	9	7	9	5	2	7	m	3	7	3	0	0	3	4 W	e B	5	4 10	3	n	6	n	50	5	3	8	0	6	6	4		
		Max	≋ເດ	C\$	ы	3	5			4	S	C2	S		0		C2	4	3	S	н		Οŧ	Н	ñ	4	ı	2 5	5	0	Н	n 9			
	1.	4	<u>ئ</u>	5	2,1	C₹	2.2	5	<u>n</u>		OΣ	62	8	Ω 	10	9	19	5	18	CQ.	0	21	52	C2		н	13		н		1 3		19	4	4
		Mean.	303	301	304	300	305	8 6 8	312	315	313	312	314	318	315	311	313	319	326	324		324	321	319		321	322		324		325	322	316	314	314
ļ		24	304	310	305	314	310	314	323	315	315	310	318	322	310	312	317	333	334	322		326	320	325	321	321	321		13 23 8		322	321	319	316	317
	mean	g	305	312	310	314	311	311	316		313	307	318	321	311	313	319	331	335	329	828	327	327	329	350	316	319		326	324	319	323	319	316	316
- die	nalan	22	60	13	13	314	309	26	312	314	13	310	316	327	211	12	118	333	330	30	8 8	333	233	27	320	220	320	0	O)	9	52.33	22.3	\$19	318	317
1		22	60	143	12 3	17	07	88	0 1	15	17	11	18	5 2	13	16	18	25	36	32	2333	32	19	193	21	20	53	8	88	88	22	4	319	1.8	17
S	3  -	8	60	11 3	07 3	308 3	033	20	06 3	15	113	11 3	17	253	153	16 3	173	273	30 3	31 3	4	32 3	19 3	2 2 2	203	213	213	4.		œ	25	27	18	17	166
	mionignt	61	07 3	08/3	04 3	03	011	98	06 3	1113	14	09 3	0	2 4 3	163	163	133	203	343	283	273	25 3	20 3	193	213	233	223	25	8 8	31	243	4 4	173	17	153
Ē :	B .	+	Q 4	0 4 3	00	00	98 3	96	7	0 9	5	133	173	22 3	163	113	123	133	33	23 3	263	22 33	193	223	23	25	202	213	50	303	213	F 22	163	153	12 3
4	peginning	22	0 23	00 30	01 36	99	02 20	95 28	02 20	143	15 31	113	17 3	20 3	18 33	143	2	163	33 3	25 33	23 3	2 3	18 3:	20 3	19 3	2 4 3	23 3	0	30 3	313	203	۲۵. دو	163	5 3	143
dxb	hour be	-1	01 3	3	6	8	9	9	2	7	9	1 3	8	0	3	1 3	5 31	3	3	8 3	0	3 32	8 3	3	3	6 3	8	4 3	8	7 3	₩ ₩	23	9	. 4	113:
	8	2	9	1 29	2 29	6 8 9	9 29	8 29	1 31	9	5 31	2 31	4	0 32	6 31	6 31	5 31	4 31	7 32	8 32	1 32	3 32	7 31	7 31	9 31	9 32	9 32	5 32	9 32	9 32	3 3 2	7 3	6 31	4 3	5
	ege oge	22	3 29	62 9	8 30	4 29	1 29	29	9 31	2 31	3 31	1 31	2 31	52	2 31	5 30	1 31	8 32	5 32	9 32	7 32	8 32	2 31	8 31	0 31	7 32	2 32	3.2	5 32	932	5 32	6 31	3 31	2 31	1 3 1
	ve periods	7	6	3 28	0 2 9	2 29	02 20	29	4 30	7 31	9 31	1 31	10 31	07 31	07 31	3 30	8 31	2 31	3 32	2 31	6 31	5 31	7 32	4 31	3 32	5 32	0 33	32	2,22	35	33	1 31	9 31	9 31	8 31
PLUS TA	successive	2	88	5 28	62 6	5 29	2 30	1 28	1 30	5 307	9 30	1 31	6 31	3	ы	1 30	9 30	1 31	9 31	4 31	0 31	0 31	7 31	2 31	5 32	32	8 33	3.2	32	25	33	9 31	9 30	B 30	6 30
8 .	2	2	9	28	5 28	6 23	5 30	28	9	3 30	0 30	0 31	9	30	2 301	301	1 31.	1 31	5 31	8 31	3.2	0 32	8 31	1 31	35	1 32	2 32	8 31	8 31	7 32	7 32	32	0 30	8 30	7 30
ž.	values	=	6 2 9	6 291	62 6	8	6 30	0 28	9 30	5 30	31	5 31	5 30	30	30	6 301	9 31	1 31	8 32	1 31	932	0 32	9 31	3 31	0 32	7 32	9 32	9 31	8 31	7 32	37	23	31	9 30	9 30
	average	2	5 8	296	9	297	30	290	308	30	312	30	30	30	30	30	3	31	3	32	8	32	31	31	35	3.1	3	31	31	31	22	32	31	30	30
	are a	6	20.08	2 9 2	308	296	307	293	309	307	311	308	306	305	311		307	320	308	323	328	321	316	314	318	318	318	315	317	318	319	323	311	309	312
٠.	values	80	304	302	311	302	306	968	311	315	311	308	307	314	318	312	(3.09)	320	324	323	327	324	322	316	323	318	314	313	317	321	318	323	314	310	313
	tabular	2	309	307	312	306	307	862	316	322	312	311	313	323	322	316	613	322	323	327	324	325	324	315	323	318	316	318	321	328	323	326	317	315	316
	The ta	g	309	308	310	296	304	307	316	326	312	312	318	323	322	316	(318)	319	328	329	325	326	325	~	319	318	319	324	325	331	326	323	318	317	317
	-	9	309	306	310	295	306	318	322	324	315	314	316	323	323	316	317	319	326	325	322	325	324	314	323	320	320	325	325	331	326	322	318	317	318
	description	-	309	0.5	80	290	307	н	8	27	315	. +	-	ß	325		-	315	4	326		327	327	6	326	H	2	9	326	331	323	C/3	319	318	517
	-		0.8	60	0 8	8	0.7	80	27	4	13	5	15	n	(3)	13	Q	1.4	56	28	23	28	26	8		21	5	98	4	331	0 2	56	319	316	317
	55		90	0.3	07	2 6 6	60	60	18	12	18	18	1.4	22	2,1	11	11	4	17	13	27	25	25	(2)	23	22	24	24	10	30	21	C₹	17	16	1 0
	APRIL		0	0	C	4 0	12	~	08	4	16	16	133	-1			(V	4	S			0	4	9		223	213	2 4 3	19	n	63	2.1	18	1 5	17
	¥	Char.		0	,	1 7			М	m	7		1					Т					Т					0				0	-	10	3
		Day.			•	<del>.</del> , .	_	┞-		_		_	_					1					┞.					L.				8 8	+	Tanop	Moan
	ı					_		_					1					L.					L,					<u>L</u> _						1	7 ~

† Five international quiet days.

\* Ton least disturbed days.

VERTICAL INTENSITY.

\$4500 PLUS TABULAR QUANTITIES, expressed in gammes.

MAY #		-	蠡		-	The	The tabular	values	ar e	average v	values for		successive p	periods	de of one h	a l	ginni	# -	midnight	8	Ë -		ug -			TOTAL PROPERTY.				
Char. 1 2 3 4 5	9	9	44	10	- 1	9	-	80	6	2	=	2	2	=	22	2	2	- e	6	22	ដ	8	22	Mean		Maximum.	+	Minimum		Range.
320 320 321	320 321 320 3	0 321 320 3	3203	3		3 5	0 327	328	324	319	319	318	3193	22	8 8	35	32	28	30	36 33	63	7 31	30	7 32	4 4	00 %	1 2 3	0 %	S)	4 6
7 318 327 326 32	7 318 327 326 32	8 327 326 32	7 326 32	32		9 33	4 337	329	330	316	301	309	3063	123	30	4 0 3	29 3	25	36	42 33	30	9	09 33	4 32	3 20	9	0 2 4	15	16	56
323 340 331 331 34	3 340 331 331 34	331 331 34	1 331 34	4		2 34:	1 337	328	324	324	327	333	3363	4 2 3	45	5 3	38 33	35	373	32 33	6 33	8 33	9 33	9 33	4	59 35	0 2 9	183	61	33
333 332 332 328 32	3 332 332 328 32	332 328 32	2 328 32	25		7, 327	1 327	326	326	325	329	330	325 3	223	23 3	303	25 38	24 3	25.3	29 33	4 33	3 3 2	6 32	6 32	8 20	33	34 13	153	19	15
330 327 33	3 337 330 327 33	330 327 33	0 327 33	33		4 330	0 327	324	331	335	336	336	3363	363	333	333	343	333	313	32 33	4 33	333	6 33	4 33	5 23	57 34	11 7	363	19	22
330 331 331	0 331 331 330 3	331 330 3	1 330 3	n		325	7 328	331	330	326	329	336	332 3	313	333	31 3	29 3	363	26	29 33	1 33	1 33	1 33	0 33	0 11	33 33	38 9	32	10	15
328 328 330 329 32	8 328 330 329 32	330 329 32	329 32	32		6 325	5 325	323	323	324	325	329-3	329 3	333	34 3	34	25 32	243	25 3	25 32	5 32	3 23	5 32	7 32	7 14	8 33	35 8	00	19	16
329 329 328 326 32	9 329 328 326 32	328 326 32	3 326 32	32		4 325	5 320	319	319	318	317	315	315 3	18 3	21 3	203	19 31	193	18 3	17 31	7 32	0 32	0 32	1 32	1 00	34 33	30 11	4 1 3	4	16
26 330 331 33	6 330 331 330 32	331 330 32	330 35	53		33	0 326	327	326	329	329	331	332 3	363	363	34	29 32	22	203	20 32	0 38	3.2	333	32	7 13	333	37 7	3.2	15	22
325 325 325 320 32	5 325 325 320 32	325 320 32	5 320 32	32		321	1 322	317	314	317	316	317 3	3203	283	363	363	33 38	29 3	263	25 32	3 32	2 32	0 32	0 32	3 15	8 34	0	3 3	60	31
321 323 323 325 32	323 323 325 32	3 323 325 32	3 325 32	83		5 325	5 320	318	317	318	316	314	308 3	103	123	163	15 31	17 3	213	19 31	7 31	7 31	5 31	3 31	9	00 32	35 13	5 3	0.5	18
19 32	316 318 319 32	6 318 319 32	8 319 32	32		323	1 316	306	301	809	301	308	312 3	16	316 3	17 3	19 31	18	18 3	19 31	7 31	5 30	9 31	5 31	4	36 32	8	4 8	292	30
315 315 309 321 33	313 309 321 33	3 309 321 33	9 321 33	5		1 333	3 330	329	326	316	323	328	327 3	41	344	453	40 34	43	363	32 33	33	8 32	0 32	7 32	9 14	56 35	200	7 3	0.2	4 8
331 329 327 329 33	329 327 329 33	9 327 329 33	7 329 33	50		0 335	2 332	330	3 2	318	320	324	326 3	31	328 3	423	43 33	33 32	9	32 33	1 32	333	32	8 32	9 1 5	46 34	6	50	314	6
5 325 32	324 325 325 32	4 325 325 32	5 325 32	32		6 326	6 323	322	320	317	314	318	318 3	23 3	28 3	243	24 31	19 3	24 3	25 32	6 32	5 32	1 31	9 32	3 0	34 33	52 23	30	313	CT
316 316 320 324 32	316 320 324 32	320 324 32	0 324 32	32		3 325	5 323	319	317	318	313	3143	319 3	18	203	213	25 31	17 31	7 3	19 31	9 31	7 31	7 31	7 31	6	13 33	5 8	9	310	1.5
317 317 315 317 31	317 315 317 31	315 317 31	5 317 31	31		6 317	7 318	311	310	307	304	303	314 3	19	327 3	326 32	3	19 32	3	22 32	33	333	7 32	5 31	7 19	57 33	52 11	283	00	32
7 321 313 317 31	7 321 313 317 31	313 317 31	3 317 31	31		8 321	1 317	321	322	321	321	3213	321 3	15	315 31	15 31	5	13 31	2	17 32	0 31	9 31	7 31	6 31	0	36 33	51 2	30	01	21
314 312 310 309 31	4 312 310 309 31	2 310 309 31	309 31	31		1 315	5 316	319	319	318	319	318	318 3	12	3113	22 31	8	19 31	8	19 31	9 31	8 31	6 31	5 31	6 15	17 34	2	35	0.4	35
314 319 323 321 31	319 323 321 31	9 323 321 31	321 31	31		8 317	316	312	311	312	311	309 3	308 3	12	316 31	9	12 31	133	133	17 31	7 32	2 31	3 31	5 31	5 21	21 32	6 12	9	305	21
16 316 316 31	316 316 312 3	6 316 312 3	312 3	iJ		3 318	3 319	317	316	319	319	3153	3143	233	263	20 31	7	15 31	9	21 32	5 33	5 33	33	7 32	0 15	32 34	11 17	17	305	36
327 317 319 3	317 319 318 3	7 319 318 3	318 3	W.		7 316	316	313	311	309	312	317 3	315 3	163	203	19 31	15 31	16 31	2	12 32	32	5 33	7 32	6 31	0 2	10 33	113	9	303	28
325 325 324 3	325 325 324 3	5 325 324 3	324 3	М			1 319		324	323	н	0 2	319 3	19	318 3	3	2031	19 32	0	20 32	0 32	1 32	5 32	6 32	1 23	27 32	7	2,1	315	12
325 317 320 326 32	317 320 326 32	7 320 326 32	326 32	55		1 314	4 310	310	308	317	321	325	335 3	453	38	35 32	5	27 32	6	25 33	1 32	3.2	9 32	32	5 13	18 34	6	36	668	90
333 333 324 330 33	333 324 330 33	324 330 33	330 33	33		0 326	6 320	314	314	315	315	3153	317 3	233	27 3	243	21 31	1631	7 3	19 31	4 31	2 31	4 31	5 32	0	57 34	8 0	37	310	30
319 322 325	322 325 324 3	325 324 3	324 3	М		3 316	6 311	309	315	310	311	318 3	321 3	20	328 3	28 31	16 31	12 31	2	21 32	0 32	3 3 3	5 31	8 31	9 1 5	43 32	7	163	0.5	4
8 322 322 328 32	322 322 328 32	322 328 32	328 32	3.2		9 327	322	321	308	311	318	308 3	309 3	31.4 3	21 3	24 32	3 4 3 2	333	5	24 32	3 3 3	0 31	8 31	8 33	4	4 8	9 09	5	306	2 4
318 319 320	319 320 322 3	320 322 3	322 3	М	. 4	2 324	4 323	318	310	304	304	309 3	314 3	233	28	27 32	10	21 32	त	22 32	0 31	9 31	6 31	4 31	8 14	37 32	10	7	302	27
314 313 316 3	313 316 318 3	316 318 3	318 3	М		9 321	519	316	315	316	320	319 3	318 3	23	318 3	22 32	32	5 3 3	6 32	3 3 3	5 32	0 31	9 31	6 31	9 1 6	19 32	3	0	315	11
315 314 315 3	314 315 316 3	4 315 316 3	316 3	ы		7 319	319	512	311	308	309	313 3	318 3	163	17 3	18 32	2	21 32	0 3 2	0 3 3	0 32	0 31	9 31	5 31	6 16	14 32	4 10	200	0.5	19
13 308 304 309 3	308 304 309 3	8 304 309 3	309 3	n		31	31	31	15	18	21	74	14	123	2	2	9	6 3	7	8		M	31	7		30 32	2 3	200	302	30
21,522,322,525	522 322 323	2 322 323	323	-+	0	32	2	31	318	17	17	5 6 7	02	233	263	7	4	23	5	4	2	m	α		2					56
1 321 322	1 321 322	1 321 322	322		3.2.5	2 3 2 3	321	318	317	317	317	3183	5193	213	233	24 35	23 32	22 32	2	2	2 3 5	1 33	0 31	9 32	-1					6
322 322 323 324	322 323 324	2 323 324	324		32	324	4 321	319	317	316	316	317 3	1173	21 3	23	2 4 32	<del>د</del>	21 32	ณ	เกณ เกณ	4t 32	53.23	3.2	S S	-					
Tun least disturbed days.	Ten least disturbed days.	ust disturbed days.	od days.		ì	Ę	e interna	Five international quiet days	of days.	-															1					

VERTICAL INTENSITY.
34500 PLUS TABULAR QUANTITIES, expressed in gammas.

ار		The Party Street, or other Persons	-			Name and other Designation of the last	Contract of Street, or other		-	Charles of the last of the las			Ī	-						l	-					The state of the s	and the same of			
Char.	<u>-</u> يز	2	3	•	ın	9	7	80	6	2	=	13	13	1	15	91	13	18	19	20	12	22	æ	24 N	Mean.	Maximum	am.	Min	Minimum.	Range.
0	31	5	2 31	2 31	2 31	4 31	5 315	5 31	7 317	7 318	320	325	321	324	325	3213	319	318	118	320	321	3203	319 3	315	313	h. m. 13 24	325	h. m.	5 310	15
0	31	0	9 30	9 30	9 31	1 31	0 31	5 31	5 31	5 312	310	315	319	322	327	320	311	3163	515	313	316	316	317	320	314	15 49	322	7		٦
ч	-	19 31	5 31	4 31	0 31	0 31	1 30	8 30	3 301	305	308	309	307	308	312	314 3	308	307 3	0 8	307	307	308 3	309	310	309	0 13	319	8 1	5 299	80
0			30	6 30	5 30	5 30	6 30	5 30	5 30	6 306	306	त र १	310	305	305	305	303	301 3	00	303	304	306	308	309	306	11 58	315	18	7 299	16
⊣		307 30	6 30	4 301	30	1 30	3 299	62 6	5 293	3 293	293	298	295	296	297 2	295	294 2	2962	9.7	298	298	297	302 2	9.6	298	0 5	308	9 1	7 290	18
H		862 268	30	0 29	62 6	629	5 291	52	0620	162	862	303	308	314	3143	312 3	307 3	303 3	2000	86	301	3013	301 3	00	300	1420	315	8 23	6 286	58
0		0	ы	00 200	30	2 30	3 301	.62 T	7 29	5 301	305	306	306	309	309	303	302	300 3	0.20	302	300	299	300	302	302	14 13	313	7 3	0 291	2 2
0	n	03 30	03 30	4 30	3 30	3 30	3 300	8	5 291	291	290	2 9 2	8 6 2	306	3063	307	306	3042	2 66	60	968	297 2	2982	86	300	15 10	308	111	0 288	20
4	CQ.	96 29	7.29	3 28	0	2 9	9 298	6	2 281	1 284	291	300	300	306	3043	310 3	310	307 3	0.5	301	298	3063	307 3	त्त	299	15 51	312	8	0 276	36
C)		02 30	3	10 31	3 31	2 30	5 305	29	4 279	278	292	292	305	304	305 3	309 3	310	3103	1.5	30.9	309	3052	2993	0.4	303	4 6	317	8 5	8 270	47
н		299 304	30	6 31	30	7 30	6 304	4 29	8 297	296	262	292	599	303	309 3	315 3	320 3	315 3	80	307	305	304 3	302 3	0 4	304	1614	322	110	0 289	33
ч		03 30	30	7 3	30	7 30	8 311	.0 ट र	7 301	305	309	314	315	319	3213	313	314	312 3	15 3	1 4	314	311 3	309 3	80	310	1423	322	8	2 297	52
0		05 30	7 3 68	8 312	27	2 31	31	3 30	8 309	308	314	317	324	330	3323	328 3	328	327 3	303	8 8	325	3223	322	2 2	318	13 34	334	7 5	7 301	33
н		316 31	4 31	M	31	8 31	8 322	31	9 315	317	315	312	314	312	315 3	321 3	321 3	325	222	27	328	322	3203	91	318	19 22	328	12 4	9 310	18
4		11 30	8 311	1 315	31	6 31	9 321	31	1 308	311	315	314	312	311	317 3	318 3	315 3	3163	17 3	15	315	3163	314 3	13	314	6 5	322	8	7 303	19
0		10 310	0 30	3	31	0 31	309	30	4 304	1307	31.1	308	307	310	315 3	16	316 3	313 3	113	12	314	312 3	313 3	12	1019	16 00	316	7 5	6 301	15
ч		11 31	3	11 309	30	6 30	6 311	30	3 307	303	296	296	301	668	3043	0.2	303	305	050	07	311	3123	3103	509	90	21 58	313	105	3 294	19
0		303 30	4 30	M	30	4 307	30	4 30	5 306	315	318	318	318	314	3153	13	313 3	3103	08 3	60	310	312 3	3103	3133	100	12 10	320	7 4	3 302	18
0		11 31	2 312		30	6 30	7 307	9	4 302		200	305	305	न	3002	96	2962	9 5	5 66	0.1	66	07	308 3	60	400	00		165	25.4	19
0	n	05 60	30	8 30	8 30	6 30	6 3 65	5 30	5 303	506	308	312	314	313	312 3	10	3133	308 3	033	90	308	309 3	5103	1143	08	12 29	315	182	4 302	13
0		14 31	31	3 31	1 30	30	5 304	50.	5 304	504	305	309	316	5.22	3143	77	311	309	10	9	311	3133	3153	5	3101	13 18	322	7 3	0 302	20
ત		316 316	3,	4 31	4 31	30	309	00	7 306	308	313	316	323	323	323 3	20	317 3	313 3	123	08	311	3103	3143	153	14	12 52	325	6	3 304	23.1
ч		ī	31	8	31	8 31	4 308	30	5 308	308	309	309	17	318	327 3	4	319 3	318	13	1.5	311	3093	3143	118 3	14	14 35		7 3	7 303	5 2
н	n	16 312	33	2 31	8 31	, н	3 307	301	1 305	303		300	312	4	3143	1.4	3153	312 3	ल	10	60	60	307 3	07 3	10	14 00	3	7 3	4	98
- ol	72	7	31	0 31	0 31	1 310	0 305	6.5	9 5 5 6	299	302	312	316	319	312 3	12	318 3	3143	093	0	3003	3053	3123	153	08	1300	320	8 1	8 294	26
H	'n	6	07 31	ਜ	33	5 317	7 309	30	1 297	298	299	299	304	313	317 3	23	322	327 3	20	17	314	311 3	3103	0.7	311	0 26	325	9	5620	200
ч	n	05 307	30	8 309	30	9 31	0 310	31	0310	310	313	313	313	315	3163	7.7	312 3	3133	133	4	313	315	3113	ट तर	तत	15 5	319	0	9 305	14
~	31	0	08 30	7 309	31	3 313	3 309	9	9 309	309	309	310	311	308	306 3	5043	309 3	3123	163	13 3	91	3163	3143	5 60 3	01	2023	519	4 34	4 302	17
-	n	9 30	9 30	4 30	6 30	9 305	9 309	30	4 304	298	299	300	297	297	297 3	502 3	0	3043	0.0	60	2	3133	3103	टतर	0.5	2000	513	141	9 293	80
0	30	8 30	8 30	5 307	30	7 305	9 3 0 9	'n	8 306	309	311	309	310	777	3103	60	315	512	ਜ ਜ	5	4	513	213	र तन	10	1618	0 1 0	C3	304	21
1	30	8 30	8 30	8 308	10	09 305	307	30	4 302	303	305	307	310	318	3123	12	3123	3113	10 3	60	310	3103	5103	0	309					2.2
1	3	310 30	9 30		(1)	30	9308	30	4 303	306	308	309	309	310	3113	10	3093	308 3	083	0.93	60	3103	3103	0	308					18
1	3.0	6 30	6 30	6 30	6 30	5 306	6 3 0 4	30	662 2	302	303	305	307	308	307 3	0.5	3063	3043	60	00 44 55	00 41,0	3063	3063	0.7	305					
1		* Tan least disturbed days		-	-		interesting	ŀ					-	I	-	-	distance in column 2	THE REAL PROPERTY.	-	No.		-			200					

VERTICAL INTENSITY.
34500 PLUS TABULAR QUANTITIES, expressed in gammes.

JULY 1919 The tabular values are char. 1 2 3 4 5 6 7 8 9	1919 The tabular values	1919 The tabular values	The tabular values	The tabular values	The tabular values	tabular values	tabular values	values 8	-		average v	values fo	for succe	successive pe	periods o	of one	hour	beginning 17 18	# -	midnight	8 <u> </u>	th meri	meridian n	mean ti	time. 24 Mean.	_	Maximum.	Mg	Minimum.	Pange.
							0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		7	100		1	1			1		1	1	1	1	1	+	+;		- i	1	rei 1	-	1
303 304 305 307 307 300 300 300 300 300 300 300 300	04 304 303 301 301 301 301 300 209 302 3	304 304 304 304 304 300 300 300 300 300	4 500 300 301 301 301 301 300 509 300 W	3 301 301 301 300 300 300 300 300 300 30	1 304 301 301 300 300 300 300 300 300 300 300	1 3 0 1 3 0 1 3 0 0 3 0 0 0 0 0 0 0 0 0	1 301 300 299 302 3	200 200 200 1	0 00 00 00 00 00 00 00 00 00 00 00 00 0	1 10 00 00 00 00 00 00 00 00 00 00 00 00	'n	2 4	0 0	311	ੇ ਜ ੇ ਜ	v in	3113	0 0 4 0 0 4		0 4	308	707	0 T	9 6	4 4 0 6	0 1 7	7 315	4 2	0 0	9 9
312 309 309 309 310 305 306 296 307 307	12 309 309 309 310 305 306 296 307 307	309 309 309 310 305 306 296 307 307	9 309 309 310 305 306 296 307 307	9 309 310 305 306 296 307 307	9 310 305 306 296 307 307	0 305 306 296 307 307	5 306 296 307 307	6 296 307 307	307 307	307			4	90	60	т т	11	1113	60	0 2	60	0 1	0 9 3	n	(3)	8	2 31	۰ ۲-	(A)	9
313 315 312	13 315 312 311 312 311 307 303 302 307	315 312 311 312 311 307 303 302 307	5 312 311 312 311 307 303 302 307	311 312 311 307 303 302 307	312 311 307 303 302 307	2 311 307 303 302 307	307 303 302 307	7 303 302 307	302 307	307	n	11	318	318 3	17	311 3	312 3	5153	103	08 3	5093	07 3	0 9 3	113	12 31	0 16 1	3 317	8	200	6
312 310 309 309 310 308 305 300 300 304	12 310 309 309 310 308 305 300 300 304	310 309 309 310 308 305 300 300 304	0 309 309 310 308 305 300 300 304	309 310 308 305 300 300 304	310 308 305 300 300 304	0 308 305 300 300 304	8 305 300 300 304	5 300 300 304	300 304	304		313	315	3163	08	319	313 3	093	063	0 4	305 3	053	053	06 3	09 30	9 1 4	00 321	7 1	7 29	7 2
310 311 311 309	10 311 311 309 308 305 301 299 301 30	311 311 309 308 305 301 299 301 30	1 311 309 308 305 301 299 301 30	1 309 308 305 301 299 301 30	9 308 305 301 299 301 30	8 305 301 299 301 30	5 301 299 301 30	1 299 301 30	301 30	30		310	310	309 3	77	309	310 3	10 3	07 3	04	5013	013	00	02 3	05 30	6 13 1	4 312	7 3	8 29	6
305 305 304 302 298 303 308 299	05 305 304 302 298 303 302 299 297 29	305 304 302 298 303 302 299 297 29	5 304 302 298 303 302 299 297 29	4 302 298 303 302 299 297 29	2 298 303 302 299 297 29	8 303 302 299 297 29	3 302 299 297 29	8 299 297 29	297 29	20		287	4 6 5	302 3	0.2	299	298 3	08 3	073	0.5	10 3	103	60	05 30	00 30	2 17 0	0 310	103	3 28	5
309 315 319 321 321 321 316 307 305 300	09 315 319 321 321 321 316 307 305 300	315 319 321 321 321 316 307 305 300	5 319 321 321 321 316 307 305 300	321 321 321 316 307 305 300	1 321 321 316 307 305 300	1 321 316 307 305 300	1 316 307 305 300	307 305 300	305 300	300		o,	26	300 3	न्	326		22	33	316 3	17 3	163	113	193	22 31	4 14 2	4 327	10 4	0	38
318 324 324 322 322 318 312 312 312 311	18 324 324 322 322 318 312 312 312 311	324 324 322 322 318 312 312 312 311	4 324 322 322 318 312 312 312 311	322 322 318 312 312 312 311	2 322 318 312 312 312 311	2 318 312 312 313	8 312 312 311	312 312 311	312 311	311		318	17	17	19	23	53	27 3	9 8	20	19	193	183		18 31	9 1 6	4	6	O.	9 33
318 319 319 318 320 319 316 307 298 292	18 319 319 318 320 319 316 307 298 292	319 319 318 320 319 316 307 298 292	9 319 318 320 319 316 307 298 292	9 318 320 319 316 307 298 292	320 319 316 307 298 292	0 319 316 307 298 292	9 316 307 298 292	307 298 292	298 292	292		0	9 4	07	0.5	60	15	123	11	15	16	9	m	3	53	0	5 32	न	2	4
313 314 315 317 316 315 313 308 308 310	3 314 315 317 316 315 313 308 308 310	314 315 317 316 315 313 308 308 310	4 315 317 316 315 313 308 308 310	5 317 316 315 313 308 308 310	316 315 313 308 308 310	6 315 313 308 308 310	5 313 308 308 310	308 308 310	308 310	310		0	0	7.3	15	8	03	50	9	4	9 T	153	123	3	12 31	4 15	4		7 30	ري و
315 313 316 317 317 317 317 317 314 311 312	5 313 316 317 317 317 317 317 314 311 312	313 316 317 317 317 317 314 311 312	3 316 317 317 317 317 317 314 311 312	6 317 317 317 317 314 311 312	317 317 317 317 314 311 312	7 317 317 314 311 312	7 317 514 311 312	514 311 312	311 318	318		ਜ	19	13	7 6	17	7 4	13 3	13	123	4	ω	15	13 3:	13 31	5 11 3	1 330		0	12
315 314 317 317 320 320 318 315 313 312	5 314 317 317 320 320 318 315 313 312	314 317 317 320 320 318 315 313 312	4 317 317 320 320 318 315 313 312	7 317 320 320 318 318 313 312	320 320 318 315 313 312	0 320 318 315 313 312	0 318 315 313 312	315 313 312	313 312	312		0	0.2	C)	75	ω	?₹ <b>?</b> ₹	223	1.7	17	18		17 3		15 31	Ŋ	8 326	122	0	8 28
313 318 320 314	3 318 320 314 318 323 318 313 315 311	318 320 314 518 323 318 313 315 311	8 320 314 318 323 318 313 315 311	0 314 318 323 318 313 315 311	318 323 318 313 315 311	8 323 318 313 315 311	3 318 313 315 311	313 315 311	315 311	311	6.1	त्र	315	314 3	17	317 3	318 3	213	173	17 3	18 3	18 3	18 3	18 3	17 31	7 5 4	3 324	9 1	9	9 1 6
316 315 314 314 315 316 315 314 308 302	16 315 314 314 315 316 315 314 308 302	315 314 314 315 316 315 314 308 302	5 314 314 315 316 315 314 308 302	4 314 315 316 315 314 308 302	315 316 315 314 308 302	5 316 315 314 308 302	6 315 314 308 302	314 308 302	308 302	302		301	668	302 3	60	3113	312 3	113	09 3	103	11 3		123	11 3	11 31	0 9 0			ω	7 20
312 310 310 309 309 309 312 312 313 315	12 310 310 309 309 309 312 312 313 315	310 310 309 309 309 312 312 313 315	0 310 309 309 309 312 312 313 315	0 309 309 309 312 312 313 315	309 309 312 312 313 315	9 309 312 312 313 315	9 312 312 313 315	312 313 315	313 315	315	3	4	16	16	16	77	311 3	3 2	15	173	17 3	193	203	183	17 31	4 21 5	2 320	7 4	5 30	7 13
317 329 326 314 319 315 307 313 309 308	17 329 326 314 319 315 307 313 309 308	329 326 314 319 315 307 313 309 308	9 326 314 319 315 307 313 309 308	6 314 319 315 307 313 309 308	319 315 307 313 309 308	9 315 307 313 309 308	5 307 313 309 308	313 309 308	309 308	308	O.	96	2	70	07 3	308	08 3	11 3	07 3	133	18	223	213	24 33	15 31	3 1 5	0 339	111	1 29	4
323 331 320 320 323 321 325 317 318 318	23 331 320 320 323 321 325 317 318 318	331 320 320 323 321 325 317 318 318	1 320 320 323 321 325 317 318 318	0 320 323 321 325 317 318 318	323 321 325 317 318 318	3 321 325 317 318 318	1 325 317 318 318	317 318 318	318 318	318		315	316	193	17	317 3	61	2 4 3	0	α	243	5	5	9	n	7	5 34	7 4	2 31	26
324 325 323 3	24 325 323 319 320 320 320 319 314 31	325 323 319 320 320 320 319 314 31	5 323 319 320 320 320 319 314 31	3 319 320 320 320 319 314 31	320 320 320 319 314 31	0 320 320 319 314 31	0 320 319 314 31	319 314 31	314 31	31	-	976	314	315 3		3213	322	253	253	23	22	253	29 3	323	31 32	2 22 3	6 332	11 4	3 31	0 8.5
335 332 331 331 3	35 332 331 331 328 328 326 327 327 33	332 331 331 328 326 326 321 327 33	2 331 331 328 328 326 321 327 33	1 331 328 328 326 327 33	328 328 326 327 327 33	8 328 326 327 327 33	8 326 327 327 33	327 327 33	27 33	33	_ '	332	331	3313	323	332 3	333 3	30 3	253	25 3	253	30 3	28 3	283	31 33	0 0	8 334	17 5	3 3 2	12
331 330 329 329 329 328 328 3	31 330 329 329 329 328 328 326 329 33	330 329 329 329 328 328 326 329 33	0 329 329 329 328 328 326 329 33	329 329 328 328 326 329 33	329 328 328 326 329 33	9 328 328 329 33	8 328 326 329 33	326 329 33	329 33	33		328	326	253	œ	3263	325 3	31 3	283	283	263	7 3	283	88 33	31 32	8 0 8	0 332	1.5	1 32	2 10
332 333 330 334 329 3	32 333 330 334 329 328 327 332 332 33	333 330 334 329 328 327 332 332 33	3 330 334 329 328 327 332 332 33	334 329 328 327 332 332 33	329 328 327 332 332 33	9 328 327 332 332 33	8 327 332 332 33	32 332 33	332 33	33		'n	331	328 3	333	329 3	322	2 4 3	303	243	223		19 3	19 32	27 32	8 13 4	8 337	213	9 31	2
325 325 334 343	25 325 334 343 344 339 330 325 321 32	325 334 343 344 339 330 325 321 32	5 334 343 344 339 330 325 321 32	343 344 339 330 325 321 32	344 339 330 325 321 32	4 339 330 325 321 32	9 330 325 321 32	325 321 32	321 32	æ		325	324	322 3	273	3333	38	38	373	313	32	7	30 3	30 3	35 33	T # T	0 346	0	2 31	3 33
330 331 334 337 333 334 330 328 318 322	30 331 334 337 333 334 330 328 318 322	331 334 337 333 334 330 328 318 322	1 334 337 333 334 330 328 318 322	337 333 334 330 328 318 322	33 334 330 328 318 322	3 334 330 328 318 322	4 330 328 318 322	328 318 322	318 322	322		321	317	315 3	17 3	317 3	17 3	263	29	293	28	263	2 4 3	2 4 3	28 32	3 3	4 339	8	0 31	s S
328 329 329 333 333 333 330 329 324 323	28 329 329 333 333 330 329 324 323	329 329 333 333 330 329 324 323	329 333 333 330 329 324 323	333 333 333 330 329 324 323	333 333 330 329 324 323	3 333 330 329 324 323	3 330 329 324 323	329 324 323	324 323	323		322	323	323 3	253	5293	329 3	293	323	333	303	293	263	25 32	27 32	3 5	5 334	104	0 31	9 15
328 331 331 331 335 335 334 328 321	28 331 331 331 335 335 334 328 321 32	331 331 331 335 335 334 328 321 32	331 331 335 335 334 328 321 32	331 335 335 334 328 321 32	335 335 334 328 321 32	5 335 334 328 321 32	5 334 328 321 32	28 321 32	321 32	32		4	324		33	3.5		353			35 3	3.4	313	30	28 33	1 15 2	8 337	9	0 31	9
327 330 328 329 330 335 333 329 3	27 330 328 329 330 335 333 329 321 31	330 328 329 330 335 333 329 321 31	328 329 330 335 333 329 321 31	329 330 335 333 329 321 31	330 335 333 329 321 31	0 335 333 329 321 31	5 333 329 321 31	29 321 31	321 31	31		315	315	320 3	283	332 3	3353	353	353	34	353	3 4 3	33	30 3	29 32	9 16 1	6 337	104	1 31	23
328 329 331 329 331 334 329 323 316 314	28 329 331 329 331 334 329 323 316 314	329 331 329 331 334 329 323 316 314	331 329 331 334 329 323 316 314	329 331 334 329 323 316 314	31 334 329 323 316 314	1 334 329 323 316 314	4 329 323 316 314	323 316 314	316 314	314		310	305	302 3	07 3	3143	3203	25.53	253	28	29	313	30	25 32	27 32	2	5 335	13	4 30	0 35
325 325 324 325 324 325 326 322 330 337	25 325 324 325 324 325 326 322 330 337	325 324 325 324 325 326 322 330 337	5 324 325 324 325 326 322 330 337	25 324 325 326 322 330 337	324 325 326 322 330 337	4 325 326 322 330 337	5 326 322 330 337	22 330 337	330 337	337	٠.	335	330	3243	213	5233	323 3	223	233	223	253	26 3	283	28 32	28 32	9 3	3 339	140	031	8
327 326 325 327 326 326 327 319 317 314	27 326 325 327 326 326 327 319 317 314	326 325 327 326 326 327 319 317 314	5 325 327 326 326 327 319 317 314	327 326 326 327 319 317 314	26 326 327 319 317 314	6 326 327 319 317 314	6 327 319 317 314	319 317 314	317 314	314		314	3143	318 3	143	3133	316 3	4 5	273	30	353	38	39	39 33	39 32	5 21 0	0 348	Q CJ	4 31	3 29
336 334 334 3	36 334 334 334 335 338 339 336 330 33	334 334 334 335 338 339 336 330 33	1 334 334 335 338 339 336 330 33	334 335 338 339 336 330 33	335 338 339 336 330 33	338 339 336 330 33	8 339 336 330 33	336 330 33	330 33	33		333	332	327 3	213	3213	326 3	323	31 3	32 3	36 3	36 3	363	35 33	35 33	3 6 3	7 340	133	0 3 2	0 80
320 321 321 320 321 321 319 315 314 31	20 321 321 320 321 321 319 315 314 3	321 321 320 321 321 319 315 314 3	21 320 321 321 319 315 314 3	20 321 321 319 315 314 3	21 321 319 315 314 3	1 321 319 315 314 3	1 319 315 314 3	315 314 3	314 3	ы	4	313	313	314 3	37 3	1183	319 3	203	203	193	203	21 3	203	20 32	20 31	8				cs
321 320 320 320 320 320 319 315 315 3	21 320 320 320 320 320 319 315 315	320 320 320 320 320 319 315 315	320 320 320 320 319 315 315	320 320 320 319 315 315	0 320 319 315 315	320 319 315 315	0 319 315 315	315 315	315		16	317	3163	315 3	163	3163	317 3	19 3:	183	183	193	203	213	20 32	21 31	8				90
316 315 315 314 315 314 312 310 308 30	16 315 315 314 315 314 312 310 308 30	315 315 314 315 314 312 310 308 30	315 314 315 314 312 310 308 30	314 315 314 312 310 308 30	15 314 312 310 308 30	5 314 312 310 308 30	4 312 310 308 30	310 308 30	308 30	80	ω	310	309	3093	133	313	313 3	133	123	23	90	44 84	153	15 31	16 31	М				Ĺ
								and the second s		and company and company	1	OWN SAME OF STREET	Constitution of the last	-							The second second				-					

\* Ten least disturbed days.

VERTICAL INTENSITY.

54500 PLUS TABULAR QUANTITIES, expressed in gammas.

					<u>-</u>			~	-			15			<u>~</u>	10	9	8	0	8	~	<u>~</u>	9	m	~	<i>ω</i>	5	0	O)	00	9 0	20	D) 1	ন		
	Range	2 2	26	10	23	23	4 27	26	~	· ^	. n	7 385	0 61	4 11	13	33	2 6	0 18	7 30	2 58	2 32	1 25	α.	33	4		n	9	9	CQ .	Cr (	2 2	5	الا		
	num.	324	317	327	328	9 323	6 324	330	, Q	1 6	9 6	8 147	330	4	348	326	9 33	4	925	9 312	3 33	8 33	œ	32	32	N/	н .	र न	25	n N	η η	25.2				
	Minimum	7 20	00 97	8 52	7	8 1.5	7 46	7	-	ı c	, iS	5 4 8	1454	10 45	9 5	12 13	16 2	4	20 0	8 53	8 4.	7 58	9	S		0	. <b>π</b>	T T	o	ä		9				
-		346	343	343	351	346	351	356	١ ٩	۲ <	4	532	391	3	355	359	360	20	357	370	364	353	352	358	361	346	S	S		9	Ś	353				
	Maximum	ĕ. <b>⊣</b>	57	33	8	٦ 1	3.4	5	1 1	- 4	0 0	37	6 5	7 2	00	0	1	l W	6 8	CQ.	0	33	4 53	4 8	9	4 53	4	œ	1 19		3	0 4 5				
-	i	7 2.5	0	8 11	3 13	0 11	12	. 4	1 0	h 10	1 00	1	55 2	51 6	48 6	4 3 2 4	470	. 0	46 22	4 5 3	460	44 2	411	46 14	41	39			4 4			2	m	4	φ υ	
Je.	Mean.	23	33	1 33	4 3 4	5 34	10	10	3 10	1 0	1 10	7 3	7	n	6	57 34	5	1 50	47 34	58 34	49 34	42 34	4 4 3	16 3	413	403		<u>о</u>	5 U	9	n	2	0	m	6 9 5	
mean time	22	4 0	5.53		3 3 4		6	1 0	7 -	1 7	1 m	10	<u>د</u>	n	51 34	55	5	1 00	55 34	52	48 34	42 34	42 34	473.	41 3	413	2	१	57 3	(A)	3	n	7	20	48 3	
	3	35 34	32 33	80	3.4	· ·	1 5	. "	י ר	0 6	4 K	1 4	()	n	54 35	4 0 3	1 6	. 10	4 3 3 3	íΩ	463	41 3	39 3	49 34	4 5 3	403	9	เก	60	3	53	48 3	0	10	503	
meridian	22	30,0	30 33	3	2	10	3 2		7 6	<u>, t</u>		1 1	1 9	.m	543	5 5	1 4	) 4		3	453	433	433	493	4 5 3	423	7 3		5.3			473	0	n	44 64 50	
60 th	23	37 3:	2 6 3	0	. 6		1 4	0	7 6	7 :	7 4	10	1 15	2	4 9 3	. 4	1 4	ח מ	1 3	9	463	443	453	503	4 53	39 3	473	500	450	ਜ	0 9	9	4 5	m	25 00 00 UU	
midnigh?	8	50	21 33	1 00	10	1 "	1 4	1 6	0 1	<u> </u>	4 m	2 2	5 4 W	0	m	- fc	1 -	1 6	. W	M	.0	473	4 4 3	53	4 1 3	393	463	9	423	513	4 8	10	4	4	4 4 W	
Ħ	- 19	36.3	2 1 3	1 00	7 (	۱ (	1 4	1 1	0 0	7 1	9 6	1 0	N 0	10	4 5 3		5 -	4 4	5 1 10	6	4 5 3	483	4 4 3	503	4 0 5	353	42 3	4 4	4 4 3	483	453	4	4	423	433	
beginning		3.9	4	1 6	1 0	, ,	1 0	0 0	0 0	2	4 5 6 7 4	0 0	1 0	500	α 4		1 0 0	0 10	8 6 6	100	4 6 3	503	4 4 6	493	3	37 3	373	433	5 2	473	345 3	403	43	423	453	٠.
hour be	- 11	5 3	00	1 6	7 1	1 1	0	5 6	2	0		1 2	1 0	0 0	α	0	0 6	) K	10	4	6	4	4	51	36	5 2	30 5	39	37 3	4 5 3	37	343	43	403	4 4 3	
one	91 91	433	۴	1 0	יי ר	2 0	0 .	4	2	2. 2. 5.	4	1 2	- u	) th	0	, (	7	4 · a 4 · a 0 · k	1 (1)	1 1		15	5	(S)	3	423	25.5	37 3	त्र	433	υ 4.	343	4	340 3	3443	
periods of	7	5 2	0	0 0	0 0	1 \$	2 5	0 1	0	თ თ	4 1	0 0	0 W	) (		1 1	7	4 4 U 4	4 4		4	10	4	(N)	20	4	313	5 5 5 3	355		3363	3323	3463	339	342	
	13 1	4 1 3		0 0	7 .	7 6	2	4	20	20	53	1	) t	7 6		1 0	7 1	ر در در در در در در در در در در در در در	) 4	1 1	1 4	-	1 10	3 6	17	(V	3313	552	335	336 3	n N	332	341	338	341	
successive	12			0 0	4 4	0 (	2	4	0	0	9	0 0	0 H	ο α	7 19	1 .	9	00 m	1	) E	1 4	1	7	2 00	00	9	00	a	333	333	. N	331	339	338	34.2	
values for	=	1	1 6	י ני	0 0	4	0	n n	4	326	70	6 2	100	4 4	9	1 1	65	N 4	, it	1 6	7 .0	1 19	7 (	0 0	1 0	10	1 00	(Q)	333	35.6	33	329	336	334	50	
	2	0 4	. (	1 (	7	0	3 2	0	70	328	33	9 1		0 4	7 7	1 1	65	-	1 1	1 0	0 0	0 0	1 0	1 6	100	5.1	10	V	33	339	5	329	337	333	537	Department of the last
are average	6	2 2 5 2	) (	0 1	7	50	62	9	4 4	325	30	22	5 6		7	0	0	4	1 6	,	4 V	1	1 0	7 6	) K	7 (	4	335	0	340	0	335	335	332	338	days.
values a		100	2	י מ	n n	n n	31	6 2	3	329	33	50	0 0		3 0	<b>4</b>	4 5	4 7	0 0		7 ,	*   e	0 6	n 16	7 (	1 10	3 3 3	'n	342	3 4 5	r 19	3 4 8	337	534	341	Five international quiet days
	١,	1	1	2 7	9	3.4	40	37	33	339	2 4	4		n ı	0 1	Ω.	3.49	4	4 -	4.	1 6	<b>5</b>  .	4 4	4 <	<b>t</b> <	† <	1 4	346	3 4 8	ď	4	4	342	540	547	nternatio
The tabular	-	1	7	n	n	3	4	338	336	346	346	4		9 (	ŋ	Ω	347	4	4 .	4 1	n ·	4	4 4	9 6	n u	٠ ٦	t x	4	5	LC.	) 4	4	348	344	347	+ Five
•	-	1	2	4	3.5	39	5 4	339	339	344	347	346	3	366	n	n	345	348	4 .	4 1	nι	n)	4 1	7 0	n w	٠ ،	1 6	, W	5	u	) 4	4	343	344	347	
			4	336	37	7	4	4 1	4 0	4 6	347	5		4		8		4	S I	S)	0 1	n l	o,	<b>4</b> 6	1 0	n ~	<b>†</b>	4 4	ď	٠ <		٠ 4	3.49	.4	347	days.
<u>.</u>		1	2	2	38	(3)	5.3	6	6	9 \$	347	4	_		320	348	345	35	3	5	n i	2	35	5 4	9 6	n ,	7 6	יו ר	1 1	) (	J 6	, 1c	4	34	349	Tan least disturbed days
T 200	,	T	9	337	5 4		45	45	3	4	347	(2)	4	365	S	4	346	3.5		S.	4	0	9	ω i	9 1	0 1	7 6	, 6,	1 16	ו נ ו	0 4	) t.			348	an least o
AUGUST	1	T	2	0	0	4	4	4	0	m	345	341	333	354	S	350	3 4 5		353	in.	4	358	340	4 4	348	J 4 5	2 4 7	1 10	۱ :۲	1 7	0 6	) t	1 4	4	348	]:
	1	j		٦	_						-1			OI.	н	0	Н	7	0	CZ	01	П	0	<del>-</del>	·	<b>н</b> :	۰,		, ,	1 5	4	1 0				
		· (ra)	-	c1	•,,	•,	• 5	• 9		. ',	, •	0	=	2	134	*	15	97	11	×	6	5	.12	53	23	7.	35	25	2	87	£.	e :	1	9	Menn	

## VERTICAL INTENSITY.

\$4500 PLUS TABULAR QUANTITIES, expressed in gemmes.

Char.

0 00 11 11

α попи<mark>поря п</mark>пина пычания просо

en least disturbed days.

Meant

INTENSITY

4500 PLUS TABULAR QUANTITIES, expressed in gammas

VERTICAL INTENSITY.
PLUS TABULAR QUANTITIES, expressed in gammas.

VERTICAL INTENSITY.
34500 PLUS TABULAR QUANTITIES, copressed in gammas.

Ten least disturbed days.

DECLINATION,
30 WEST PLUS TABULAR QUANTITIES, expressed in terths of minutes.

The tabular values are average values for successive periods of one hour beginning at midnight 80 th meridian mean time.

The contract of the contract when the contract of the contract of the contract when the contract of the cont	-5	ø.	0	S	6	0	n	22	23	19	7	6	9	6	S	9	0	2	6	4	н	4	S	ທ	2	2	0	Q		н	7	6	ad	او	4		
Maintain Part   Maintain Par		Renge	~	٥	9	۷.	8	ω	۷	7	ω	6	Ó	0	~	8	8	13	0	4		٥	6	ω	0 7	۷	9	9	5 91		۷	9	108	86			
Company   Comp		oum.	38	40	39	~	38	38	39	37	9	37	36	8	9	38	37	36	37	38	36	39	8	38	37	39	37	0 4	33	33	8	S S	3.7				
MANARY   1909		Mini	0	0	N	0 2	7 7	4	63	0	0	0 3	0	0	ы	0	4	0 3	0	9	0	0	0 5	0	0	0	_	0	0	0	1 1	0	1 13				
MANUARY   1909   The this bulbs   The		_	~	0	65	09	0	ਜ	~	O.	80	ᆔ	4	O.		ŝ	5.4	4	S	4	~	7	2	(1)	ω	10	10	10	7	Ŋ	n	20	801				
MANARY 1900  1		aximum.	ξ Ø	0	4	4	ω	4	0	5 4	8	0	ω	0	1 4	н	0	4	4		O	0	ø	Q	0		0	4	ω	n	ان 4		2				
MANARY   1900   The tabular values are average values for successive projected of one hour beginning at midnight   30 th mortidina mean time.   1		Z	4	4	4	4	5	4	4	4	n	4	Ŋ	4	ß	4	9	4	4		ß	4	4	S	w.		S	ŝ	S	9	4		N				
ANUANT 1800  The third of the control of the contro		Mcan.	(3)	3	n	427		O.		422		02	œ	430	428	432	426	3	œ	3	3	2	3	S	3	3	5	ε0	3	<b>19</b>	3	3	17	n	431	m	
ANUANY   Figure   The tabular values are average values for successive periods of one bour beginnings at michight With metric   1	time.	22	(2	æ	426	426	(12)	н		425	ч	CZ	C)		425	423			œ	3	Q	Q	3	3	œ	ы	3	3	n	Ø	œ	œ	3		N	0.1	
MANUANY   1900   1		23	^2	(V)	30	56	(Q)	н	22	25	н	CZ.	⊣	ø	98	4	24	56	œ	(V)	n	CZ.	Ω	œ	CQ2	3	3	n	3	œ	æ	ŝ		CZ.	CZ	(3)	
ANVIARY   ROB	ridian	22		3	9	9	9	18	17	22	60	CI.	15	'n	25	3	5	9	C3	8	CQ.	18	56	9	ω		m	133	37	37	iO	3	M	5 6	8 8	27	
1 NVUARY 1900  1 423 425 426 426 426 426 426 429 420 420 420 420 416 420 416 420 416 420 420 420 420 420 420 420 420 420 420		21	23	35	28	7	5 6	9	2,2	4	n	S	88	0	8	9	9	9	S	33	32	5	9	~	~	2	37	33	33	53	35	38	43	68	30	00	
JANUARY   1900   The tabular values are average values for successive periods of one hour beginning at mids   1   2   3   4   6   6   6   7   8   9   11   11   11   11   12   14   5   6   42		8	5 6	8 8	33	32	27	9	4	4	6	56	5	~	6	9	7	0	27	33	35	59	29	33	8	37	37	3.5	38	47	37	4 7	46	31	33	200	
JAVINARY 1890  1 42 5 42 6 42 6 42 6 42 6 42 6 42 1 42 9 41 6 39 8 19 1 11 12 13 13 14 15 16 16 42 14 14 14 14 14 14 14 14 14 14 14 14 14	midnig	19	63	37	35	17	9	33	0	5 6	4	6	35	23	35	9	35	0	37	0	33	24	37	33	~	~	33	37	0	5 4	37	5.4	47	35	35	53	
JANUARY 1820  The tabular values are average values for successive periods of one hour beging the state of th	뷿	- 81	4 5	37	37	38	6 8	37	0,0	4 4	37	59	37	3.7	4 2	37	4 6	47	6 4	47	0	8 8	4 3	4 5	4 5	47	6 9	4 5	4 7	09	4	58	5.7	5	4 1	39	
JANUARY ENG.  The tabular values are average values for successive periods of one hour data.  The tabular values are average values for successive periods of one hour data.  The table 426 426 426 426 426 426 421 427 429 416 398 396 396 416 428 457 457 457 457 457 457 428 426 426 426 426 426 426 426 426 426 426	eginni	17	50	ري ري	20	43	53	49	~	6	4 4	46	4 4	~	6	4	53	6	28	~	5 5	41	58	~	57	~	2	57	58	63	56	6 4	4	53	53	4 9	
JANUARY 1920  1 425 426 426 426 428 421 421 421 422 416 398 396 396 416 439 457 491 426 428 428 428 421 422 422		-	~	ø	~	н	2	8	2	7	9	9	6	0	o	~	8	~	~	0,	O.	Ö	9	~	9	4	-	4	4	n	0	7	6	ΟŽ	(V	8	
JANUARY FRO The tabular values are average values for successive periods of the tabular values are average values for successive periods of the tabular values are average values for successive periods of table 4.25 d.25 d.25 d.25 d.25 d.25 d.25 d.25 d	one	-	-	7 4	0	7	7	8	S	6	4	8	Q	0	4	4	8	4	4	O	4	5 4	2	~	4	8	-1	4	S	4	7	7 4	0	4	5 4	3	
JANUARY 1200  The state of the control of the contr		<u> </u>	4	5	4	7	7 4	2 4	~	5	7	2	5	S	4	~	5 4	7 4	~	~	0	8	8	4	~	4	2	ω	n	4	4	7 4	2 4	4	5	5	
## JANUARY PROPERTY   The rabular values are average values for chart.   1		_	4	5	5	4	3 4	2 4	7	4	8	6 4	8	2	~	3	9	9	4	2	4	3	7	8	ч	~	4	7	4	4	4	4	4	8	7 4	7 4	
## JANUARY PROPERTY   The rabular values are average values for chart.   1	nccess	<u>=</u>	4	9	0 4	~	4	4	4	ત	4	4	7 4	4	4	4	4	O.	5	03	7	4	4	€ 4	4	4	4		0	4	4	4	3	4	4	4	
JANUARY Fig. The tabular values are average value of the control o	for	12	n	4		2	ы	3		n	4	4	3	4	5	4	'n	4	n	3	n	4	ก	4	n	4	5	4	n	n	n	4	2	n	'n	n	
JANUARY 1220  The tabullar values are average characteristics of the control of t		Ε	10	4 0	40	9	3.9	38	39	38	39	38	37	9	9	9	37	37		<sub>ເ</sub>	n	39	'n	3	37	9	3	4	5	33	39	39	3	3	3	'n	
DANUARY         The tabular values are           1         2         3         4         6         7         8         9           1         425         426 </td <th>verage</th> <td>10</td> <td>9</td> <td>40</td> <td>8</td> <td>4</td> <td>4 0</td> <td>3.0</td> <td>40</td> <td>38</td> <td>9</td> <td>39</td> <td>38</td> <td>9</td> <td>39</td> <td>40</td> <td>9</td> <td>39</td> <td>8</td> <td>9</td> <td>9</td> <td>4 0</td> <td>41</td> <td>40</td> <td>39</td> <td>40</td> <td>40</td> <td>4 7</td> <td>4 0</td> <td>3</td> <td>8</td> <td>42</td> <td>39</td> <td>40</td> <td>40</td> <td>9</td> <td>and an arrangement of</td>	verage	10	9	40	8	4	4 0	3.0	40	38	9	39	38	9	39	40	9	39	8	9	9	4 0	41	40	39	40	40	4 7	4 0	3	8	42	39	40	40	9	and an arrangement of
### JANUARY 1920    1	are	6	4 1	4.2	4	4 1	4	4 1	40	39	4	4 0	4 0	4 1	41	4 2	4	42	4	41	4 2	4 2	42	4	4	4 2	42	43	4.2	4 7	4 2	4 4	41	41	41	4 1	iet days
### JANUARY 1920    1	va.	8	(1)	œ	4 2	4	4 2	4 2	41	4	4 2	4.2	O.	4	4 2	4	4 2	3	€.	4	3	50	45	5 4	4	43	3	4 4	43	4	n	43	43	43	4 5	4 8	ional qu
### JANUARY 1920    1	abular	2	n	4 2			C)	CQ.	4 2	œ	m	(V)	œ	n	æ	n	М	437	C)		n		4	ы	œ	ŝ	ī	n	n	ŝ	n	'n	m	n	n	m	internat
JANUARY 1920  Char.  1	The t	9	U	441	426		426		432	426	3	n	433	437	428	433	n	4	432	4 4 4	4	3	447	437	435	2	50	3	437	i,J	Э	n	435	3	3	ы	† Five
JANUARY 1920  Char.  1		2			4 2	ŝ	Q	4 Ω	(C)	3	3	S	43	C)	428	3	n	447	n	5	4	3	437	r	437				438		437			3	30	3	Control of the Contro
AAVUARY 1820  Char.  1		-	426	427	426	428	5.2	429	432	437	439	4 2 4	431		429	434	437	440	437	439	438	439	244	437	4 4 4	439	445	444	440	438	437	437			435	5 5	days.
JANUARY  Char.  1	20	3	126	133	924	129	127	131	6 3	137	0	ω	23	127	128	127	137	5	134	137	137		44	137		Q	4	9	ત	0	35	27	33	34	35	2	sturbed
#		2	25	88	98	92	127						127		122	25	32	31	33	325	35,			37					37	37		~			2	30	least di
#	ANUA	1	23	26	2 6 4	26	27 4	264	208	27	29	25	26 4	19	19 4	26	264	27 4	284	27 4	28	34	244	34	35	284			37 4	37 4	32	4	4	8	0	7	Ten.
	-	.par.																1					-	,				_							4	4	
		_																i																	dean*	deant	The state of the s

DECLINATION.
Street PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

ŀ		FEBRUARY	1920					tabular v	les	are average		vaiues ror	anne -		800	9116		luu l	# <b> </b> -	gub	8	E -				- Contraction			A STREET, STRE	-	-	Г
	Char.	_	2	8	4	2	9	2	8	6	92	=	12	13 14	-	15	16 17	7 18	2	20	0 21	ដ	ន	22	Mean	٠	Maximum		Men	Dillin.	Range	٦
		438 4	437 4	438 4	438	4 3 9 4	438	439	440	4304	407 3	4	3773	9 9 9	47 47	4	68	63 45	9 45	4	48 44	5 4 4	0 43	8 4 3 8	8 436	7 7 9	4 8 4	4761	11 21	373	103	m
		4364	434 434 434	344		434	435 4	438 4	439	427 4	406 3	383 3	389 4	415 44	49 47	78 48	5	68 45	2 44	5 4	43 43	8 43	5 43	6 43	8 436	6 1.5	12 4	88	10 42	377	111	_
		435 435	4354	4 38 4	4334	4334	4354	435 4		419 4	406 3	9	399 4	454 44	43 46	65 47	1 4	64 45	5 44	9 44	5 44	1 43	8 43	6 435	5 436	6 15	13 4	473 1	10 41	393	ω	à
		138	4 38 4	436 4		438 4	438 4	438 4	439	425 4	402 3	382 3	382 3	99	26 4	39 4	50 45	50 44	5 43	8	38 43	8 43	6 43	8 43	8 430		424	51	10 30	373	_	8
	0	440 446	446 4	445 4	448	444	4404	438 4	438	423 4	403 3	390 3	9 4	416 43	33 4	484	56 4	56 44	7 43	9	38 43	3 43	0 43	4 436	6 434	4 15	15 4	581	1 00	387	7 1	
		441 440	4404	4444		442 4	438 4	4384	435 4	424	408 3	3983	16	408 43	32 4	55 4	63 46	63 45	9 44	8 4	41 42	9 42	9 43	0 43	4 435	5 15	53 4	651	11 5	39	7	-
	٦	429 436	436 4	438 4	439 4	439 4	4384	36	446	438 4	425 4	409 4	412 4	425 43	34 44	4 9 4	59	59 45	4 4 4	8	41 43	6 42	9 4 2	5 43	3 437	7 15	30 4	62 1	0.38	402	5	2
		134	434 438 4	438 4	438		438 4	4314		4254	403	390 3	389 4	405 43	34 45	56 46	4	58 45	0 44	3	43 43	9 43	8 43	4 436	6 433		204	67	11 11	38,	ă	0
		138 4	438 4	439 4			438 4	438 4	438	414	397 3	3853	386 4	408 43	4	56 46	63 45	59 45	0 4 4	7 44	6 44	2 43	6 43	3 430	0 433	3 15	37 4	464 1			- ω	4
		435 4	438 4	438 4	441 4	439	4424	438 4	438	4163	390 3	369 3	366 3	87 42	39 46	66 47	76 47	76 46	5 45	6 4	45 43	8 43	1 43	4 4 3 5	5 432	3 16	1.8 4	478 1	11 13	363	7	D.
	Г	4344	4354	4364		438 4	439 4	4394	439 4	422 3	3983	378 3	377 3	387 40	07 4	30 44	44 45	51 45	0 44	4	44 43	6 43	8 43	4 438	8 428	8 17	00	541	1 14	373	æ	-
	_	442 4	444	4464	4454	442	4424	444	448 4	4354	425 4	409 4	406 4	412 43	12	458 47	477 47	19 46	8 45	5 44	8 44	5 44	2 43	8 436	6 442	2 16	5	479 1	11 22	394	8 2	10
		439 4	442	39 4	484	447 4	445 4	4454	448 4	4334	423 4	404 3	3943	397 48	421 44	448 46	466 47	75 467	7 457		447 44	4	43	8 43	5 435	916	27 4	477 1	11 49	391		· ·
		4324	438	438 448	48 4	448 4	4 4 4 4	4454	448	4434	427 4	415 4	406 4	413 48	427 45	458 46	468 46	468 458	8 448		446 441	43	43	8 438	4 4	1 15	484	470 1	11 28	401		_
		439 4	439 446	46 4	445 4	441 4	442 4	4474	450 4	4364	4133	395 3	389 4	401 43	430 46	464 47	74 47	75 46	5 45	6 44	9 44	2 43	8 43	8 435	9 440	0 15	19 4	476 1	11 16	388		_
	Г	439 4	4 4 4 4	445 444		4434	4454	4494	458 4	4564	435 4	488 4	425 4	419 43:	7	465 47	78 47	16 467	7 45	2 44	5 44	1 43	3 42	7 43	5 445	5 16	7 4	80 1	2 40	415	9	I.
		448 4	445 444 453	4 4 4	53 4	58	458 4	55	7	452 4		6		408 42	24 45	50 47	2	479 47	0 45	3 44	5 44	5 43	6 4 3	5 436	8 444	4 17	3	85 1	0 4 9	396	ω	6
		141 4	441 441 442 445	424		448 4	448 4	4464	438 4	417 3	397 3	379 3	377 3	387 41	413 44	449 46	9	467 45	9 44	0	448 44	6 438	8 441	4	1 434	4 1.5	58 4	68 1	0 52	370	6	~
		141 4	445 4.	464		4414	439 4	441 4	4434	429 4	416 3	0	~	408 42	429 45	451 45	56 45	54 449	9 448		447 441	1 440	0 442	43	9 437	15	25 4	57 1	1 25	391	۰ 	-
	1 4	146 4	446 448 449 447	49 4		4454	4404	439 4	434 4	414 3	395 3	3943	394 4	488 45	55 47	78 49	95 48	39 46	8 45	8 44	18 448	4	5 442	44	2 443	3 15	564	9.8	9 22	387	111	_
)	1	146 4	446 445 446 446	46 4		447 4	448 4	445 4	20	4464	409 3	395 4	0.2	452 45	50 47	76 48	84 47	77 46	2 45	4	48 44	7 44	1 44	3 446	6 444	4 15	24 4	85 1	0 41	387		m
		146 4	446 447 448 451	48 4	51 4	50	446 4	447 4	441 4	423 4	405 3	387 3	389 4	406 43	435 45	458 47	79 47	8 45	8 448		448 44	7 443	44	4 4 4	5 440	0 15	514	85 1	00 1	385	100	$\overline{}$
		145 4	445 450 449	4 9 4		448 4	6	4454	447 4	429 4		397 3			428 45	458 47	त	468 461	1 452		449 446	6 442	2 441	1 442	2 441	15	464	474 1	11 30	389	Φ	2
		442 447	447 4	447 448		4494	4514	451 4	4524	4 4 4 4	422	399 3	397 4	423 44	448 48	484 50	04 50	5 477	7 469		456 451	43	5 4 2	8 42	5 448	15	45 5	60	11 13	389	13	$\overline{}$
		428 4	427 4	433 4	438 4	4424	4454	448 4	448 4	438 4	419 4	409 4	414 4	424 44	446 46	460 46	468 47	477 47	6 457		451 44	5 43	9 438	43	8 4 4 2	2 16	30 47	æ	10.00	409	9	6
		438 4	439 4	438 4	7 7 7 7	42	445 4	4484	453 4	445 4	434 4	425 4	4844	438 45	9	471 47	73 47	0 45	9 45	6 45	5 44	8 43	9 430	4 3	2 446	6 15	4 47	8	11 00	419	2	6
		430 428	128 4.	438 4	_	439 4	439 4	4454	4404	424 4	411 4	415 4	412 4	418 42	427 44	440 45	56 46	54 461	1 45	9 45	7 44	6 440	43	8 43	0 437	16	204	464 1	0 55	410	'n	_
	2	5	435 43	9		v	4444	4 4 4 4	445	4444	430 4	427 4	433 4	443 45	54 45	55 45	9	59 45	8 45	4	451 44	6 44	0 43	6 43	8 443	3 16	00	4601	0 5	422	n	æ
	4	138 4	438 4	36 4	39 4	36 4	4404	35 4	1364	416 4	2001	26	4 0 9 4	27 44	15 45	5 4	53 45	50 44	8 45	0 45	0 44	5 44	5 44	1 433	3 436	1.4	534	56 1	0 16	395	. 9	_
										-																						
1	4	38	440 4	441 4	4434	442 4	424	42 4	43	431 4	412 3	983	98	12 43	5	58 46	69 46	58 45	9 45	4	47 44	2 438	8 43	6 437	7 438	8					82	1
	4	439 4	440 44	440 4	441 4	440 4	39 4	39 4	4 0 4	423 4	04 3	88 3	68	408 437		460 46	467 46	53 45	4 4 4	8 44	6 44	2 43	9 43	8 438	3 436						. 88	
	4	38 4	439 43	0	440 4	39 4	37 4	38	39	481 4	1053	8 26	96	416 44	11 46	62 46	9	62 45	3 44	9 4	47 44	23 43	3 43	8 439	9 437	7						
	-	. Ton	Ton least disturbed days.	urbed de	ys.		Five int	international	in quint	clays.						-	- Company	-	- Constitution of the Cons	Transport	-	and the second	*	The state of the s	a de la constante de la consta	'n						

DECLINATION.
3º WEST PLUS TABULAR QUANTITIES, expressed in tenths of mitutes.

		MARCH	1920			٢	The tal	tabular	values	are av	average v	values f	for succ	successive p	periods	of one	hour	beginning	at	midnight	9	th mer	meridian r	mean ti	time.					
Day.	Char.	-	es.	က	7	2	9	7	8	6	10	11	21	13	14	15	91	17 1	92	61	20	21	22	23	24 M	Mean.	Maximum.	Milm	Minimum.	Range.
																					-	_	-			-	h. m.	1		
<u>-</u>	<del>~</del>	60.	4.38 4		4454	39.4	(O)	4 w 8	4 0 0	4 6 6	430	4 3 2	0 4 4	4 4 4 4	445	442 4	39 4	484	554	52	48 4	45	39	384	39 4.	41	46 45	8 55	5 425	33
2.		442 445 445	4 5 4		4444	454	4404		453	423	427	435	442	455	461 4	459 4	158 4	56 4	48 4	484	47 4	56 4	414	454	464.	45 7	3 36 468	8 8 4	1 417	5.1
3.		447 447 447	147 4	47 4	446 4	424	40	438	434	423	418	418	426	428	442	458 4	59 4	53 4	504	464	43 4	4 4 4	39 4	404	404	40 1	6 00 460	0 10 10	0 417	5
4	οų	444 444 439	144 4	39 4	439 4	38 4	4	450	4 2 2	408	403	415	427	438	462 4	488 5	000	88	83.4	80 4	78 4	68 4	17 4	41 4	25 4	46 1	5 30 505	5 8	6 401	104
2	œ	433 432 420	132 4	204	4364	27 4	54 4	28	428	41.5	41.7	427	444	453 4	4694	478 4	478 4	7 4 4	5 4 4	58 4	51 4	344	17 4	58 4	38 4	4 2 4	4 33 48	9 0 6	0 407	77
9	4	440 444 446	44 4		445 4	45 4	58 4	38	438	420	407	406	410	424	448 4	4604	58	55 4	484	484	35 4	38 4	38 4	58 4	38 4	38 1	4 49 465	5 9 46	4	6.3
(-	н	448 447 448	147 4	4.8	448 4	5.2	57 4	9 4	457	417	406	405	419	429	4484	4594	66 4	59 4	474	464	53	39	35	32 4	32 4	0 7	4 49 469	'n	4 397	7.2
s	н	4344	440 44	S	443 4	39 4	454	50	445	420	411	408	417	435 4	4454	4594	67 4	61 4	50 4	47 4	37 4	38 4	38	40 4	4 1 4	40 1	46	10 2	5 407	6 1
6	0	4434	446 4	445 4	449 4	45 4	40 4	36	427	406	386	375	388	41.14	434	4554	09									-	5 20 462	2 9 20	0 375	87
10			-	+	+	-	1						7			-	4	68 4	584	4.8.4	47 44	404	404	38 4	30					
=	0	439 445 446 455 4	454	464	55.4	4 5 4	404	0	435	408	395	387	393	406 4	427 4	4554	7.1	475 46	664	5.5	4,84	48 4	4 4	404	39 42	37 1	6 00 477	9 5	6 381	96
12		439 4	39 4	424	40 4	424	29 4	4.1	434	418	305	383	888	409 4	483 4	450 4	58 4	58 4	56 4	57 4	5 4	484	4 0	404	4 1. 4	35 1	5 37 459		378	8 1
13		442 441 448 449	42.4	48 4	49 4	4 5 4	464	0 †	446	429	420	416	418	433 4	4464	57 4	61 4	62 4	57 4	55	50 4	484	404	9 9	40 44	43 16	6 10 464	4 10 10	409	5 5
H		4434	43 4	42 4	42 4	50 4	4444	4	446	421	383	418	419	427 4	448 4	461 4	4404	57 46	9	63 4	460 45	55 44	9	48 4	47 4	43 1	4 22 476	6 9 38	356	120
15	_	44B 448	48 4	4484	448 4	60 4	478 4	65	458	431	418	43.4	419	427 4	438 4	4584	7	170 46	5	48 44	8	46 44	4	38 44	0 4	47	5 7 491	9 5 4	407	8
91		440 442 439 45	4 23	39 4	504	484	50 4	38	426	401	388	370	385	407 4	431 4	554	67 4	68 46	9	+ 5 4	47 4	484	45 4	39 42	39 4	341	6 13 470	0 10 11	367	103
17.		144 443 445 443	43 4	454	434	444	38 4	5	430	414	397	387	390	407 4	4314	4484	564	58 45	7 4	5.2	484	48 44	5 4	46 44	5	36 1	6 13 459	9 10 28	387	7.2
18.		447 448 448 449 4	48 4	48 4	49 4	10 10 4	404	4 4	441	434	427	429	459	451 4	460 4	468 4	69 4	58 45	0	48 44	6	50 44	4	43 44	4	47 1.5	5 00 471	1 9 27	427	4
•01		443 445 440 4	454	45 4	40 4	41 4		33	424	60	0	(3) (0)	410	430 4	155 4	167 4	68 4	64 45	8	56 4:	57 45	51 44	4	47 44	6	41 11	5 8 474	9 5 6	399	7.5
30	_1	AAB 448 448 445	484	48 4	45 4	4 5 4	39 4	32	609	384	377	386	407	439 4	168 4	844	22 4	78 46	7 4	4 0 9	54 45	544	484	47 44	46 44	4 2 1	5 5 500	9 41	371	129
21		448 447 465 445	47 4	4 ()	च । ।	4	(A)	53	i)	407	402	604	435	Q	-1	72.4	704	68 40	0	58 4	4 9 4	4 9 4	47 4	4 8 4 4	45 44	5 1	3 46 474	4 9 31	392	8 2
81		446 449 454 445	4 0 4	5 4	4 0	5 4	0	(1) (1)	23	0	0 3	0	ω	O/	478 5	19 4	6.3	828	9	96	98 46	61 58	8137	4	50 44	49 14		9 25	335	012
ន		465 388	88.	409 462	6.2	444	0	0	m	407		434	4	9	447 4	10	7 4 4	78 47	8	61 4	47 44	48 4	4 5 4	38 40	09 44	41	032 510	1 43	345	165
3		450 445 448 454	0 0	484		28	0	8 9	4	~	CZ CZ	90	σ	t-		90	96	8.9	Ω ·	4	4	4	4	ヤ	4 6 4	50 1	5 16 500	8 19	395	105
52		4434	4924	4484	448	5 6	6	20 0	B :		9 1	7	23	0	2 2	00	6 9	8 1	G 4	0	0	4	3 4	-	a	4	47	0	405	9.2
3	۰ د	D 1	20 0	2 t t	446	20 (	D .	. 4	4	٠ .	) c		٠, ١	0 1	30	0 0 1	3 3 4	7 5 4	ω 	4	0) 4	9	0		ω 4	4	38 47	9	4	10
53	⊣.	4474	4 4 8	450		3	4	٠ ا	<del></del> -	4	9	00	4 ت	0 0	7-7	784	70 4	0 4	0	0 4	7	7 4	48 44	47 44	41 44	6		Φ.	428	23
29	<b>ч</b>	448 447 448 449	474	484	4 9 4	4 5 4	4	9	2	n	7	00	50	4	9	61 4	9	6 6 4 6	<u>03</u>	4	7	C5.	49 44	48 44	18 44	7 1	5 38 468	8 51	418	50
29,		448 449 448 445	4 0 4	484	4 5	4	4	ω ω	~	2	427	·Ω	448	466 4	177 4	7.8	0 4	71 46	10	65 4	58 45	58 4.5	50 45	50 44	8	52 1	4 10 481	8 4 3	420	61
30.1		449 448	8 1	447 445	4 -	40.4	0 0	38	23	23	01 0	0	4 7	8 9	77	78 4	4 .	0 0	4	۲Ų .	4	4		Φ	8	0	ω	0 03	4 2	
#	9	4 2 4 3	1	1000	1	0	0	2	٥	əI.	4	0	7	4 1	0	9 6	200	28	4	ر 4	2	υ 4	4	51 45		7	1 460	00 6	407	53
Menn		4445 644 446	0 0	4 4		0	0	4 7	2	~	60	23	2	9	2	67 4	69	7	4	4	4	9	4 0 4	41 44		n				828
Mesn.		445 646	46 44		4454	45 44	40	38	0	418	4	418	7	4 4 2 4	564	6 4 4	65 4	61 45	4		7		9	46 44	15 44	4				62
Moan		447 447 447	474	4	4 5 4	454	4 1.4	37	428	421	421	624	436	4504	161	6 6 4	6 5 4	61 45	4	5.2	31 31 31 34 30	4	46 44	46 44	9 4 4	9			ı	
Ani-university	A CHARLES AND A CHARLES	• Ten	Ten least disturbed days.	urbed da	ys.	+	Five int	international	cuiet	dara.		- Annual of the last		Anna Lance Common	The second second			The second		The state of the s	SECTION OF SECTION	other and employed	and the second	-	TO THE PERSON NAMED IN COLUMN	YOUR DESIGNATION OF THE PERSON				

54821--23----5

DECLINATION.

DECLINATION.
3º WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

DECLINATION.

36 WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

Ì	Bange.	4	4 0	6	(2)	4	2	(3)	0	7	4	8	C3	6	-	C)	ıs.	11	Ф	i)	н	5	S	7	0	(3)	8	173	r)	3	n	ч		9	
	og.	9	5	6 7	6 (7	3 7	2 6	5	9	6	7 5	5 6	4 7	0	7 6	6 7	4 7	4	σ <del>-1</del>	9	7	5	9 9	4	8 6	2 9	5	5	0	9	3 6	9.	7	9	
	Minimus.	8 39	8 41	40	7 41	5 41	4 40	8 4 2	8 40	8 38	2 41	9 41	0 40	9 41	7 407	6 41	7 41	1 39	8 41	7 41	2 40	3 41	4 4 3	1 43	5 41	4 40	3 41	6 4 1	5 4 2	2 4.2	0 42	0 4 1			
	Mic	7 1.	7 2	8 41	7 5	8	7 4	8	80	8	8	7 4	8	7	7	50		7 5	۷	7 4	8 13	2	8 1,	7	7 3	8	7 4	7 4 (	8 2	7 4	0	0			
	_	30	479	485	492	87	81	7.5	77	9 8	8 9	83	476	66	7 4	88	89	0.5	6	81	80	68	81	16	18	7.8	17	478	9 5	66	9 8	479			
	Mardmum	. O	16	47 4	30)(4	264	244	4 00	30	53 4	4 00	8	39	4	52 4	56 4	4 9 4	2 4 5	404	4	33 4	164	4 9 4	45 4	13 4	32 4	334	22	484	30 4	28 4	8			
	_	1.5	1.2	1.4	4	15	1.5	16	15	4	16	15	7 4	7 6	7.5	7 4	12	14	44	4	7	1.4	14	13	4	1.9	53	6	13	14	4	1.5			
	Mean.	447	453	451	459	451	450	449	451	446	452	453	450	452	450	457	460	458	455	455	456	452	454	459	456	453	454	456	460	465	459	456	454	454	453
time	24	454	4.54	457	453	449	452	453	441	451	455	455	455	455	454	455	459	457	456	456	455	457	457	456	451	454	469	461	466	460	455	460	456	455	454
mean	z	450	449	455	454	453	453	454	446	451	457	458	457	459	457	455	460	455	453	456	453	457	457	457	457	454	457	465	459	462	457	460	456	456	455
meridian	22	4 4 5	445	448	453	454	456	457	459	457	458	457	458	445	457	455	458	456	453	457	456	459	458	457	460	4.62	460	470	467	465	458	460	457	457	457
ğ th	12	451	453	456	57	55	458	57	99	67	461	458	58	51	9	5.4	6.4	61	4	61	62	6.1	63	63	65	67	09	475	67	29	28	6.1	09	59	00
ht 60	8	57	5	5 5	58 4	57 4	57 4	58 4	65	72 4	6.1	53	584	734	67 4	48	654	584	57 4	62 4	59 4	584	61 4	60 4	63,4	704	62 4	2.5	59 4	67 4	58 4	60 4	61 4	594	20 20 44
midnight	19	57 4	57 4	56 4	614	60 4	62 4	57 4	69	7 1 4	61 4	644	634	85 4	69 4	52	67 4	6 4 4	62 4	64 4	66 4	58 4	57 4	7.1.4	6 4 4	764	67 4	4	56 4	66 4	62 4	61 4	644	62 4	62
2	81	56 4	65 4	57 4	67 4	67 4	644	6 4	0	65 47	62 4	67 4	67 4	8 5 4	55 4	67 4	65 4	67 4	68 4	65	67 4	59 45	59 4	74 47	66 4	5 47	60 4	67 47	59 4	67 4	66 4	62 4	65 4	6 4	4
beginning	-	0	0	8	7	9	4	0	5 47	5	7 4	7 4	7 4	5	0	5	7 4	7	0	3	6	8	7 4	4	0	4 47	7 4	7	4	8	4	9 4	1 4	3 46	2 4 6
hour be	=	7 46	7 47	8 46	9 4 8	7 47	0 47	9 47	6 47	9 4 6	6 4 6	0 47	2 46	2 49	7 45	7 47	4 46	8 48	4 4 8	8 47	7 47	0 45	7 46	8 47	5 47	4 47	5 46	9 46	4 47	8 47	0 47	7 46	8 47	8 47	7 47
one h	92	2 4 7	7 47	1 47	1) 48	0 48	9 48	7 46	3 47	6 47	5,46	8 48	4 47	6 4 9	2 4 5	7 48	5 47	1 49	8 4 9	8 47	8 47	5 46	0 47	7 47	6 47	4 47	6 4 6	9 4 6	9 48	6 4 8	4 48	7 47	0 47	8 47	8 47
ods of	51	6 47	47	4 48	7)(49	7 48	0 47	3 46	5 47	6 48	4 46	1 47	9 47	0 48	7 46	3 48	7 48	4 501	9 498	9 47	47	5 46	4 48	8 48	0 47	6 47	4 46	9 4 6	8 48	5 49	48	0 47	4 3	3 47	47
e periods	2	7.4	47	47	(48	46	47	45	46	47	46	47	46	47	46	4 8	48	20	48	47	477	4 6	47	4 8	47	47	46	46	48	4 9	477	47	476	47	471
successive	2	476	4	457	(480)	457	458	444	457	451	463	45B	457	469	471	479	489	484	475	471	477	467	467	475	462	470	458	462	477	487	472	465	468	465	460
for suc	12	467	469	437	(470)	443	447	438	449	437	453	452	449	437	467	475	481	469	454	461	467	467	458	467	457	458	454	453	475	475	460	464	4 5 8	458	452
values	=	452	459		(4 6 0)	429	433	433	438	423	441	449	437	426	465	471	477	447	439	446	459	457	447	458	455	447	449	445	460	464	447	457	448	448	4 4 4
average v	92	447	443	416	6 4 4	417	418	425	427	411	428	437	454	429	445	467	465	428	428	436	443	443	437	447	447	432	440	438	445	4 4 9)	434	444	437	436	4 5 3 3
are ave	6	427	426	413	425	416	413	425	415	402	423	420	413	422	423	449	432	406	419	422	42.2	425	419	430	437	411	426	426	432	434	426	430	423	483	421
values	es.	411		426	425	419	416	432	416	407	426	419	411	416	413	429	419	402	415	419	416	419	1.8	22	423	413	20	419	442	438	428	426	0 2	2 7	27
tabular v	1	1.5	2 2	0 4	39	33	35	4 4	32	1.9	38	30	50	9 8	61	23	25	50	24	29	30	30	33	3,5	50	25	31 4	45	4.7	4 7	37	37	31 4	344	35
The tak	9	421 4		57 4	544	47 4	47 4	447 4	46 4	31 4	47 4	47 4	39 4	428 4	354	33 4	41 4	404	41 4	404	4 0 4	4 1 4	4 4 4	46 4	484	37 4	55 4	464	474	4 6 4	57 4	47 4	43	464	4 6 4
۳-	2	164	40 4	50 4	534	4 9 4	47 4	48 4	47 4	37 4	484	474	45	31 4	34	38 4	4 4 4	5.2	484	464	474	47 4	50 4	48 4	54 4	444	57 4	474	4 4 4	50 4	67 4	51 4	464	484	8 4
	-	4 4	7	5 4	55 4	53 4	474	1 1 4	17 4	29 4	4 9 4	47 4	47 4	344	32	4	8 4	60 4	54	4	4	7	53	3 4	4	7	51 4	4	47 4	7	7 4	2	48 4	50 4	4
		4	7 4	3	7 4	2 4	0	7 4	8 4	9	7	0	9	8 4	4	9	3 4	5	7 4	1 45		4 4 4	5 4 5	2 45	4	6 44	5 4	9 45	4	7 45			1 40	4	
1920	3	4	9 4	7 45	4	5 45	9 45	9 44	0 44	9 43	4 4 5	0 45	9 44	3 43	0 44	5 44	6 45	8 45	4	4	4 45	2 45	7 45	4	4 45	7 44	0 45	H	7 45	3	4	5 45	2 45	3 4 5	2 4 5
~	2	4	1 44	4	4.5	7 45	44	4	2 45	4 5	5 4 5	3 45	4 4	7 44	7 45	9 4 4	46	9 45	45	4.5	5 45	45	4.5	5	5	44	45	5 45	4 5	4.7	4.6	45	3 4 5	10	4 5
MAY	<u> </u>	3	4 5	4	45	4 55	5	4.5	45	43	45	4.5	4 5	44	4	459	46	4 5	4.5	455	455	4.54	45	4 5 6	456	448	4 4 5	45	45	465	46	4 5 4	4.5	45	4.0
	Char	-		-																															
	â	-	C.	n	*7	ŧ.	2	-	00	o	2	=	12	13	*	15	16	2	<u>s</u>	19	20	210	22	23.	57	25	29	27	85	53	30	31.	Mean	Meen	Меза

DECLINATION.

3º REST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

DECLINATION.

3º WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

DECLINATION.
3º WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

	Range.	7.8	68	8 2	11	7.1	5 6	66	16	90	55	5 6	0.2	23	10	8 4	77	81	96	60	83	4 8	4 9	7.5	5 5	4 4	6 3	80	0	9 32	60	1	0 8	35 <b>9</b>		
	- E	9	7	Q	416	7	5	0	0	55	9	Oi	4	407 1	9	2.5	17	เก	н	4	0	4	4	4	-	3	9	9	5	4	7	19				
	Minimum.	4 1	2.4	6 41	6 4 3	4 4 2	0 42	7 40	0 42	6 43	1 42	0 48	6 40	8	39	7 43	9 43	6 4 1	6 41	5 41	8 40	0 4 2	8 42	4 2	2 431	0 42	4	8 41	6 4 2	7 7 7	8 42	6 4 0				
	Min	7 5	8	7 5	ထ	8	7 4	8 1	8	7 3	7 3	8	7 3	7 3	7 4	7 5	7 3	ω	8	œ	8	7.	7 5	8	7	7 4	7 4	7 3	7 2	7 4	2 0	7.4				
	-	4	8 9	2 6	493	88	8 4	66	96	10 00	8.1	88	90	19	90	8.0	90	96	0.7	0.7	8	80	88	66	8 6	9.7	68	96	13	60	36	3.5				
	Maximum.	30.4	3.2	4 0 4	36 4	30 4	484	8	30	52 4	7 4	00	38	36 5	40 5	504	00	3	5,2	00	33	48 5	3	50	4 0 4	224	51 4	16	5 5	00	5.7	7 5				
	Ma	1.4	14	15 4	m	14	15	1.5	13	15 5	15 1	1.4	16	13	164	15 5	14	1.5	7.4	150	15	144	1.5	14	13 4	14	1.2	13 1	12	13 0	14	7.4				
	Mean.	465	463	463	466	462	466	464	466	470	99	467	167	170	465	466	475	466	463	470	462	469	463	472	469	691	170	168	473	473	081	473	468	468	468	MORNIC MAN
time.	2 2	6.5	1994	5	467	6 5	6.3	65	58	629	99	99	7.3	22.	472	89	68	0.2	57	7.2	5 1	3	99	473	12	717	73	69	482	6.7	7.3	65	67	20	8 9	The Laboratory
mean ti	<del> </del>	6 9 4	67	455 4	67 4	69 4	61 4	734	59	68	66 4	63 4	77	4 T L	ਜ	472 4	7 1 4	72	454	70 4	464	464 4	65	10	75	734	77 4	472 4	60	777	724	68 4	68 4	714	7 1 4	-confedence
ian m	83	6 9	4	0	4	4	67 4	5	66 4	634	1 4	555	83 47	5 47	69 47	₹	13 47	3 47	55	5	564	67 4	6 2 4	12 47	6 47	77 47	81 47	4	13 47	5 47	5 4	0	0	4	4	acolonia
meridian	:21	4	4	0	5	4 47	5 4	6 47	9	5 4	3 47	4	<u>15</u>	5 47	5	8 47	5 47	4	8 4	5 43	7.	4	5	5 47	7 47	2 47	4	1 47	4 47	7 47	5 47	1 47	3 47	5 47	3	and other second
60 th	12	0 47	4 47	9 47	5 47	1 47	7 47	5 4 7	7 47	5 47	6 47	5,47	5 48	6 47	5 46	5 46	5 47	3 47	3.46	4 47	6 4 5	5 4 5	5 46	0 46	6 47	2 48	3 4 8	5 47	47	8 47	9 47	2 47	5 47	5 47	5 4 7	and the same
midnight	8	47	47	47	47	47	47	40	46	47	46	47	4 6	47	47	46	47	47	7.4	47	46	46	46	47	47	48	48	47	47	47	46	47	47	47	47	-
	2	473	474	483	479	467	478	6 4	475	477	468	476	461	476	4 8 2	479	483	475	485	475	472	469	476	473	474	483	483	477	473	463	476	479	476	47.7	47.5	
ing at	22	478	475	485	489	466	480	490	481	479	476	471	492	472	492	479	486	477	496	483	484	477	475	476	473	483	482	477	473	463	485	483	483	477	476	
beginning	12	485	480	404	488	468	4 8 2	496	182	482	477	475	501	488	665	478	4 9 4	482	500	491	485	0.03	475	483	475	491	483	182	477	480	496	491	486	481	484	-
hour	91	187	981	700	487	80	483	161	8 2	83	478	479	161	00	0.4	478	96	88	502	504	9.1	506	8 2	488	177	96	83	87	493	60	522	0.8	8	9 9	20	-
one	2	92	488	40	488 4	486 4	4 8	96	7 16	7 7 8	479 4	98	4884	515 5	496 5	476	90	491 4	80	0 21	86	0.3	98	4964	483	96	4 8	9	503	9 2 4	8	135	4 4	2 2 4	4	4
periods of	H	88	86 4	80 4	87	824	8 34 4	(Q)	94	764	~	854	487 4	517 5	4824	G	07 5	88 4	90 5	00	764	00	855	97 4	0	93	86	934	5095	4 80	5285	11 5	200	894	Ø.	
	=	77	77 4	77 4	85 4	5	7 4	62	93 4	4 6 1	74 47	4	7	0	ਜ	72 47	7 5	7 4	4	85 5	72 47	935	4	4	34 47	80 4	4	4	5095	508 5	4	02 51	86 4	9	9 4	-
successive	=	4	₹ ਜ	6 47	4	1 47	6 47	7 4	4	4	7 47	6 48	6 4 8	0 20	6 47	2 47	200	5 47	6 47	4	9 47	4	6 4 B	7 49	8 4 8	4	7 48	<del>१</del>	000	4-	0 52	2	4	4 8	4	2
io.	12	8 4 5	8 46	2 4.5	5 47	1 45	9 4 6	44	7 43	3 47	0 46	5 47	5 47	0 49	0 46	6 47	6 4 9	8 46	4 45	6 46	8 45	2 47	6 4 6	5 47	2 47	7 46	7 47	48	4 20	6 4 9	7 450	6 48	0 47	3 47	0 47	-
values	=	4 4	5 44	4 4 4	46	44	4 5	5 4 4	5 46	47	46	46	46	47	46	46	47	4	4 2	4 5	44	46	4	46	47	45	46	46	8 4	47	47	46	9.9	46	4 6	- Deligoritor
average	91	4	425	424	445	427	44	435	4 4 5	458	448	450	452	444	425	448	459	433	417	441	429	451	429	455	456	435	456	449	468	457	456	443	443	447	444	-
are ave	6	424	424	414	424	423	433	411	425	438	435	436	426	424	412	436	445	423	433	4 2 4	413	442	430	435	438	426	4 4 2	431	4 4 5	435	435	417	428	434	431	davs
dues a		423	426	419	426	432	432	416	431	446	432	432	411	418	406	4 3 5	435	484	4 2 3	484	417	6.23	4 33	426	433	424	427	422	4.26	426	453	411	426	429	4 2 6	al quiet days
ular v	1	438	445	440	447	445	448	4 3 8	462	467	449	445	422	427	422	447	451	447	4 4 5	4 4 6	4 5	446	4 4 6	443	450	4 5	10	6.2	441	438	50	3	44	47	4 10	ernation
The tabular values	-	5 5	5 5	5	445	58	58	5 5	56	9	465	465	445	449	445	456	466	6.5	460	69	63 4	63	67	461 4	463	460 4	55	55	is o	5 1	54	56 4	63 4	584	8 4	Five international
F	-	58	534	56 4	55	65 4	634	461 4	55 4	6 4 4	473 4	473 4	454 4	454	55	4634	464 4	8	462 4	77 4	72 4	72 4	70 4	4 6 9 4	64 4	614	57 4	61 4	58 4	55	69 4	66 4	57 4	61 4	6 1 4	-
		9.0	5 5 4	4634	477 4	15 4	465 4	464 4	462 4	3 4	a		458 4	460 4	4		4654	8 46		3 47	9 47	57 47	464 4		5 4	4	4	4	4	4	6 4	8	8 4	6 4	2	and the same
	4	0	5 46	2	10	0 47	5 46	3 46	0 46	8 48	1 47	6 466	3	5 46	6 467	5 47	6 46	2 468	5 465	9 47	2 47	9 4 6	(2)	5 478	8 46	7	3 461	8	5 463	6 464	5 4 7	1 46	7 46	6 46	7 46	ed day
1920	6	7 45	7 46	5 46	5 4 5	5 47	7 46	3 463	3 460	43	5 461	8 46	5 46	7 465	5 47	6 46	5 466	47	5 465	697	1 47	2 46	46	8	0 46	46	5 46	3 46	0 46	46	5 48	47	9 7	46	0 4 6	"Ten least disturbed days.
	2	45	467		456	46	467	463	468	469	46	46	465	467	476	46	465	473	466	467	47	47	456	472	47	46	4 6	47	47	46	47	47	46	468	4.7	en least
AUGUST	L	459	465	465	455	465	468	464	466	458	475	471	467	472	469	475	467	471	468	464	472	466	465	471	473	475	468	473	472	470	472	470	468	470	470	1.4
	Char.	٦	0	ત	~1	٦	~	٦	٦	~	7	н	O.	O.	-	-	0	0		-1	o.	2	٦	-1	4	٥	0	0	٥	-1	ا	1				-
	Day	-	*		-	. 3	F-1		v.	5	£	=	2	22	7	.51	•9	1.	4	6	50	គួ	21 21	23	.77	25	26.	100	28.	62	95	31	Mean	Megn	Meant	-
	-																-					-											-			N.

DECLINATION.

30 WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

111	יכונ	111	. W	0	т	U	IJĸ.	311	ııı	¥ 40	X ,J.	11	,	i i	23		٧	.1.1	∴ ( <sub>V</sub>	50	وسد	٠,	1	•	11.	,	LO	10		<b>1</b> 1.	117		~~	•	
	Range.	110	63	.8 1	7 4			S)	101	101		8	72	106	9	98	90	09	73	58	61	9	22	5 7		56	28		127		73	100	6.5		
	d	404	4 2 1	419	419	439	429	439		000	429	421	429	412	434	419	421	449	438	435	439	*	439	451	429	449	440	440	436	421	439	T		1	
	Minimum	. 8	7 42	6 52	7 34		0	Н		_	7 30	2	Ω		7 54	8	8 00	8 18		9 52	8 36	4	9 %		•	m	œ	7 4 2		8 27	00 2				
	_	17	0.4	00	50	06	5	00	0	_	010	03				77	0.1	60	ч	10		~	9	(V)	9	2	00	20	m	4 5	2 7	-			
	Maximum.		12 5	50 50	0.0	3 4	4	4	0	7 2	10	23	S	8 2	S	23 5	51 50	<del>ا</del>	<del>4</del> ت	33 49		(1)	C,	S	(2) (2)	2	4	S	त	25 53	5 2	-			
	Ma	1.4.	1 4 4	145	4 4	15	4		15		22	53		13	75	14	4	7.4	4	13	13	•			51	15	5	4	15	14	4				
	Mean.	466	472	461	468	470	472		472	477	477	475	472	470	478	473	469	476	475	471	476		472	477	475	478		479	489	478	479	× 6 ×	4 7 4	473	
tìme.	22	470	471	460	472	472	475	472	474		480	480	471	474	460	470	462	472	479	471	474		477	477	476	472		471		470	479	1.6.4			Complete Com
mean	a	467	471	452	465	470	477	480	470	480	478	477	472	473	466	472	462	471	473	473	477		477	480		473		476	470	467	480	4.7.0			december of the second
meridian	8	462	473	459	471	47.1	477	480	466		480	478	472	471	465	470	461	470	472	471	479		480	482	480	476	٧.		480		4 8 3	3 6		~	-decementary
ŧ	12	461	480	444	472	470	480	476	471	cv.	472	474	476	468	470	467	459	468	472	472	477	480	456	484	480	480	ω	200	507	488	490	2	1 6	47.5	
ght 60	R	468	483	449	471	470	_	~	470	0	471	478	476	470	466	471	470	463	472	476	480	479	464	487	480	480		487	200	064	403	10	o a	P- 0	Construction of the Constr
midnight	2	480	480	461	462	477	4	n	482	0	472	0	476	472	472	478	476	476	0	475	480	~	472	8 2	C)	488	064	O,	503	497	4 9 9	10	0 6	18	
ing at	82	491	0	480	476	480	487	490	491	ō	488	477	472	483	479	486	486	487	489	482	486	474	480	481	489	493	493	499	518	505	964	1	1	8 52	ALCONOMINATION OF THE PERSON O
beginning	17	501		483	482	480	484	493	500	200	491	989	474	489	482	491	490	197	493	489	488	472	488	180	50.5	200	26	203	519	210	510	10		83	-
hour 1	91	507	00	490	487	487	490	498	512	511	492	481	83	499	499	500	491	501	503	490	490	081	490	484	000	503	m	864	553	13	010	1	200	87	
of one	15	01	01	4954	4914	4894	50	96	11	18	4934	68	50.0	60	517 4	10	86	80	0	(1)	00	906	484	4934	0.03	03	06	00	ਜ #	2002	त्	1	ט ע	60	
periods o	=======================================	000	00	480 4	7 6	483 4	90	91 4	04 5	17 5	96	96	00	515 5	531 5	165	00	07 5	10 5	91 4	00	96	4834	00	05 5	01 5	8	000	405	200	105	100	2 6	10	
	13	479 5	0	478 4	480 4	4734	475 4	481 4	00	10 5	94	01 4	2005	00	33	08 5	9 4 5	498	91	4834	935	91	480 4	501 5	00	935	475 4	497 5	31 5	15	0.35		2 0	87	
successive	27	55 4	Θ		4704	614	60 4	460 4	481 5	490 5	924	00	490 5	477 5	5205	487 5	4724	4804	466 4	466 4	481 4	8 3	467 4	493	4905	804	o	488 4	ु त्र	00	69	+;	4 4 4	5 0	-
for	-	9 6 5		62 4	60 4	4 5 4	4 2 4	51 4	62	4644	844	90 5	Q	450 4	490 5	459 4	450 4	66 4	45	4524	4	4704	4564	4814	473 4	4 07	v	4 5 6 4	490 5	477 5	717	1	5 6	ਜ਼	
re values	=	4	4	4	51 4	37 4	34	50 4	4 5 4	51 4	62 48	71 49	56 47	C)	6	Q	O.	7	404	Q	49 46	60 4	9	0	Q	58 47	0	468 4	9	0	52 47	+	0 4	100	-
average	9	4	4	01	55	2	30 4	48 4	264	39 4	4 4 4	42 47	39 45	19 43	439 45	27 44	28 43	52 45	46 44	39 44	42 44	52 4	59 44	59 47	39 45	51 45	43 44	o	43 45	29 44	4 5 4	+	0 0	3 4	e,
les are	6	2 6 4	4	4	27 4	9	13.4	404	25 4	30 4	31 4	9 4	32 43	19 41	Oi	29 4	11 42	4	59	48 4	49 4	4 9 4	4	52 45	36 43	5	19 44	18 45	11 44	29 42	4	+	4 4	1 4	Five international quiet day
ar values	8	4	5 4	4	441 42	1 4 4	9 47	4	0	0	41 4	39 42	8	12 41	19 43	9	50 44	9 4 6	4	9	0	4	12 47	9 45	449 43	50 45	52 44	4 4 4	19 44	15 42	4 4 6	+	4 4	2 4	national
tabular	-	4 5	4	6	()	0	0 45	9 4 5	8 44	5 44	4	1 43	2 44	1 44	1 44	61 44	6 45	467 45	8 46	8 45	8 46	3 45	4 47	2 45	S	646	0 46	4 4 4	1 44	9 44	3 44	+	62 45	1 10	ive inter
The	90	2 4 6	4	4	8 46	4	0 47	8 45	2 45	1 45	2 45	7 46	0 46	3 46	0 461	Q	4	0	0	0 46	6 46	2 46	0 46	3 46	6 45	0 46	0 47	9 45	0 46	7 45	9 45	+	4 .	4 4	-
	5	4 6	4	4 4 4	1 468	7 48	1 480	0 46	465 462	1 46	0 47	3 46	3 47	0 46	8 47	8 46	0 459	480 47	0 47	3 47	8 46	466 462	466 460	6 463	463 45	471 47	472 47	3 45	4 46		1 45		0	2 47	-
	*	4 5	1 47	2 4 4 9	0 461	0 497	0 481	1 47	8 46	5 46	5 490	8 473	6 47	2 47	8 478	9 4 6 8	0 480	2 4 8	3 47	0 47	6 4 6 8	3 46		2 466	0 46	3 47	4 47	6 463	1 46	0 472	9 461	+	3 470		ed days.
1920	69	1 7	470 471 470	471 462	4 8	480	5 480	472 471	0 46	472 485	2 495	0 47	7 47	2 47	477 478	3 470	480 480	470 478	5 4 7	5 4 8	0 476	2 473	482 470	47	470 470	5 473	476 474	470 466	470 461 464	4 470	6 459	-	4 47	0 476	t disturb
SEPTEMBER	2	1 470	47	47	471 477 480	0 470	3 476	5 47	471 470 468	47	480	480 480 478	480 477 476 473	472 472 472 470 463	7 47	470 488	48	47	4.7	472 475 480 473 47	482 490	471 482	4 8	471 470 472	5 47	6 475	3 47	4 43	47	4.54	8 4 6		3 474	476 480 476	Ton least disturbed days
SEPT	1	46.1	· ~	468	473	430	473	475	47.	470	480	480	486	47.5	477	470	480	467	47,	47,4	4 8 %	47	475	47	47.5	476	473	474	480	462	478		47	47.6	1
	Cher	-	4 0	, -	. <del>.</del>		1	н		-1		1_				-	4		0			_		0			_				. न	1	1	-	
	ě	-	• 63	· ~	**	к:	100	1-	oc	6	9	=	- 2	13	14	15	9	-	-81	-61	20.	21.	22	8	24	25	26	22	82	8	8	2	Mean	Mean	

DECLINATION.
3º FEST PLUS TABULAR QUANTITIES, capresed in tenths of minutes.
see animas for successive sociede of one bour harinning of minutes.

		OCTOBER		1920			The t	tabular	values	are	average	values	for suc	successive	periods	s of one	hour	beginni	ing at 1	midnight	ht 60 th	neridi	an	mean tim	Je.				
Day.	Char.	-	٥,	0	4	ıs	9	۲-	ø	ø	9	=	22	13	1	15	91	17	81	19	20 21	22	23	75	Mean.	n. Meximum	um.	Minimum.	Range.
-	-1	470	47.1	466	470	467	463	459	449	449	461	480	507	513	531	522	507									13 20	535	h. m. 8 2 44	69
~																	4	97 4	90 4	90 4	86 48	2 4 8	0 47	8 48	0				
<u>.</u>	0	487	482	483	480	486	480	470.	459	449	448	454	467	486	497	501	502 5	01 4	954	89 4	80 47	8 47	5 48	6 47	1 475	9 15 29	505	9 20 44	
-	ન	470	470 470	472	480	471	473	470	459	445	443	449	459	472	479	479	490 4	934	4	87 4	80 47	8 47	8 47	8 48	0 47		484	8 36 43	9 55
ų,	-1	478	478 431	490	471	473	478	477	464	456	459	461	463	470	480	490	498 5	00	95 4	90 4	82 48	2 48	0 48	0 47	9 478	8 16 30	200	8 29 45	4 9
٠		478	482	485	480	478	487	485	473	460	459	470	478	488	490	486	480 4	89 4	914	90 4	81 48	0 47	3 47	0 46	6 47 5	9 17 40	493	8 58 45	6 37
t-	ч	466	466 470	460	460 459	47	4 B C	480	472	484	478	470	480	482	482	483	483 4	92	97 4	00	8 6 4 8	8 4 8	0 48	0 47	9 47	9 17 36	498	3 30 45	6 42
œ	٦	479	479 480	479	478	477	0004	489	480	463	457	465	474	487	490	491	490 5	00	00	490 48	84 48	1 43	2 48	0 48	0 48	2 17 6	501	9 42 45	3 48
6	Н	480	480 482	481	477	476	476	474	468	456	449	459	471	487	491	491	491 4	90	90 48	89 48	88 47	3 47	7 48	0 4 6	8 478	15 40	492	9 24 44	B 44
2		459	462	4 9 0	477	477	486	500	499	478	478	470	481	484	488	493	4964	90	80 47	76 47	73 48	0 48	0 48	9 4 8	7 48	2 2 48	509	21 44	7 62
=	0	487	481	484	486	477	48C	473	461	455	459	471	480	484	486	482	481 4	814	83	483 4	82 48	0 48	1 48	0 48	0 47 8	3 5	494	8 11 45	5 43
13		487	481 481	479	480	478	473	470	461	459	450	454	470	487	200	509	510	06 4	99 47	78 48	81 48	1 48	0 48	0 48	0 48	0 15 24	512	9 30 44	8 64
13		4 9 2	491 481	480	480 480	4 3 C	477	472	459	442		450	478	497	502	507	508 5	04 4	26	489 4	80 48	0 48	0 48	0 48	0.43	7 0	511		5 76
==		4 60 1	480	480	480	480	478	473	466	449	432	442	467	487	500	502	504 5	01 4	66	490 48	85 48	0 48	1 48	0 47	9 47	9 15 10	509	9 30 42	80
1.5	-1	478	473	478	477	084	480	481	461	439	430	446	470	480	483	490	498 5	00	00 49	91 48	86 48	3 48	1 47	8 48	0 477	7 15 48	500	9 15 42	8 72
91	0	481	481		481 482	480	480	474	460	448	439	441	459	438	508	516	511 5	05 49	99 49	0 4	83 48	2 48	0 48	0 43	1 48	0 14 37	517	9 58 43	7 80
12	0	482	482 463		4 483	481	476	470	459	449	449	45.6	470	487	497	510	520 5	285	135	00	90 48	1 48	0 47	0 47	8 484	4 16 33	529	9 22 44	8 81
s	0	480	480 480		480 481	480	479	470	453	439	441	446	467	487	500	510	510 5	0.2	93 49	0	81 48	0 43	0 48	1 48	2 475	9 15 17	51.2	8 42 43	80
3.	н	482 48	483	4 8 3	482	436	490	478	459	443	443	452	465	486	200	513	514 5	12	81 49	93 48	86 48	7 48	7 48	5 4 8	4 482	2 16 00	515	8 42 43	4 81
30-1	_	486	487	489	488	489	484	475	463	449	440	446	463	482	487	495	4984	98	954	944	90 48	6 48	5 48	4 48	4 483	1 16 00	499	9 18 43	3 66
21*1	0	486		48		484	480	476	464	460	456	457	466	475	477	475	484 4	9 4 4	9 5	9 4	92 48	7 48	7 48	5 48	4 480	0 17 43	497	8 21 45	3 44
53		484	486	485	484	484	477	475	463																				
22								_		474	46		4 8 6	in.		4	o	S	0.7	9		9	S	4 4 6		16 00	0		
77		463	463 477	474		479	480	474	466	463	469	474	474	77	<del>ر</del> ق	484	494 5	U)	40	4		9	o	4 48	4 483	17 14	505	8 32 46	*
25	7	485	485 489	491	484	484	485	486	484	480	479	499	504	504	501	497	497 5	500 5	01 5	00 49	95 49	2 43	8 48	5 48	4 491	1 10 52	506	8 48 46	3 43
56		4 0 0	484	481	480	478	474	474	475	484		502	505	510	514	515	513 5	504 43	98 49	4	92 49	3 48	4 8	3 47	4 493	1 14 16	516	5 47 46	
27		479	479 485	491	485	484	479	472	463	463	472	485	496	502	504	08	504 4	496 49	93 48	88 48	84 48	4 47	S	2 48	4 485	13 55	5	7 46 45	5
82	н	486	486 491	489	495	464	484	475	466	463	471	482	484	505	510	506	504 4	497 49	4	8 5 4	84 48	4 47	4 47	5 47	7 487	35	518	8 18 46	0 52
59	ત	484	484 485 484	484	491	493	489	434	475	471	483	491	502	514	514	513	505 4	94 48	89 48	4	34 48	4 48	3 48	4 48	4 490	0 13 38	516	8 15 46	6 50
30*1	0	490	490 490	488	4 6 4	487	480	472	463	463	481	485	4 6 4	4 0 0	49.4	482	488 4	9 9	92	85 48	84 48	2 4 8	2 48	4 48	484	4 12 27	496	8 6 45	4 42
31	0	490	490 490	491	491	483	477	471	464	464	469	478	484	492	494	493 4	493 4	95 4	95 4	92 48	82 48	1 48	1 48	2 4 8	3.484	4 17 00	501	8 5 46	3 38
Mean		480	481	483	482	481	480	476	467	458	458	465	477	489	494	497 4	499 4	99 4	95 4	89 48	85 48	3 48	1 48	1 48	0 482	C)			58
Mean*		484	483	483	484	483	480	473	461	451	449	456	472	487	494	498	500 4	99 4	934	88 48	4	2 48	2 48	2 48	1 480	0			9
Mean		485	485	485	485	485	480	473	463	454	451	457	471	6 9 5	491	491	4954	97 4	95	00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 tJ 6	3 48	2 4 8	2 4 8 1				
energene.	disconnection.	*	* Ten least disturbed days.	disturbe	d days.		+ Five.	internati	† Five international quiet days	days.		A COLUMN TO A COLU	100000000000000000000000000000000000000			4	- Andrews		ALL VALUE AND	and the same		New American		Andrew or section	-	1			

DECLINATION.

9° WEST PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

	Range.	4 4	6.1	46	(33)	33	6.0	36	20	4	8	50	(60)	55	3.4	48	68	99	4 9	4 9	38	51	4 0	31	36	4.0	7.8	iO D	S)	78	9		49	47		
	d	470	459	459	477)	464	464	476	469	460	458	462	455	458	462	460	472	457	455	447	458	462	465	470	470	463	434	461	461	444	440	1				
	Minimum	Ë Or	σ		200	4	'n	24	88	5 4	4 10	00	9	0	37	15	55	13	11	7 4	0	42		50	9	30	46	2,	4 03	23	8 8	1				
	_	α	8	5 7	0 (4	7 1.0	000	0,	9	8		6	0	9	6	6	1 8	3	0	9	6	3 10	5 10		9	3	200	4		0	5	4				
	Maximum.	6 51	5.2	8 50	3 51	0 497	2 52	4 51	0 49	5 50	5,	7 513	9)(51	5 51	6 4 9		4 50:	3 52	5 50	4	0 4 9 6	51	0 500		4 500	50	4	51	51	52	3					
	Maxi	~ 4 " ()	3	6 3	4 9	7 3	J.	M	0	S	4 1	4 2		3	4	1.4 26	3	5 5	4	6 57	9	4 53	0 9	3 4 2	4 5	5 30	9	3 34	3 30	4 00	4 19					
	Меяп.	90	00	84 1	87 1	83	8.7	8.8	8 7	8 4 1	87 1	87 1	88 (1	86 1	86 1	89	88 1	92 1	88	83 1	84 1	86.1	88	359 1	90 1	88	8 4 1	93	92	91	89 1	+	83	87	88	
time.	24 M	3 4	8 4	86 4	37 4	7 4 4	85.4	854	9	4	35 48	87 4	90	4	88	89 4	864	8 4 4	93	8	8 4 4	864	974	91	864	87 4	4	934	9 3	52	9.1	+	874	88 4	8 7	-
mean ti		4	80 4	8 3 4	85 48	82 47	8 4 4	8 3 4	87 48	Q		4	6	84 48	5	5	4	4	4	88 48	4	0	6	8 4	5	5	14 47	7	0	8	4	+	5	9	4	
	23	4	4	5	4	5 4	4	3 4	4	2 4 8	0 48	2 48	4 48	4 4 8	4 48	4 48	4 48	9 48	6 48	7 48	4 48	4 47	1 48	5 48	5 48	4 8	4 4 8	6 4 9	7 49	7 48	6 4 8	+	4 9	5 48	3 4 8	contract of the second
meridian	22	2 4 8	5 48	5 48	0 48	2 47	4 48	4 8	24 88	3 48	3 48	2 48	2 48	6 48	4 48	1 48	7 48	1 48	6 4 8	7 48	48	4 47	4 48	8 48	6 48	4 48	3 47	7 48	4 43	6 48	0 49	1	4 4 8	5 48	8 4 8	- The section of the
60 th	12	4 8	6 48	4 48	0 4 9	3 48	4 48	9 4 8	8 48	5 48	3 48	5 48	4 8	4 4 8	48	8 48	9 48	49	7 48	7 48	48	5 48	7 48	2 48	9 48	5 48	7 45	8 48	6 48	8 48	9 4 9	-	7 48	4	7.7 7.4 8.8	
midnight	8	48	4	4 3	4	48	48	4	48	48	48	48	8 4	48	4 8	47	48	490	4 8	48	49	4 8	48	49	48	4 8	48	4	4 8	48	4 0		48	48	44 00	
at mid	22	490	496	487	489	486	485	492	489	486	485	485	484	489	487	485	492	4 9 4	491	494	494	494	494	493	491	491	495	4	4	494	4 9 4		490	490	489	A CONTRACTOR OF THE CONTRACTOR
beginning	22	496	503	496	494	494	205	492	498	493	492	490	493	491	489	4 9 4	464	504	493	495	495	498	500	493	493	496	492	4 6 4	4 9 4	501	498		495	404	492	
	11	504	503	503	497	493	504	489	492	499	497	495	496	4 9 4	493	500	493	506	4 9 4	495	495	509	504	484	496	498	501	496	497	506	501		498	497	4 9 4	
e hour	16	510	505	501	490	489	205	490	491	501	502	507	499	504	493	504	493	520	4 6 4	491	493	506	503	495	502	500	505	504	506	514	210		503	500	497	
ot one	15	511	512	501	487	488	498	4 9 2		501	505	210	600	506	4 9 4	505	494	524	200	485	485	506	502	9 5	505	498	40	506	513	522	512	1	502	501	8 6 4	-
periods	7	504	515	497	(486)	483	493	4 6 4	O.	00	503	509	15	513	404	501	497	90	502	486	484	504	495	00	504	497	01	518	514	516	510	1	0.1	500	664	
successive 1	13	504	609	4	(495)	482	488	4 6 4	488	492	499	900	8	504	494	9 6 4	494	495	496	482	484	493	487	-	200	493	482	506	507	900	161	+	95	495	495	
	12	504	IO.		η 0	7 4	479	90	8	8 4	8.7	00	8 2	93	8 4	87	8 4	9 4	67	65	7.5	7.5	472	63	92	8 4	6.4	00	9	183	704	+	8 4	8 2	9 8	
values for	=	4	88	464	81)(4	72 4	68	82 4	478 4	473 4	70 4	475 4	72 4	6 4	744	7 4 4	77 4	8 4 4	474	5 5 4	6 4	634	67	472 4	81 4	474 4	5 3 4	91.5	470 4	6.3	4	+	72 4	68 4	475 4	
	9	86	475 4	63	80)(4	73 4	72 4	80		67	634	68	62	58 4	63	65	764	67 4	63	53	62	63 4	471 4	472 4	474 4	6 5	534	n o	8	484	4 3 4	+	67 4	62 4	69	
e average	6	7.5 4	63	61 4	81 (4	82 4	75 4	82	0	64 4	704	69	72 4	62 4	71 4	644	77 4	69 4	7 4 4	634	56	704	Ŋ	9	4	714	71 4	81 4	7.1	534	534	1	4 0 4	67 4	4 4	78.
values are	80	70 47	644	65 4	8 5 4	82 4	4 4	9.2	82 47	4	82 47	9	4	5	77 47	82	83 4	4 4	52 47	7 4	82 46	7 4	34 47	87 47	84 47	8 4 4	8 4 4	7 4	85 47	4	4	+	30 47	80 4	82 47	quiet d
lar va	-	74 47	7 4 4	7	8 4 4	79 4	9 4 4	92	82 4	77 47	834	82 47	8 4 4	76 47	8 4 4	90 4	9 4 4	85 4	8 5 4	8.5 47	8 4	84 47	88 48	91 4	88	85 48	87 48	4	90	85 47	93 47	+	5	854	4	nstions
e tabular	1	7 47	3.3	33 47	4	6	09 4	4	4	8 47	8	2 4	4	4	5	1 4	4	7 4	3	4	4	8	4	4	4	7	4	ال 4	7	4	4	+	4	7 4	7 48	Five international quiet days
The	9	4 47	2 48	4 48	7 48	2 47	3	5 48	9 48	0 47	6 48	4 48	n	2 47	7 48	5 49	9 48	8 4 3	5 48	6 48	4 48	8 48	1 49	0 4 9	1 49	8 48	9 49	4 49	3 49	5 4 9	5 4 9	+	8	9 48	9 48	-
	.12	6 4 8	7 49	6 48	0 47	5 48	3	3 48	8 48	3 48	9 4 8	7 48	0 48	4 48	2 48	5 49	8 4 8	7 48	4 48	5 48	7 48	5 48	1 49	2 4 9	cu	2 48	1 48	5 49	8 49	6 4 9	6 4 9	4	0 48	0 48	4 8	
	7	6 4 8	7 48			7 48	8 4 8	48	.8	9	4 8	7 48	4 9		2 4 9	4	4 4	3 49	4 9	487 48	48	4 8	9	4.9	493 49	4 492	6,4	4	49	9	7 4 9	4	6 4 9	492 49	3 49	ed days.
1920		4 490	487	4 4 8	496 492	2 487	2 48	503 492	492 492	4 8	490 494	466 487 48	489 492 491 49	496 494	491 492	4 4 9 5	5 49.	487 490 493 497	5 50	48.	490	6 486 48	488 492	467 493 493	4 9	49	491	490	503	497	49			4	40	Ton least disturbed days.
NOVEMBER	41	6 4	491	484	496	49	4 8	300	492	488	490	486	492	496	491	4 6 4	495	4 9 C	486	0 6 4	491	48	488	493	491 493	494		488		496	496		9 492	492 492	490 492	fon losst
NOVE	-	487	485	487	487	492	480	486	490	489	490	487	489	490	493	493	495	487	486	493	489	485	491	487	491	493	492	474	495	496	4 9 4		489	492	490	•
	Char.	-1	~	7	7	ч	-	ન				0	၁	0			0	7	н	٥	0	Н	0	0				0	0	0	э					62 Mile 100 CO
	Day.	-	63	es	-	L:	2	t-	÷.	•5	101	=	12	22	14.	2	16	11	22	•61	50	2	22	\$	5	-23	97	27	82	23.	30	=	Menn	Mean*	Meant	- Table 1

DECLINATION.

\$° WESS! PLUS TABULAR QUANTITIES, expressed in tenths of minutes.

ne.	
ունո	
rnean	
lien	
meridien mean	
thn	
8	
ight	
igi	
at n	
ing	
ginn	
ur be	
ho	
oue	
s or	
period	
ssive	
succes	
for s	
alues f	
*	
average	
are 8	
alues	
>	
tabular	
The	
-	

		DECEMBER	BER 1	1920			The tal	tabular	values	are av	average v	values f	for succ	successive p	periods	oi one	hour	peginning	#	midnight	t 60 th	mend	ten mean	an time		Action to the second se	SCORES CONTRACTOR CONT	and the second
Day	Char.	-	2	3	4	25	9	2	8	6	2	11	21	22	7	15	16	17 18		61 50	21	. 22	क्ष	24	Mean.	Maximum.	Minimum.	Range.
							1	1		1	Γ,	0	0	0	0	-	0	× c	7	2 2 2	4	4 8	4 8	4 9 0	402	h. m. 14 7 512	h. m. 9 33 464	83
<u> </u>	ΰ.	7.64	4 n 0/ 0	4 r	4 R	- 0	0 4	4 K	) a	4 ×	5 ¢	476	0 0	7	100	00 0	4	0 7 4	4	( 0)	6 4 8	1 48	48	4	4	4 15 51	4 9 4	-CI
۰ «	Η,	0 0	495 300 300 300	0 0	0 0	ט ני	, -	0 0	٥ ٢	46	46		v v	8 4	03	80	0	08 5	71	9	9 49	0 48	4 8	8 489	489	15 15 515	10 36 457	9 6
, 4	٠.	7 0 7	400 400 508	00 4	200		-		508	6 4	47	~	472	C)			493 4	96	4	8	47 49	0 48	4 47	9 478	490	5 42 517	19 18 408	109
	+ -	4 8 2 5	488	4 9 4	498	8 6	9 7	0	506	9	46		459	4	0	8	5005	08 4	984	98 4	98 49	7 49	5 49	0 492	491		234	3
Э	1			497	499	0	490	497	496	469	458	460	474	493	509	511	510 5	044	96 48	80 46	88 49	0 48	8 49	0 493	2	0	5 4	9
-1	• •	8 6 4		505	498	8	504	504	501	489	466	465	471	488	497	499	503 5	03 4	99	93 4	90 48	6 48	6 48	9 492	493	5 14 509		
œ	١ ٦	495	495 496 496 494	496	494	3	491	491	488	480	461	450	468	509	528	530	526 5	60	00	4	88 48	8 48	4 8	4	493	4 4 4 53	0 00 0	Φ.
ó	~	489	489 497 497	497	495	498	491	490	488	468	460	459	473	66	510	15	508 5	01 4	98	54	0 4 9	0 4 9	0 49	4	4	4 4 51	5 4 5	9
01	0	498	498 499	499	504	500	496	494	486	474	463	469	483	501	507	504	497 4	934	914	89 46	89 49	0 49	0 49	3 498	492	ા	4	49
Ħ	J	497	498 499 498	499	498	96	464	490	488	476	465	464	485	509	521	0	5105	00	96	93 4	92 48	9 48	8 48	8 485	9 493	10 52	45	0
13*	н	404	494 497 496 498	496	498	498	497	492	490	474	460	469	497	525	528	516	500 4	88	87 48	87 48	6 48	6 4 8	4 4 8	8 491	493	3 11 53	464	_
13		493	493 497 498 498	498	498	500	498	490	484	462	460	468	488	508	508	501	4984	96 4	92	90 48	88 48	8 48	8 48	5 495	5 491	12 53 509	58 45	3
14		496	496 498 500	500	502	502	497	496	486	469	467	479	495	508	510	503	504 4	99	96	90 45	90 48	9 48	9 4 9	0 496	6 494		9 40 463	
12		4 9 9	499 498 498	498	498	0	0	0		47	3	461		490	504		507 4	99 5	00	93 48	88 49	0 48	9 48	2 485	9 491	S	9 20 452	3
16		497	498 499	499	500	00	10	501	494	468	453	461	478	484	505	509	509 5	02 4	98	97 45	93 49	3 49	1 49	0 491	492	5	50 44	9
17		495	495 497 497 496	497	496	96	0.	0	483	459	4	450	480	502	507	501	498 5	02 4	99 4	95 45	92 49	1 49	49	1 491	489	n	9 46 437	7.1
18		495	495 498 500 496	500	496	8	4 9 5	495	489	476	479		509	518	517	509	508 5	020	95 4	91 48	89 49	6 48	9 48	9 490	496	4 5 5	9 17 464	56
10		495	498 498	4 9 8	501	ω			8	462	4 3	456	4 9 2	51.4	519	519	518 5	08 4	98 48	89 48	87 48	9 48	6 48	6 484	492	0	9 41 534	ω
88		491	489			0	୍ର	4 9 4	48	47	46	479	4 9 4	11.0	488	Ω.	504 5	05 5	03 4	98 45	94 49	5 48	9 48	8 490	492	15 46 509	9 14 463	46
21		496	498	498		66	10	495	4	46	4	430	507	518	516	509	508 4	7 66	96 4	4 4	92 49	4 49	1 49	2 491	495	~	н	9
22	· c	4 9 2	495	497	496	495	490		48	46	461	488	508	511	509	508	501 4	97	9 9 4	96 4	90 49	5 49	0 49	0 490	493	12 36		S
23		4 9 5	2 6 5	495	496	497	496	491	488	478	470	480	201	510	506	496	497 5	01 5	06 5	4	8 49	8	7 49	49	4	2 18 51	0 4 6	4
77		506	506 506 501 493	501	493	ω	501	499	500	489	472	475	505	515	499	488	4 6 2 4	88 4	98	96	92 49	0	9 49	4	4	2 8 51	54 46	cs -
52		498	494 495 493	495	491	503	490	488	499	506	517	526	530	526	511	508	505 4	99 4	9 4 4	90 48	88 49	0 48	8 48	6 493	0	30 53	2048	2
26	н	492	492 493 497 488	497	488	493	497	521	529			516	516	23	28	80		98 4	7	8	S 4	4	8 4 9	4 Q	20	7 00 53	20 48	2
27	н	501	501	4 6 4	491	498	510	490	479	476	476	498	509	20	(¥ (¥	90	4 9 6 4	93	9	4	8	7 4	8 49	4	9	13 33 52	55 46	(C)
28	0	500	503	499	498	498	864	489	488	480	488	200	528	30	(O)	4	490 4	86 4	4	8	4	8	8 50	0 0	50	12 57 54	20 47	
29,	0	501 500 498 499	5 00	498	499	8 6	495	490	480	473	478	497	510	18	19	12	498 4	90 4	4	4	4	4	5 49	9	4	14 5 52	42 46	ა 
30		498	498 499 498	498	498	498	493	488	475	465	472	495	517	528	30	025	4 9 9 4	85	4	₹ त	91 48	9	0 49	4	4 0	13 18 53	38 46	
33	٥	503	504	499	499	496	495	488	478	467	470	488	503	585	539	529	510 4	98 4	964	4	95 49	2 49	5 49	0	_	13 19 541	9 4 460	
Mean		496	498	497	497	498	497	495	490	476	468	476	492	507	518	509	503 4	9 9 4	964	92 46	89 49	1 49	0 49	1 493	3 494			62
Mean*		496	498	498	498	497	495	492	485	470	462	476	498	513	516	511	504 4	96 4	9 4 4	92 4	4		9 4 9	1 49%	2 494	-		0
Mean		(9	497	498	498	497	484	490	486	472	465	477	7.64	514	519	515	504 4	4 4	£ 6	200	4 4 9 8 9 8	40	4 9	2 49	5 4 9 4			
		T.	* Ten least disturbed days.	Isturbed	days.	The second second	+ Wve i	nternati	f Nive international quiet days	at days.	- Control of the Cont	-	Construction of the last	District Control of the Control of t		CONTRACTOR CO.												

HORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in gammas.

1	6 9 9 6 6 9 9 6 6 9 9 6 6 9 9 9 6 6 9 9 9 6 6 9 9 9 6 6 9 9 9 6 9	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
9 366 366 377 377 377 377 377 377 377 377	7.5	0   0   0   0   0   0   0   0   0   0	1 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
345 346 346 349 340 340 340 340 340 341 341 340 340 340 340 340 340 340 340 340 340	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	U U U U U U U U U U U U U U U U U U U
3 4 4 3 6 3 6 3 6 4 3 6 8 3 6 4 3 6 8 3 6	0 358 359 360 358 359 350 350 350 350 350 350 350 350 350 350	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3 4 4 9 4 9 4 9 4 9 4 9 4 9 4 9 4 9 4 9	2 370 373 373 375 1 352 356 346 365 0 348 345 346 358 5 356 342 346 355 1 350 351 351 353	4 4 16 3855 9 11 3 865 9 12 2 3 9 11 4 9 13 6 3 11 4 9 13 6 3 1 6 9 13 6 3 6 9 14 6 3 6 9 15 6	3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
346 347 369 373 372 372 372 374 375 381 384 382 369 356 356 357 377 377 360 373 359 374 346 346 346 347 347 379 379 379 379 379 347 347 349 349 349 349 349 349 349 349 349 349	1 352 356 346 365 0 348 345 348 348 5 356 342 346 353 1 350 351 351 353	4 5 5 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	0 0 6 0 0 4 4 4 6 4
345 346 356 356 356 356 356 356 356 356 356 35	5 336 342 346 355 1 350 351 351 353	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P 01 01 4 4 4 P 4 P 4 P 9 P 9 P 9 P 9 P 9 P 9 P
346 340 361 362 361 362 366 366 366 366 356 356 356 356 356 356	1 350 351 351 35	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	01 01 4 4 4 4 4 0 4 0 4 0 4 0 4
366 360 360 371 375 379 380 386 389 389 349 348 348 348 348 348 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 389 380 380 380 380 380 380 380 380 380 380	_	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	03 4 4 4 12 4 4 10 0 4 0 4
366 4 366 3 46 2 47 3 49 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		25 27 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 4 4 7 4 W 0 4 0 4
360 360 361 366 368 375 375 376 360 360 360 360 360 360 360 360 361 360 361 366 375 375 376 360 361 366 361 366 375 375 376 376 376 376 376 376 376 376 376 376		21 394 4 15 30 345 00 376 11 57 32 345 00 378 11 57 32 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
366   366   366   366   366   369   379   379   369   389		00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
369 369 372 374 379 360 389 389 380 371 360 345 331 311 310 314 324 334 341 341 341 341 341 341 341 341 34		00 384 13 58 306 00 378 13 7 334 32 378 13 52 325	
25   25   25   25   25   25   25   25	44	32 378 13 7 334 32 378 13 52 325	
265   365   374   374   374   374   370   355   356   326   329   349   359   349   359   349   359   349   359   349   359   349	61 362 363 364 3	32 378 13 52 325	
366   366   371   371   372   377   383   392   392   396   378   373   371   374   371   368   369   396	61 359 360 360 3		n)
356   356   370   372   372   377   380   363   361   359   339   336   347   349   343   390   356	4	11 8 399 22 22 339	0 9
346 368 368 368 368 364 369 374 373 368 384 381 387 349 358 359 359 354 358 358 358 358 358 358 358 358 358 358	œ	8 5 383 20 33 319	6.4
364 369 369 369 369 364 369 374 373 362 357 349 349 359 350 352 350 349 349 349 359 359 359 349 349 359 359 359 359 359 359 359 359 359 35	48 353 358 3	7 364 12 49 324	40
357 357 356 356 360 365 365 365 365 365 359 356 371 369 367 366 362 361 355 359 359 359 359 359 359 359 359 359	49 349 349 354 3	11 376 18 40 339	
350   350   361   362   362   367   375   375   376   356   341   352   361   362   359   356   356   359   356   359   356	57 354 352 351 360	36 372 25 12 349	10
356   361   363   366   367   366   367   368   361   361   367   368   367   369   367   369   368   368   367   367   367   367   368   368   367   367   368   368   368   367   368	60 359 356 353	78 12 19 338	0
364 365 366 367 367 370 374 372 365 365 367 361 360 367 370 379 365 361 361 360 367 370 369 365 361 361 361 36 368 379 378 380 384 362 363 379 379 379 379 355 355 350 359 359 359 359 340 342 342 342 357 361 362 365 368 365 368 364 368 370 371 372 368 354 560 362 348 378 398 370 374 372 368 368 369 378 378 378 378 378 378 378 378 378 378	61 361 361 360 36	12 369 12 52 346	
368 373 378 380 384 393 396 379 379 386 365 350 355 359 359 345 349 344 342 342 347 357 357 357 358 358 358 358 358 358 358 358 358 358	62 362 362 3	47 575 13 16 358	
357 361 362 365 365 366 375 383 387 387 389 389 389 389 389 388 388 387 377 373 369 367 36 366 366 362 362 365 368 369 367 36 368 368 368 368 368 368 368 368 368	41 346 347 355 36	38 400 20 28 337	en o
356 362 365 369 370 368 364 368 370 371 372 368 354 360 362 348 386 338 339 340 34 345 348 349 351 353 355 361 364 361 256 355 351 347 343 348 352 252 352 354 354 356 356 356 356 356 356 356 356 356 356	63 366 363 363 373	53	8
245 348 349 351 353 355 361 364 364 361 356 355 351 347 349 348 352 252 352 354 35 360 351 354 356 368 37 37 47 374 375 376 376 365 355 355 356 355 357 557 558 356 356 356 356 356 356 356 356 356 356	44 342 343 343 357	11 52 575 18 4 329	46
360 361 364 356 368 370 374 375 372 368 363 359 356 357 359 358 357 359 355 35	5	8 28 366 14 11 341	25
20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6 357 357 358 36		39
20 20 20 20 20 20 20 20 20 20 20 20 20 2	65 364 364 364 364		30
64 365 36			

HORIZONTAL INTENSITY.

FUNCTONIAL HINTENSIII.

27500 PLUS TABLLAR QUANTITIES, expressed in gammas

Five international quiet days

least disturbed days,

HORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in genumas.

MARCH         170         The cholds values are average values for successing the control of the cholds of the chol	25 0 4 6 6 7 8 9 9 10 11 12 13 350 0 40 0 357 0 55 1 358 0 356 0 355 0 356 0 354 0 360 0 36 354 0 55 0 356 0 360 0 366 0 355 0 356 0	10 4 6 6 7 8 9 10 11 11 12 12 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	4 6 6 7 8 9 10 11 11 257 355 355 356 355 356 354 364 3	5 6 7 8 9 10 11 11 15 255 356 356 356 356 356 356 366 367 364 9	6 7 8 9 10 11 11 12 25 35 0 35 3 35 0 35 3 36 0 36 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 3 36 0 36 0 36 0 36 0 36 0 36 0 36 0 36 0 36 0 36 0 36 0 36 0 36 0	7 8 9 10 11 11 12 25 25 25 25 25 25 25 25 25 25 25 25 25	8 9 10 11 11 12 556 356 356 356 356 356 356 356 356 356	average values for 10 11 11 12 15 25 5 25 4 3 6 4 6 4	values for 11 12 13 5 4 3 5 4 3 5 4 3 5 4 3 5 4 3 5 4 3 5 4 3 5 4 3 5 6 4 3 6 5 6 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	5 nn		13 362 563	F (1 (7) F)	10 10	15 15 35 3	81 4 C	37 537 537 537	13 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15		# 8 no	33 2 3	3 4 2 3 4 5 5 6	8 2 4 3	2 3 3 3	3 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	12 7	draum. 3 3 5 6	12 7 7	Minimu 3.6 2.6	633	3.0 3.0
364 365 367 367 367 367 378 378 378 378 378 378 378 378 378 37	365 367 367 367 378 378 378 378 378 378 378 378 378 37	367 368 370 378 373 373 373 373 373 373 373 373 373	367 367 368 370 372 373 373 372 372 373 372 373 373 373	367 368 370 372 373 373 373 373 373 373 373 373 373	6 3 3 4 0 3 4 2 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3 3 4 6 7 8 3 7 8	372 373 378 359 421 428 428 285 280 289 341 344 342 345 345 345 345 345 345 346 345 345 346 346 346 346 346 346 346 346 346 346	240466 240000 2400000 2500000 300000	0000000		2482828 7874444 8808448	2482000 7874844 8880044	2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4000040	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23 25 25 25 25 25 25 25 25 25 25 25 25 25	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2552 2552 2552 2552 2554 7554 7554	8 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 9 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 4 4 8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	333 333 333 333 333 333 333 333 333	4 0 4 4 4 4 4 4 4 4 4 4 4 4 6 6 6 6 6 6	8 4 N N P B C	74 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 0 0	0 4 4 0 0 0 0	0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	044444
1 355 3 456 3 456 3 457 3 457 3 557	346 346 359 359 351 351 352 355 350 350 350 350 350 350 350 350 350	346 355 355 351 351 351 352 4 355 355 355 355 355 355 355 355 355 3	255 255 255 255 255 255 255 255 255 255	3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	10   10   10   10   10   10   10   10	4 4 9 9 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000000000000000000000000000000000000		0 2 0 4 4 6 6 6 7 6 7 7 8 9 9 9 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4 0 0 0 4 4 0 0 0 0 0 0 4 0 0 0 0 0 0 0	0 5 0 4 1 1 4 4 9 5 5 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	4 4 2 4 0 0 0 0 0 4 4 0 4 0 4 0 4 0 4 0	4 2 0 0 0 2 2 2 2 2 3 4 2 2 2 2 2 2 2 2 2 2 2 2 2	100001000404440450		20000000000000000000000000000000000000	20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	88888888888888888888888888888888888888	4 2 4 4 2 3 4 4 5 5 6 6 6 6 6	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	<i>ununununun. aaa</i> 4454544544555455465	8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 6 6 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4 0 4 4 4 0 4 0 8 4 4 0 C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00044007447704740	0 4 4 4 V V 4 V V V V V V V V V V V V V	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	U U U U U U U U U U U U U U U U U U U
310 341 309 353 318 318 318 322 322 329 339 310 310 379 309 353 318 318 318 318 322 322 322 329 339 310 310 379 309 310 310 310 310 310 310 310 310 310 310	311 300 325 318 318 318 328 328 328 338 338 338 338 338 338 33	300 300 318 318 318 528 328 328 338 300 300 318 318 318 518 528 328 328 338 300 300 300 300 300 300 300 300 30	327 318 318 318 322 322 325 332 332 333 333 333 333 333	11   12   13   13   13   13   13   13	6 3 4 16 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		2	0.4     4.4       0.8     4.4       0.4     4.4       0.4     4.4       0.4     6.4       0.5     6.4       0.6     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4       0.7     6.4	010004044 01000000000000000000000000000	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	00400000	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 1 1 2 1 2 1 2 1 2 1 3 1 3 1 3 1 3 1 3	0 H 0 H 10 H 10 H 10 H 10 H 10 H 10 H 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	N N N N N N N N N O H N N N N N N N N N	33 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	00000000000000000000000000000000000000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 4 0 % & 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 0 4 0	40480	0 0 0 4 5 7	n n n n n n n n

v Ten least disturbed days.

9 2

HORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammas.

12 t s

2 1 2 2 8

g4 to 4 to

9 2 8 9 2

8 8 8 8 8 8 8 8 8 HORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammas.

	Mean. Maximum. Minimum. Range.	7 32 1 h. m. h. m.	328 12 6 350 7 9 307 4	330 3 15 356 16 00 313 43	8 533 (11 30 (3.39) 16 14 325 (14	340 11 44 345 2 36 335 10	ч	41 357 15 2	5 363 16 9 386 1 29 347 39	5 330 10 56 369 15 19 299 70	8 334 11 54 344 0 17 319 25	2 9 58 387 1 00 339	1 350 21 52 369 16 23 334 35	8 348 10 27 420 18 5 279 141	4 321 13 27 341 18 4 299 42	318 10 23 348 16 26 288 60	4 337 8 25 300	8 3 50 343 9	331 13 8 343 1 52 322	6 349 12 24 376 7 32 327 49	356 93436722 5339 28	5 348 12 4 360 17 26 332 28	6 353 10 24 368 1 41 343 25	357 13 19 370 20 11 345 25	352 8 49 366 21 32 340 26	342 23 8 356 2 34 330 26	8 354 23 36 386 20 47 340 46	350 12 4 369 1 55 334 35	7 346 11 2 378 15 41 300 78	· OON THE OWN A HAT ONLY	333 1 00 349 17 6 308 4	333 1 16 360 9 40 325 3	333 1 00 349 17 6 308 4 345 1 1 6 360 9 4 0 308 3 3 45 1 5 22 357 7 5 1 324 4	535 1 0 549 17 6 308 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	535 1 00 349 17 6 308 4 9 337 1 16 369 9 40 325 3 3 41 16 364 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
mean time.	23	5	9	30 33	37 33	42 34	4 4 3 4	47 34	58 35	25 32	37 33	41 34	66 36	08 30	26 32	05 30	5	23 32	9	45 34	41 34	45 34	56 35	51 35	5434	50 35	52 36	5 4 3 5	34 34	_	37 53	0 0	000	0000	
meridian m	22 23	- 4	(A)	00 00	38	423	4 3 5	47 5	64	18 3	383	4 5 5	68 3	95	2 4	21 3	35	317 3	0	463	463	4 5 3	563	48	413	453	583	62	10 10	0	0	1 m	0 50 50 0 60 50 0 60 50	) 10 4 10 0 0 0 0 0 0 10 0	0 0 0 0 4 0 0 0 0 4 0 0 0 0 4
th meri	21 2	3	9	527 3	35 3	5 4 3 3	45 3	47 3	69	318 3	339 3	545	5583	05 2	5243	5003	5503	13	9	644	5 9 3	4 4 3	5583	48 3	142 3	453	547 3	6 4 3	5333	7 2 2 2	,	) K)	0 0 0	3 4 5 5 5	0 0 0 0 0
8	2	3.0	1 m	328	333	342	345	347 3	371 3	311 3	36	345	348 3	302 3	318 3	295 3	325 3	~	325 3	544 3	3603	343	354 3	346 3	345 3	342 3	349	361 3	3513	337 3	1	14	140	4 9 0	4 9 0 4
midnight	19	9	6	329	333	345	3463	347 3	370 3	507 3	334 3	3 4 5	346	287	309	304	318 3	330	2 3	344	359 3	0	353	349	351	337	549	353	325	40.0	2	) iJ	1 (1) (1) (1) (1)	1 10 10 10 2 10 4 10	1 0 6 W 4 W 4
at	22	0,	0	(0)	330	341	349	4 4 5	371	3.08	329	346	340	285	312	293	13	~	23	349	352	334	350	348	349	335	349	339	314	316		ig.	10 10	N 10 N	10 10 10 10 10 4 03 10
beginning	11	,c	l Q	320	327	3 4 2	353	3 4 5	377	312	328	346	3 3 5	S	3 2 2	290	316	327	329	9	352	335	349	350	345	340	350	335	310	319		'n	N 4	N 4 N	W 4 W 4
e hour	91	20	0.2	317	327	33	354	341	574	303	330	346	337	335	3 S	301		331	in	364	361	339	949	358	4 4 4	346	24 9	336	313	3 2 2		340	4 10	4 10 10	4 10 10 4
s of one	15	ري در	in	319	5	337	348	3 4 3	368	308	333	346	340	348	333	318	324	336	'n	369	364	343	350	357	345	346	360	340	320	337		8. 4. 0.	4 0	4 0 4	2 2 2 2 2 4 4 4 7
periods	14	, 0	111	53	(334	337	346	348	373	327	338	354	345	366	338	328	331	50	М	370	361	352	354	365	5. 9.40	346	'n	354	335	328		345	34	2 2 2 2 4 6 4	4 6 4 5
successive	.13	R. Q.	1 10	6	(338	₩ 4	7	353	377	353	342		348	366	336	340		5	24	374	363	355	357	366	355	349	369	3.65	357	500		338	n d	20 0	2 2 2 2 3
for suc	12	2 4 3	, ω	'n	(3.3.9	5. 4.4.	342		377	367	343	380	351	378	53	344	n	33	'n	37	50	357	362	365	350	347	370	369	371	5 5 8		50			
values	11	5 9 8	1 10	19	(339	'n		354	372	367	342		349	414	520	346	_	325	ان ان	М	362	355	366	367	361	345	363	367	370	346	1	327	in in	in in in	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
average	10	2 6	1 10	(J)	(3.3.3)	33	341	35	366	357	344	383	351	404	321	336	310	ы	12	354	365	50	359	367	364	339	355	361	362	(342)		326	3 22	5 5 5 4 5 5 4	8 8 8 8 8 8 8 9 8 9 9 9 9 9 9 9 9 9 9 9
are	6	K K	1 10	50	332	5	343	ις 4	359	343	3 4 2	371	348	389	314	315	301	31	100	50	n	350	3.53	363	364	335	348	348	354	338		328	5 5	32	20 20 20 20 30 40 40 40 40 40 40 40 40 40 40 40 40 40
values	80	, t	1 10	10	3 329	348	8 346	9 348	3 354	3 335	7 340	3 360	346	6 373	313		7 307	320	3		iJ C	4 351	0 352	9 359	359	338	344	3 3 4 5	3 356	337		331	50 E	332	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
tabular	2	2	1 10	1 10	5 3 3	.4	34	345	3 3 5	6 33	3 337	35.7	2 347	0 366	0 318	2 3 1 9	31	n	O.	50	9 258	5 35	350	9 359	9 360	4 347	3 349	54	4 35	0 357		333	10 W	W W 4	W W 4 4
The	و	2 2 2	1 01	10	50	τJ 4	8	35	35	0 336	0 333	4 34	352	9 360	320	322	53	M	n	8 337	35	4 35	8 348	7 355	8 35	3 344	4 353	9 341	5 364	0 330		9 341	in in	50 50	2 4 5 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	13		1 0	10	5	5	8 348	5	35	1 330	5	3 344	35	6 3 5 5	3.1	50	3.1	10	8	5	i N	35	8 348	<b>17</b>	5 358	5 34	4 35	5 3 3 5	365	336		1 335	33	33	υ 2 2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	7	0 10	₹ 01	10	ίΩ	5	4		35	53	23	24	S S	۲.	3.1	6	1	24	7 32	ί. ί.	5	S	ارة 4	S	S	3	S	7 34	9	9 333		7 343	4 5 4	4 4 4	8 8 8 8 4 4 4 4
1920	67		1 00	1 8	10		3.4	· W	35	53	æ	3.4	35	۲.	31	F.	1 23	3	5 327	34	3	35	34	S	5	15	ເດ	7 337	36	333		2 347	34	4 2 4 4	4 4 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	2	0	n o	1 15	33	10	34	3	9 34	0 33	O)	4	رن رح	0 37.7	50	6.	33	(1)	i in	0 34	9 34	3	34	S	1 358	4	7 347	3	9			8 35	35	35	2 2 2 2 2 2 3 4 4 4 4
MAY	-	0		1 4	M	4	13	4	4	34	U.	40	4	370	0	- 4	1 -	M	10	4	24	1 1	9.4	S	5	33	4	r)	358	34.0		50	10 4	(A) (A) (A)	W 4 W 4
	Char.	+	~~~				+					-					╀	_	_			-					-				-		- ·		
	Pay	1			3 -	, °	9 =			ď		1	12.	22	7	: :	1 5	1 1	: =	9	ê	12	63	23	24	25	1 2	27	28	8		3	3 2	3 7 3	Mesh A

HORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammes.

-											L .				1						١.				- 1						1 1	- 1	
	333	334	338	327	339	321	332	341	323	246	305	316	315	321	333	336	330	334	319	320	334	520	326	315	331	332	329	326	321	327	Γ		
Unima	£ 4	0	ন ৪	3.8	۲	9	90	25	4	16	4	4	J.	ਜ ਜ	24	9	ω	50	9	8	10	0		4	000	त	त्य	0	(Q (Q)	4			
2	, 7 7			16	0	4	7.	c	03 €3	18	17	c	15	16	17	9	16	rJ)	19	0	2.2	53 19	0	16	5	17	18	4	0	78			
ri	60	357	379	377	360	350	368	363	394	352	339	336	338	343	380	363	352	364	370	352	37.9	35	363	358	351	50	369	367	363	372			
skimur	1.0	23	e 1	10	8	2.4	લ	5 4	17	40	9 ≈	4	3	4	4 5	53	4 0	8	4	1.4	1.5	ω	9	:0 :0	34	O)	0	3	4	0 2			
λ	1.2	-1	7	=	a	0	11	7		4	13	11	n	10	Ħ		0	7	10	14	10	7	70	<del>-</del>	7	77	13	10	10	4.5			
Mesn.	355	540	ત છ છ	949	349	336	344	350	354	307	321	327	3 2 8	334	347	347	343	347	348	340	350	347	345	337	ml	341	345	349	4 4 63	240	342	346	343
7%	0₹ LO LO	9 + 0	34.9	342	3.48	340	343	352	333	त ० €	3.0	337	334	342	345	348	3+7	3 4 5	33	3 4 2	333	30	5.4 8.4 8.4	(C)	339	3+0	344	50	337	4 0	339	345	548
23	5 5	4 4	5 4 4	040	350	337	0 \$ 0	351	326	962	3.2 B		5.0		10	3 4 8					1	~		0	339	T + 5	17	4	3.36	547	338	4	4 4
22	50.4	(1)	544	6									33.2		541	in									0		3	1	3000	5 4 7 	i !	i	340
	5.	9 4 6	63				0				n	τΩ.	न्ध		39	10			4	4	•		3		긞		53	N	9	ਜ †	0	5	4 4 4 0
	(Q)	(A)	9	0		37				5	0				3.9	4 5		Н	H	ਜ	ਜ	0			1	9	000	~	22	ω 4	1 1	4.	งเง ง.∢ <u>ข.ช</u>
	(1) (3)	9	in	10	0	10	3		70	- 0	a	10	10	0	36	4		~		₹	-	0	-177	-	~	(a)	7	707	4	in in	3.5	ᆔ	53 50 00 00
-	10			00		3.33	10 10			4				4	4				10	ਜ								4	(1)	4 5 10	0	$\sim$	3363
	10 0	9	7	m	4 4 5	5.2.3	37	m	33	5 9	53				37	10	333		4 9 3			37			53	7			÷	~	1 4		337 3
-	6.3	(C)	480		4 4 3	35			9	S	23			9	3				50	v		5.5			9		10	5	4 10 10	10	1 1	4	341 3
-	10	4	573	6	0	365	50	3	(1)	0	303				m	न													00	9	13	i	346 3
-	763	47.4	7 0 5	6.4	0	343			743	67 2	283				(5) (A)	5		n			10		01	7	5		4	O)	.d.	2002	67	n	348 3
	2 6 7	0,	7 23	72	10	3.3			67 3	5.2		׆			10									6	- 1				5	0	10	- 1	350 3
	n	10	7~	10	10	3	~	M	72	C)	(0)	v	ণ	<u>~</u>	ত	त	m	m	0	Δ. W	10	ব	m	स	w l	(1)	i.	क	0	<i>₽</i>	50		
12	ਹਿ	~	(V			-	w			-07	*										9 37				4				w	1	1-20		351
=		Ch	9	~	(J)	1	w			~		~		34			5 35	10		Ø		10	н		10	7		4				-	8 351
92	(A)	34	9	ι.) (()	35	1				50	31	(N						iO iO		50	L	34	12		53	24		3 3 6	3	24	3.4	3.5	348
ø	3.4	ĺΩ	10	n	10					4	5	19								13 13	1				50			35	ί.) ()	4	54		344
00	53	₩ 4	55	5			34	351												336	353			33.5	33				52 52	4	1 1	34	5. 6.4.
t-	3.4									3																5			6 4 0	2 4 B			84 10
9	3.4	348	4	50	5	329		346	3	336	3.2	327	330		348	340	348		352	53.5	546		346	338	334		343	5	348	341	340	348	344
12	344	347	3.45	356	347	324		345	352	349	318	326	50	334	346	343	347	346	350	33	345	4 60	336	50.0	331	345	341	346	338	ι. 0 4 0	341	344	343
7	345	350	348	356	352	325	341	345	351	341	321	324	533	333	344	346	348	344	348	332	344	343	333	348	332	345	337	345	336	3 4 2	341	343	343
	3 4 5	352	348	357	343	333	340	344	351	339	331	321	333	533	341	345	350	346	347	334	545	343	335	340	335	345	336	345	335	539	340	343	344
64	3 4 5	354	348	355	342	341	333	3 4 8	354	337	**	318	320	331	34 3	344	350	350	348	341	343	340		344		4 4	336		101	8	340		343
-	345	353	344		339	345	338	3 4 2	354	341	323	318	3 33	338	C)	344	350	350	17 4 8	3 5	348	340	327	347	338	340		10	328	80	10	2	10 4 10
har.	4	0	0	<u></u>	0	4	0	0	٦	c <sub>2</sub>	2	0	0	0	4	0	0	0	-i	et	0		0	<del>-</del>	0	٦.	0		<del></del>	<del></del>			
Ť	1	÷	•	-	-	-					-			÷			•	+								_	:		_			*	Ė
	3 4 5 6 7 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	1         2         3         4         5         6         7         8         9         10         11         13         14         15         15         17         18         19         20         21         22         23         23         24         Month         Month	1 2 3 4 5 6 6 7 8 9 9 10 11 12 13 14 15 15 17 18 19 20 11 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	1         2         3         4         5         6         7         8         9         10         11         13         14         16         16         17         18         19         20         21         22         23         22         23         23         24         34	4         6         6         7         8         9         10         11         13         13         14         15         15         15         15         15         16         17         17         17         16         16         16         17         17         17         17         17         16         16         16         17         17         17         18	4         6         6         7         8         9         10         11         13         14         15         16         17         18         19         20         21         22         23         24         25         26         36         36         36         37         37         37         36         36         36         36         36         36         36         36         36         37         37         37         37         36	1 2 3 4 5 6 6 6 7 8 8 9 9 10 11 12 13 14 15 15 17 18 18 19 20 21 22 22 24 24 24 24 24 24 24 24 24 24 24	1 2 3 4 5 6 6 6 7 8 6 9 7 8 9 9 10 11 12 13 14 15 6 17 18 18 18 17 18 19 20 21 22 22 24 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4         6         6         7         8         9         10         11         13         13         14         15         15         16	3         4         6         6         7         8         9         10         11         13         13         13         14         15         15         15         16	4         5         6         7         8         9         10         11         13         14         15         14         15         15         16	1	1	1	4   4   4   5   5   4   5   6   7   7   8   9   9   9   9   9   9   9   9   9	1	1	1	1	1	1	1	Mart   Mart	1	Marrier   Marr	1	Marcon   M	1	1	1	1985   1985	1	1

\* Ten least disturbed

HORIZONTAL INTENSITY.

HORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammas.

	Range.	57	53	50	4.7	36	5 6	37	0	32	51	10 10	125	4	6 5	4 8	23	27	00	5	6 2	06	50	60	C3 C3	1.9	4	4	4 6	S S	4 1	4	8	37		
		317		323	000	316	323	3 5 5	287	306	507	297	231	274	2 6 2	303	310	317	263	293	271	244	267	290	305	307	322	317	355	300	289	287		لـــ		
	Minimum	₹4 8	35	36	(3) (0)	15	50	38	5,4	50	5 6	6	36	50	84.	4	58	00	58	5,	00	12	4	0 4	0	22	9	त्य	(S)	9 4	5.	4 4				
	_	7.7	ń	52	ω -1	9	10	0	17	.0	ထ	0 23	8 H	е Н	19	1.7	0.2	4	80	0	83	2,23	0	17	7	C3	10	17	۲-	(3) (1)	18	ω				
	iii.	354	37	373	346	352	349	359	5.4 5.0	338	338	35	356	316	327	351	338	344	355	358	333	334	317	319	327	326	36	371	368	355	330	532				
	Maximum	. ₩	4 30	1 40	2 17	7 52	2 4 4	1 35	036	2 2 2	1.28	1 8	1 31	9	4 00	1 30	1 47	1 36	4 29	2 38	3 12	1 10	9 1.8	5 50	00.0	0 39	1 29		1 22	900	2 36	5 00				
	Meaa.	3.2	4 5 1	4 3 1	25	56	341	37 1	2,2	19 1	191	25 1	11	98	0.1	23 1	191	85	261	15 1	1.4.1	98	96	90	151	191	19	34	36.	4 5	9.0	138	2.1	8 8	17	2.13
time.		0) (1)	63	36	39	243	47 3	50	5	1.4	183	0.5	50	63	<u>ω</u>	2 4 3	193	36	0.2	183	(C)	800	9 4 2	0 9 3	7 5	253	2003	O1	30	0.2	0.53	27 3	173	28 3	10	e de la constante de la consta
mean tir	22	27 3	n 02	28	29	4 ن	31 34	32 3	19 31	203	3	17 30	8 8 8	12 30.	12 31	163	193	36 3:	9	5	4	8	9	6	<u>4</u> ω	9	B)	8 5	303	(A)	0 1J	3	153:	25 3	50	
	23	n n	(1)	0	5	4 32	5 3	U)	iJ.	0	5 31	7 3	2	i)	(J	4.	5	10	8 27	5 31	6 27	7 25	œ	57	0	4	9	7	3	5 31	त द	6 32	4	5	n	ACCEPANIES OF THE PROPERTY OF
meridian	22	3 2	7	0 38	9 31	4 32	5 33	55	5 31	4 51	5 31	4 33	in	7 31	5 31	7 31	9 31	7 34	8	5 31	६ ह	7 25	7 28	30	6 31	2 32	9 32	50	7 32	9	6 31	5 31	4 31	4 32	ਨ ਨ ਹਜ	
89 th	21	8 9	ਰ	55	4 31	5 52	6 33	55	9	6 31	23	5 32	23	5 29	5 31	6 31	9 31	33	4 27	1 31	30	2 25	9	5 30	4 31	53	33	33	6 32	0.0	30	5 31	5 51	4 32	<u>1700</u> 17171 17171	
midnight	80	. ८८		50	4 51	3.3	1 35	5 4	5 2 9	5.1	33	32	22 n	7 28	6 2 7	0 31	9 31	55	20	15.1	7 30	5 25	S 2	200	33	સ લ સ	1 32	5.2	33	5.5	30	5 31	0 31	52	50 0103 0103	and a second
at mic	19	5.2	53	32	9	33	23	5 34	62	31	7 31	32	4	2 27	28	6 31	331	35	3 3 1	5 31	37.	2 25	61	68	31	9 3 2	533	32	32	50	200	9 30	31	32	(1) (1)	A THURSDAY OF THE PERSONS OF THE PER
beginning	18	10) (3)	55.5	5 5 6	00	5.2	4 33.	5 343	32	31	31	6 31;	(S)	8	27	30	1 31	52	33	31	17	58	297	9	309	31	3.2	31	33	5	200	30	31:	38	N 10	
	17	527		50	308	321	32	4	306	314	317	30	279	291	263	306	3.1	326	336	319	317	269	302	302	306	320	330	322	328	332	299	314	313	321	23	
one hour	16	555	354	358	5.59	322	332	336	313	321	315	317	312	302	273	319	315	5.25	345	326	318	282	300	306	310	322	356	3 53	336	329	301	321	321	328	336	
٥,	15	9 5.0	3.65	363	328	328	338	334	313	324	320	329	346	305	286	330	322	3.28	350	333	322	295	302	305	316	319	342	342	342	328	299	326	326	334	ال 4 ال	
periods	14	342	376	366	335	336	347	342	316	331	326	341	351	311	297	338	331	326	346	537	331	308	302	303	5.5	319	351	35	349	335	302	329	332	342	350	
successive	13	3 4 4	379	364	341	325	348	326	324	338	332	349	351	314	200	343	337	523	337	336	331	320	9	305	327	321	358	365	359	345	500	325	335	346	355	
for succ	13	5 5 2	377	369	337	326	343	334	335	331	337	349	330	311	307	349	337	325	330	330	326	332	299	300	33	325	362	370	367	354	318	316	335	348	356	
values fo	11	352	369	363	336	347	348	334	344	320	331	346	339	302	297	347	330	322	340	355	352	332	306	312	320	326	362	367	365	352	319	306	334	347	353	
average va	16	347	360	354	335	328	342	328	338	314	319	340	327	293	324	340	324	320	343	315	313	330	313	313	315	322	357	4 4 4	346	342	311	403	329	338	4 2	
are ave	6	329	343	347	323	3 5 5	339	344	330	313	309	332	320	284	303	333	315	319	334	310	317	325	310	313	308	315	345	331	328	333	307	685	388	328	20 00	days.
values a	so.	327	331	347	320	321	333	337	329	321	315	323	321	286	303	326	312	318	329	312	319	324	305	311	306	315	334	329	324	326	318	300	320	325	337	Five international quiet days
tabular v	2	328	329	345	320	318	331	333	338	319	318	324	328	294	312	320	316	319	335	313	319	324	309	311	318	316	330	330	9	326	305	315	322	324	328	ernation
The tab	9	329	328	342	325	323	329	337	331	323	318	324	326	868	313	316	314	317	339	313	320	320	304	308	19	316	328	330	329 3	334	301	315	2.2	23	327	Five in
۲	2	27	6 2	37	37	50	53	36	31	19	21	30	25.55	26	13	10	13	0,	3,9	08	22	08	9 5	310 3	316 3	316 3	326 3	3263	31	36	60	16	213	233	27	
	4	263	323	363	313	34	283	333	293	324 3	18 3	317 3	213	97 2	193	19 3		321	38 3	0.3	3.9	143		317 3			9		332 3	336 3	22	123	213	243	27 3	ys.
		23	303	353	2 4 3	27 3	6	0	9	7	9	10	0	9	9 8	9 1	11 3	-	36 3	303	319 3	11 3	7 4 2	311 3	12 3	08 31	263	53	(A	363	28	08 3	193	223	273	rbed da
1920	-	2 6 3	30	353	2 4 3	5	m	47 32	n	20	19 31	18 3	3	9.7	n	3	12 3	318 33	36	99	18 3	39 3	57 2	302 3	103	133	25 33	1 T	31 3	41 3	14 32	04 3	18 3	21 38	26 3	* T'en least disturbed days.
AUGUST	~	ω	30 3	5	3	9	36 3	17 34	33	308 31	0 3	23	17 3	5 23	2 4 3	18	21 3	.8	57 33	33	9 3	1 3 (	30 26	299 30	5 31	9	5 32	io.	3	3	7 3	5	3	4 3	6 3	Ten b
AU	- -	33	٣		1 31	32																T-		1 2 5			_	0 32	33		ы	30	31	32	3.2	
	y. Char.		24	_			L			 		-					-		_			╀-			_		_			29 -			9	*	÷ i	
	Day.		. ~			- 12	L	_		. •	- 3	=	- 2	: =	- 2	: :	Ľ			; £	: 8	,	i 8			- 22	36	- 57					Moan	Moan	fean	

HORIZONTAL INTENSITY. 27500 PLUS TABULAR QUANTITIES, expressed in garmmes.

3	SE	SEPTEMBER		1920		-	The ta	tabular	values	are	average v	values f	for succ	successive	periods	of one	hour	beginning	at	midnight	8	th mer	meridian m	mean tir	time.		THE REAL PROPERTY.				
۲	Char.	-	2	8	-	5	9	2	8	6	10	Ξ	12	13	22	15	91	-	18	19	20 2	21 2	22 23	22	Mean.	- i	Maximuro	ġ	Minimum	num.	Range.
+	+	t	t			t	T											-	-		-	_	_	_		rei	ŧ,	_	ä		
	Į.	C.	3.3.B	320	310 3	1.5	317	311	318	301	300	309	316	318	305	301 3	300 3	304 3	05 2	9 9 8	908	91 2	95 30	3 30	30	8	1 48	344	8 26	287	9
	+ (	) 0	) C	, 0	, -	+		C	σ	0.00	207	305	3.1.4	32.4	3 2 9	332	3303	3253	213	10	133	17 3	16 3	18 32	22 31	4	4 30	333	00 6	295	3
			1 0	1 1		1 0	1 (	(	١.٥	١ (		ť	0	С		1,	6.7	26.1	200		75 2	8 4	69 26	64 27	2 2 3	C)	1 54	349	17.00	253	96
						0 1	) (	•	,	,		) (	١ (	١ (	1 7		. (					24	0	0.0	0	_	. 5	316	16.54	256	9
_	7	168	300	308	300	N O	0 0	200	9	ر د د	ก. ว	_	2	ת	+	7	) ()	5	1 1	)	1	2	2 1	- 1	) .	1	) (	1 (	) 1	2 0	, ,
· ·	7	290	899	319	3103	302	303	301	296	288	289	294	299	305	304	862	289 2	2005	943	00	075	50	01 30	200	4	6	7	v	4	+	4
1	2		-	302	306 3	10	307	308	310	305	301	299	299	305	298	294	292 2	397 3	033	11 3	133	163	16 31	16 31	6 30	3	00 00 00	317	15 32	202	20.22
	4 +		0	- 0		6	3.2.3	325	300	334	331	3 3 3	331	323	319	321	328 3	3233	18 3	19 3	17 3	0 4	76 26	59 28	19 31	7	8 47	336	2157	266	7.0
_	, ,	0 0	, ,	0 0		1 0				Ċ	C	14	r.	0	10	0	000	0	000	Ý	2 2 2	202	60 29	20 27	6 2 9	-	2 2 3	331	19 58	215	116
90	7	3000	o,	า ว		ر ار	4	4	4	)		1	2 1	2 1	1	n (	0 .	7 6	2 0	) (	2 - 1	2 0	0 0	1 0						0	
6	7	273	276	286	289 8	281	280	280	275	276	(2) (3)		283	516	579	0 8 2	7 8 2	2112	N N N N	50	מ	ν Ο	2	٦ ت	υ α	*	4	4	Q.	0	
_		202	7	00	302	302	2 9 8	299	294	2 9 2	294	300	303	306	298	291 2	279 2	367 2	692	69 2	80 27	53	92 2	96 29	6 2 9	7	2 4 6	308	1654	4 259	4.9
•	0		α			00		297	29.1	286	288	293	294	300	303	301 8	295 2	8 6 8	4 2	91 2	97	97 3	013	03 30	5 29	6	3 16	305	17,00	279	9 8
_		1 0	0	0		2	C		0		286	0	0	300	300	300	300 3	3033	(n)	05 3	0 4 3	053	103	11 30	9 30	52	2 15	314	8 5 4	285	6 5
	_	)	1			) !	, ,			1 1	٠,	1 1	1		0		0	0 0	0	0	0	00	30	30	30	tc.	20	3 2 0	12 26	27.4	4 6
13	_	308	308	605	0 7 7	2	7.7.0	9 7 9	4	7		7	Λ		) )	)	n .	)	2	2 1	1 1	2 0	1 1		1 (		i k				
7	0	305	306	308	310 3	313	315	310	315	323	321	317	313	313	314	314	303	304 3	0 4 2	943	2 0 0	20	02 20	62.00	000	0	 	4			4
		9 00 0	304			0	202	203	289	287	290	209	304	306	296	283	2882	2942	942	97 3	00	0 5 3	09 30	0429	8 29	6 2 3	1 4	315	0 32	279	36
+	Т	0 0	ıt,		1	0	√ c	\ c			0	9	306	-	80	0 1	-	3002	892	65 2	59 2	69	8628	89 28	1 29	ß	0 4 4	320	8 08	254	99.
	J .	1 0	,			, ,	0	0	١ ٥	٠.	1 6	1,89	ō	0	1 10	4	7 2	20	22	8 4 2	ω	8 9	89	94 29	2 2 9	4	4 3	320	15 28	266	5 4
-		20				0	•	)	)	1	,	) (	١ ١	h (	) (		2 0		1 0			1 1	1 10	0	0	ř.	α	~	ĸ		رد د
		962	297		000	301	305	0	200		0	o V	0	α	20	٦ کا	, N	1	t 7	ת ח	1	1 7	, ,	3 .	) (	,	,	r 1	1 :	2 (	
• 6	0	1000	2 9 4		301	301	308	303	304	868	3.00	305	304	307	307	304	301 2	297 2	9.50	216	9 6	916	9 4 2	90 28	~	.⊣ ග	0	တ	19 00	30 (1)	n n
		0 0	~	302		298	300	301	303	306	304	295	289	282	281	283 2	2862	69 2	953	00	98 2	97 2	95 2	94 29	4 29	2	136	311	13 4	280	31
L.	T	202			298	2	304	307	309	308	306	306	305	307	307	308	297 2	3 4 6	92	93	93	96 2	99	11 30	02 20	ट्ट	233	324	017	890	3.4
		1 6		-	000	-	1,	3.25	3 30	314	32.1	-	326	305	301	276	254 2	227 1	85 1	78 1	8 2 8	142	48 2	52 25	59 27	ø	6.55	333	17 38	164	168
					0		0	0	C		C	0	200	000	400	0	9	287	00	8 9	8 3	8 5	84 28	3 6 2 9	1 28	~	8 5 4	300	0 10	259	4.1
		3	1 (	7	2 0	,	,	, ,	١,	١ (	١ ٢	2, 6	١,	١ ٥		1 (	, U			- 4	0	0 0	0 40	0		-	4 30	900	10 14	27	0
	0	0	2	4	0 1	D (		٠.	י ת	0 (	- (	2 0	- (	0		) (	7 6	1 -	1 0	0 0	) [	1 0		1 10	1 2	- 0	O.	1	0	0	0.
25	+	5	a	2		a	n	N	א	Ž	٦				,		1	3	2 .	2 0	1 0	1	,	,	. 0	-	2		2 20	ļ	,
26.1	0	307	309	308		308	306	310	31.4	n	<u>ب</u>	<u> </u>	313	5 4	010	9	۰ ٥	٥	ر 4	ດ ວ	 O	4	+	,	2	0	. 1	t -, .	) t	2 1	1 1
37	3	0.5	289	95	300	305	305	599	297	305	ы		307		4	6 8	o	90	113	7	2 10	50	6 9	.v ⊙	v v	-1	i,	ب ي	n .	n N	٥
- 58	23	4	278	69	273	278	285	288	262	304	284	247	23.5	834	227	2111	1741	151 1	38	45 1	47 1	50 1	000	87 13	ς φ	~	S	0 2	17 25		
- 62		4	218	226	248	241	232	229	211	201	209	212	216	229	23.4	229	225 2	2112	808	313	27.2	132	152	1422	5 8 8	CQ	3 15	251	() ()	199	
		4	0	ď	238		25.1	240	250	256	252	25,1	259	258	255	254	252	245 2	243	48 2	52	55 2	52 24	2 2 4	0 2 4	0,	1 54	262	0	5 230	53
			)	)	١.								,						_	-				_		-	-				
1000	CZ	294	295	297	298 2	66	299	299	297	296	296	296	296	296	294	2908	2852	282	808	81 2	808	808	8 4 2	87 28	8 29	7					5 4
-	100	7	0	00		-		0	301	298	296	296	296	298	899	868	2962	2962	97 3	003	00 3	003	03.5	05 50	2 29	6					26
og.	N			50		305	305	305	306	304	301	300	301	301	300	868	2962	298	9 9	0 0 0 0 0	000	00 04 10	000	62 66	9 30	<del></del>					
-		-		Character	-	-		-			NAME AND ADDRESS OF THE OWNER,	-	-	-	-	-	-		and the second second	NAME OF TAXABLE PARTY.	consequence	-	age: Andrews	TECHNOLOGY OF	Marie Confidence of the Confid	Sparters.					
		*Te	n least d	* Ten least disturbed days.	days.		1 F1V6	Five international		quiet days.																					

BORIZONTAL INTENSITY. 27500 PLUS TABULAR QUANTITIES, expressed in gammas.

	ej.	<u> </u>		CQ.	m	.9	v	~	o	5.2	47	15	4	7-	4	4	0	0	S	S		(N			ø	tr)	9	rn.	+	7	7	CZ	6	9	•	
	Range.	_		7	10	19	9	9	5	6 5	7	9	53	2	0	2	2	0	Q.	m	4	2			5	5	5	4	3	Ω	€	9	n	23	l	
	mus.			8 2	258	25	238	53	248	266	53	266	26	27	27	27	273	348	272	260	8 8	298			244	245	354	256	264	266	279	247				
	Minim	Ė		9	51	15	4	50	18	27	4	26	15	50	5.5	8	34	4	7	52	10	18			36	20	11	4	4	10	4 7	5				
		~ë		9 10	1 15	2 16	4 28	9 1 4	7 16	8 23	1 9	3	7 1.5	7 14	63	4	3 17	7 16	۲ بر	5 16	9	5.5			<u>ه</u>	8 1.5	0 16	9 13	5 1.2	7	5	9 18				
	11B.			23	6.53	9	9	8	30	31	8	53	28	01 01	30	O,	33	30.	9	29	300	31			90	318	830	299	53	29	306	305				
	Maximum	ë		5 1.8	5 7	7 00	7 43	8 45	00 6		4	2 40	0 4 4	1 58	1.8	23	2 4 5	9	00	20	5.5	0 56			C2	22	. 58	12	4 3	38	20	00				
		-2		ω	0)	6	0	6	-0	5 1	7	5 18	7 20	5 11	7 8	1 1 1	3 1 8	6 13	4 13	5	9	1 10			9	8	3 11	8 11	6 2	9 13	0 18	0 12	-	4	100	1
	Mean.		01	9	52	27	27	20	13	20	9	27	27	8	28	8	0,03	88	28	27	61	30			23	27	23	27	23	27	9	2.9	88	88	28	National Property land
time	72		59€	266	275	283	260	281	276	273	267	271	280	294	273	285	300	272	282	283	296	298		258	280	276	271	271	279	281	290	269	279	283	284	Part of the Part o
mean	13		268	898	277	283	255	267	279	278	266	272	284	294	276	283	868	273	C3 C3	281	297	294		276	280	272	261	277	280	513	285	282	279	2.83	284	Constant of
meridian	z		566	268	276	283	254	6 2	4	78	100	7.7	86	4	1 6	7.8	96	7.2	7.8	79	00	9.5		6	17	89	4	73	7 4	8 5	98	83	7.8	83	8 4	and the second
th me	21	-	89	69	89	8 2	51	57 2	80 2	79 2	6.2	722	87 2	95	722	7 9 2	94 2	68 2	762	76 2	02	98 2		4 6 2	782	69 2	66	7 4 2	722	6.3	8 5 2	752	77 2	83	8 8 9 8 9	And and an other lines
8	-	-	9	2	66	1 2	0,	4 2	8	17 27	4	63	US US	50	4	8	12	20	12	cy Cy	5	9		3	थ	7 2	?₹ ਜ	7 23	(C)	45	68	1 3	9	4	77	ill control of the co
midnight	- 8		1 27	3	8	7 28	3 24	7 25	6 27	8 28	8 25	2 2	5 28	0 29	6 27	2 27	7 29	2 6	27	27	30	23		92 9	28	26	6 27	5 27	0 27	828	8 28	9 26	27	3 28	882	The second
at mi	52		1 27	1 27	2 5	8 27	4 2 4	3 5	6 27	8	2 4	8 26	27	5 2 9	27	27	27	53	8	2.3	30	2.0		88	27	26	27	27	27	ŝ	8	25	27	28	8 2	To see all the
	82		27	27.	5 9 2	398	247	3	266	309	246	268	271	285	279	275	275	252	280	265	3.0	294		297	268	258	272	270	270	285	290	261	272	281	287	
beginning	11		263	267	566	860	253	251	252	311	238	266	267	280	279	274	280	251	278	261	300	293		80.00	858	247	258	273	273	282	288	273	270	278	285	district of the second
hour	91	251		262	260	259	260	241	251	306	240	271	264	277	879	274	888	267	285	267	302	295		290	251	248	259	278	270	285	293	8 6 8	271	280	286	
of one	22	*		6.1	6.1	67	65	ਜ *	6 5	2	4 6	278	67	23	40	77	0.1	3	06	7.5	0.20	20		8 9	5	56	62	6	270	16	00	0.1	76	8	6.8	di di
periods	77	39		64 2	99	752	712	60 2	85	15 3	57 2	88	73 2	80 2	862	87 2	063	99	9 4 2	72 2	9 9	0.33		96	6.2	68 2	752	68	6	900	0.4	0 4 3	82 2	862	91 2	AND THE PARTY OF T
		6 9 2		67 2	68 2	83 2	2 2 /	7.2	9 4 2	123	57 2	206	2 5 2	87 2	92	<b>5</b>	113	10	4 0	76 2	97 2	2 60		4	762	68 2	8 6	99	2	86 2	05 3	07 3	86.2	89 2	2 4 6	Action Language
successive	n -	68		629	2 =1	812	in in	77 2	8	05	2 2 9	862	2	87 2	00	9 42	07 3	0.20	90	62	200	133		9	8 4 2	63 2	62	US.	C)	3	iU.	5	2	9	(C)	
į	13	r) U		cs cs	6	2	0 27	2	6	6	53	20	3 27	23	n n	C)	3	n	63	6 27	23	33		32	23	98 9	5 28	5 2 2	2 27	8 27	9 30	7 30	8 28	6 28	60	
values	=	0 26		2 2 2		5 28	28	0 28	4 29	7 29	26	7 28	7 27	2 28	2 30	3 29	30	30	4 28	1 27	2 2 9	2 31		33	58	6 27	5 28	4 29	3 89	3 27	2 9	8 30	9 28	6 2 8	62 2	
average	2	26		2.6	88	8 2	88	29	30	29	9	27	27	88	30	Ø. €2	29	30	8	2.8	8	31		3	30	28	28	68	o 82	27	29.	308	285	286	262	
are av	a	259		268	576	282	290	294	302	295	266	275	279	284	302	289	293	301	286	286	294	309	•	350	300	311	287	295	291	272	290	305	290	287	293	daysı
values		260		271	283	290	293	292	297	298	277	277	27.8	285	301	286	293	300	290	286	5 6 8	307	312		202	318	283	200	289	898	2 8 5	300	290	288	293	al quie
tabular v	2	264		273	286	888	288	202	293	668	273	280	878	282	294	285	293	5 9 9	290	291	294	307	306		8 2	306	273	286	286	272	8 2	9 4	88	87	16	Five international quiet days
The tab	-	4		7.7	80	83	8.4	83	81	96	7.1	17	279	83	92	8	96	0.1	93	46	9 4	20	4 0		17 2	0.2	7.5	81	8 5	2.5	83	90 2	9 6	878	308	Five in
F		6 4 2		74 2	80	808	87 2	78 2	782	95	58 2	782	2 6 2	83	91 2	80.2	942	0 4 3	917	89	9 4 2	00 3	04 3		78	013	7 4 2	78 2	81 2	23	852	92 8	8 4 8	862	2 6 8	-
	2	(Q		50	0	0	5	CQ CQ	5	10	Q	5	6	53	ď		01	1 3	61	8	61	5	6		ते त	5	O.	4	7 2	63	es es	2	2	53	7 2	
	Ľ	9 2 6		4 27	6 27	28	3 28	2 27	2 27	3 29	2 2 6	3 27	5 27	2 8	Q	Ω	102	0 30	0 28	5 28	6 28	7 29	7 39		2 27	0 29	3 27	2 27	4 27		9 28	4 29	0 28	2 28	6 2 8	d days.
oza	60	25						27	27	83	58	26	27	286		276		30	28	68	28	29	2,0		8	2.9	27	27	27	27	27	62	28	28	88	disturb
	63	247				272	281	264	23	284	256	268	281	280	294	CQ.	286	303	272	281	286	0	297		263	284	274	366	274	277	283	29.4	278	281	286	* Ten least disturbed days.
OCTOBER	-	2 4 2		370	265	276	280	259	878	279	267	271	274	278	294	272	286	303	273	280	284	0	297		247	282	7 4	566	273	9	282	290	277	280	285	* Te
دب	Char.	н			-i		Г	 H				Г			_	0	t	-				0	<u> </u>	+		7	_	+				-	-	.,,	<u> </u>	i december
	Day.	-	~	<b>*</b>	4	20	20	-1		- 6	- 2	:	12.	• • • • • • • • • • • • • • • • • • • •	• •		=	- 1	.8	-67	30.1	21.	. 23	82	57	3.5	38	- 22	58	59	30.4	31	fean	lean*	feant	

HORIZONTAL INTENSITY.
27500 PLUS TABULAR QUANTITIES, expressed in genunes.

FORIZONTAL INTENSITY.

27500 PLUS TABULAR QUANTITIES, expressed in gammas.

1	THEORY	DEGEMBER	Communication of the Communica	NAME AND ADDRESS OF THE PARTY O		The same of the same of	The state of the s	Carolina Company	-	distribution of the last of th	THE PERSON NAMED IN							•	-	The second second	CHARGO STATE	Workstone .	-						
No. 10.   No.	Char.		_	3					~			=	12	13	Ξ	12	19	13	æ	51	20	21	22	23	24	Mean	_	Minimum.	Range.
1	0		782	80	63	87 2	88	O)	-1	9 6	03	ις (3	(1)	ω 03	CQ.	52	00	0	8	7	6	63	7	Ω ω	6.5	C\$	7 7 56 2	λ. m. 0 0 0 0	63
2 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Н		03	918	53	9 4 2	9 6	4	in	9	63	N -	in in	7 29	C)	6	2	7 27	56	7	(1)	2	0	2	0.3	€.	5 8 48 3	21 18 2	J.
No.   No.	₽		80	8 9	7 2	2 5	762	7 2	2	8 6 2	53	3	9	1 26	œ	62	(3	9 27	27	6.5	(C)	(3) (3)	8	U)	C)	Ċί	5 0 56 2	12 52 2	6 4
Section   Sect	٦		(n)	07 3	7 2	9 5	8 9 2	7	Н	103	9	5	€ €2	5 8	œ	4	0	C2 1	3.4	C)	2	52	6	63	O3	Q	9 10 3 3	19 19 2	9
State   Stat	7		6	49 2	r)	57 2	62	0		93	4	63	7	7 27	œ	C)	6	56	8	0	0	.02	s cs	0	œ		9 56 3	0 53 2	5
State   Stat	н	-	7 4	73.2	7 2	67 2	692	9	-	77 2	53	4	C2	1 25	C2	3	20	8	56	8	2 2		ભ	9	1		8 49 2	11 22 2	4
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Н		75 2	83	ίJ (3.	808	80 2	(V)	0	93	3	62	(2 (2	Ω.	Q.	(J)	63	2	27	α	4	5	6	6	Q.		9 2 2	14272	4
Carlo   Carl	H		7.1	C2	7 2	87	8 4 2	63	23	97 2	0)	iJ S	53	6 24	Ċ.	0	8	2 2 2	5	62	<u>ره</u>	Ω Ω	4	n	U)		000	14 24 2	9
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Н		77 2	74 2	(3	73	74 2	2	2	90	3	7 2	5	0 25	æ	6	8	5	56	œ	C2	9	29	2	63		9 18 30	13 14 2	2
State   Stat	0		722	738	12	78 2	8 2	2	20	90	(3	(3	Ω.	0 28	Ω	2	52	27	27	O.	63	Q	4	6	C3		Q 4	0000	0
Secondary   Seco	0	_	782	16	C3	16	832	23	5	01 3	7 3	6	20	829	C\$	3	2 2	27	8.2	23	4	5	9.	7 2	(3	CQ.	7 10 28 3	2 18	50
2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Н		8	0 6	0	16	93	7	'n	113	23	4 U	20	0 29	3	ਨ	S3 00	9 29	8	œ	৫	0	2	C2	œ	C\$	8 8 34 3	00 30 8	7 3
Carlo   Carl	H		3	87 2	6	06	95	9	S	103	4	52	0	50	C)	<u>त्</u>	9 %	0 86	9		S		O.	н		Ω	2 7 19 3	15 56 2	9
2	Ħ		3	77 2	.8	85	8 8	2	iJ	9 9	7	6	C)	8 8 8	Q	€3	6 27	27	27		œ		U\$	α	C4		7 58 2	19 24 2	6
Secondary   Seco	ч		5	762	9	19	862	20	2	0 4 3	O3	5	9	7 29	U3	U3	27	2 6	9	03	ω ω	(3)	4 03	(3)	O.	O)	0 7 38 3	17 54 2	4
2 2 5 2 6 1 2 6 2 6 2 6 2 6 2 6 2 6 2 6 2 6 2	0	1	5 2	742	3	9	782	63	(V	24 2	3	5 2	23	7 27	ત્ર	L	27	27	27	27	O.	्र न	53	52	æ	œ	1 10 7 2	16 10	23
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0		œ	8 6 2	7 2	6 8	89	8	8	95	0	Ŋ	α	7 26	C)	9	27	88	28	8 8	62	52	8	8	α	Ω	4 7 45 2	2 1 2	iΟ
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0		203	12	03	4 6	972	(3	3	00	2	7 2	0	7 29	α	*	27	8	8	Q,	2 27	Q	53	Q	2.2	8 2	8 8 230	21 28 2	Ω
See   200   200   201	н		2772	0	2	9 6	89	8	0	2 4 2	cs cs	0	ω ω	7 27	U\$	C)	28	9 29	9	8	62 T	() ()	ਟ <u>.</u> ਜ	7 2	C)	C3	5 8 00 8 5	11 34 2	
Carlo   Carl	н		83.2	852	8	96	063	3 3	1 3	213	4 ال	2	3	a			ω	27	28	2.8	8 28	3	1 2	0	α	2.9	9 7 4 3	16 42 2	ß
2 2 3 2 4 2 4 2 5 2 5 2 5 2 5 2 5 2 5 2 5 2 5	0	-	862	862	5	0	918	6	S.	918	0	3	¢3	0 28	ભ	্য ব	9	2 2	e9 €3	28	2	2	80	8		(C)	7 7 46 2	10 44	τ
8 2 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9	0		90	91 2	ις: (3)	4	4 0	(3 (3	O)	93	29	3	n n	7 29	C)	<b>₹</b>	62.9	2 2 9	88	œ	8 2 8	() ()	0	ਨ ਜ	œ	Û	2 14 46 2	17 56 2	н
8 292 293 89 80 80 80 80 80 80 80 80 80 80 80 80 80	ч		8 8	6.8	60	6 8	91	C2	CS CS	50	(X)	0	₹ (3	400	о С	3	6. 22	0 28	8 2	C)	6 2 9	<u>ы</u>	0	C2	<b>C3</b>	Q	1 20 56 3	11 16 2	CQ.
2 275 276 276 276 287 291 304 304 304 292 277 277 275 286 287 287 287 287 287 287 287 287 287 287	႕	- 4	88 2	92	3	00	5 3	63	50	123	0	ro ro	en R	90	30	7	6 20	9 27	23	Cξ	4.0	<b>€</b> 2	o o	æ	C)	O2	3 9 53 32	19 21 2	9
274 269 267 264 275 275 275 276 267 269 267 258 258 258 258 269 267 269 268 259 257 257 269 268 269 267 269 267 269 267 269 267 269 267 269 267 269 267 269 267 269 267 269 267 269 267 269 269 267 269 269 269 269 269 269 269 269 269 269	-1	_	2 2 2	732	9	76	8 4 2	7	5	0	7	5	2	9 2 9	27	. !	27	26	56	25	6	4	7 2	7 2	Q	લ	1 7 7 51	18 48 2	5
235 245 250 252 257 260 269 269 269 267 258 258 258 258 258 257 260 269 267 258 259 258 258 258 258 258 258 258 258 258 258	ч		7 4 2	69	2	4	75 2	Ø	œ	(1) (0)	4	63	2	7 20	13	4	6	2	50	α	O)	C)	cs Cs	ભ <b>૦</b>	Oğ.	OŁ.	7 5 00 28	16551	o
4 250 255 256 256 265 264 267 270 271 275 280 277 270 266 262 261 265 266 266 266 266 266 266 266 266 266	ન	- 4	35	45 2	es es	8	5.2	7	0	63	0	2	() ()	8 25	C2	es es	2 4	Cζ	4	53	(c)	CZ	53	ত ত	C)	CQ.	2 9 5 27	18,562	4
7 269 270 272 274 279 284 287 289 260 266 266 266 267 262 263 269 275 287 287 273 273 273 273 274 279 286 279 289 289 289 289 289 289 289 289 289 28	0	.4	5 4	0	ι <b>υ</b> 03	58	6.3	2	4 03	67 2	01 0	н	(C)	0 27	2 8		2	92	5 6	C/3	9 ह त	œ	9	n n	œ	α	6 13 32 28	0 54 2	7 3
5 277 279 284 285 289 289 289 278 271 272 289 289 289 280 276 276 276 289 289 289 289 289 279 279 279 289 289 289 289 289 289 289 289 289 28	0		~	6	0	(1)	742	in.	0	3	20	C2	ত	920	56	œ	3 26	8 6	23	27	27	œ	œ		ભ	20	8 17 36 2	8 12 2	н
3 270 274 279 282 281 277 274 275 269 264 272 269 266 267 269 269 269 269 269 269 269 269 269 269	0	cu	S		0	4	872	5	in	Ò	थ	C2	0	8 15	8.	27	27	(C)	8	9	28	C)	¢5	Ω	27	œ	0 18 53 29	2235	Q
6 278 279 284 286 288 288 288 289 292 293 299 286 283 276 275 272 269 277 273 273 275 275 276 276 279 279 279 279 279 279 279 279 279 279	O	·¥	3	0	53	0	822	7	7 22	53	50	8	4	26	56	ભ	7 26	26	26	9	2 6	C2	2	æ	(3	2.2	5 10 2	23372	œ
81 282 284 286 289 288 289 291 291 291 292 286 289 286 289 288 289 288 289 289 289 289 289 289		.4	3	63	6	-	4 6 5	2 9	8	(3	α εΩ	20	72	22	27	0.1	27	26	27	C)	~	2	C)		- 1	27	0.		4 1
82 283 284 286 289 290 292 296 297 297 298 294 290 288 287 286 288 289 288 289 278 279 279 280 28		14	818	82 8	4 03	9	88 2	8	8	7 5	13	6	2	3 28	0.5		2 28	88	28	Q		CQ.	Q.	CV.		8 2			2 4
† Five international quiet		.4	8 2 2	8 3 2	53	9	ω σ,	20	(3	9	7 2	2	CV2	0 0	S 8	C)	7 28	8	28	83	9 8	CI CI	C)	US.	C3	υ; α	8		
	2	ł	f and	onst dishur	bed day	,8,	† F	leo inter	stional	ouise	78.		- Approximate	-	and the same	e company of the comp							-	-			1		

0 4

PLUS TABULAR QUANTITIES, expressed in gammas.

e \*o

<u>.</u>

r @ ç =

113\*

17 18\*

2 2 2 2 2

\* \* 8 8 8

VERTICAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in gammas.

f Five international quiet days.

least disturbed days.

Ten

VERTICAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in gammus.

	99	vo	4	9	0	ω	5	CQ.	CQ.		-	2	æ	77	0		œ	S	1.	0	3	8	in	60	9	ы	0,	9	0	4	-1	00	н	4		
	Range	2	7 2	50	80	4	62	10	10	63	_	50	~	U3	٥	F.	53	~	-1	20	10	3	78	7 3	9	2	03	CQ.	n	CS.	œ	el	4	02		
	nam,	323	31	31	289	323	323	315	311	315		303	309	319	287	307	31.5	318	332	318	305	311	53 53 44	343	327	342	337	340	13 13 13	50.51	330	333				
	Minimum	1 17	53	63	35	13	31	32	G	10		237	50	117	53	9	11	10	5	38	4	9	00	37	4	53	46	50	8	52	37	11				
	_	7 1.5	1 11	2 12	9 12	9 11	8 13	7 12	3 13	3 11	_	0 13	7 122	2 10	7 9	6 1 4	3 10	3 11	9 11	7 12	1 1	9 18	9 10	1 23	3 12	5 11	6 23	9	3 13	5 10	3	1 8				
	mam.	34	34	8	36	36	34	10	34	23		54	8	34	420	34	34	₩ 4	4	34	33	34	40	48	39	37	36	36	36	35	15 10	10 21				
	Maximum	€ 03	3 10	4 19	2 15	3 15	7 12	4 43	7	000		3 26	1 15	5	1 50	3.5	3 31	5 24	4 2 4	6 30	6 1.1	0 36	4 7	5 11	0 53	4 47	0 36	5 24	0 30	2 50	3 56	4 35				
	- ine	r.	4	n	4	2	89	n	n		-	9	0	-	ri Ci	0	3	9	+1	(C)	6	CS CS	6 1	0	~	14	CV.	7	v	10	m	ıΩ	0	2	0	Transition of the last
ģ	Mesn.	20 00	7 33	0 33	9 32	1 34	9 33	8 .33	7 33		9	5 3 3	7 33	33	7 33	9 33	8 33	333	0 34	4 33	5 32	9 33	3 34	0 39	3 2 6	3 3 6	9 35	6 35	8 34	6 34	5 34	3 34	4 3 4	9 33	ω 4	or particular
ın time	7.	33	7 33	0 33	1 33	3 34	133	3 33	55		3 33	6 33	N	33	6 33	33	9 33	8 33	34	4 33	7 33	3 33	8 38	9 35	2 36	6 36	5 3 5	6 35	ابا 4	3 24	5 24	4 34	4 3 4	9 33	3.4	
n mean	ន	33	33	50	35	34	34	33	337		33	33	53	33	336	53	333	50	19	3	337	34	24	10	3	36	355	356	347	343	345	347	346	23.5	34	
meridian	ន	337	340	335	343	347	345	335	337		330	333	337	328	339	337	338	333	345	333	337	346	346	385	367	365	357	357	346	344	345	545	345	340	348	No. of the least o
th	E E	333	340	335	338	345	347	341	337	-	330	335	336	329	339	338	337	338	346	338	3.38	348	377	384	368	363	354	354	345	346	345	348	346	341	44 (5)(5)	
ht 60	R	33	4.1	3	33	46	37	38	33		29	50	36	6 8	36	33	36	22	4 4	38	37	£ 4	83	68 53	69	56	20	6	5,4	4 4	4 4	48	4 4	0 4	44	-
midnight	61	363	413	363	27 3	47 3	36	37 3	313		263	26 3	34	29 3	38 3	53	323	39 3	4 5 3	37 3	35	413	99 3	89	673	533	348 3	50	4 7	463	4 4 3	48 3	443	4 1 3	₩ ₩W	
뀰	-	32	38 3	35	27 3	423	E S S	343	273		213	243	303	28	34	273	343	404	413	333	313	35 3	82 3	n	573	633	4 4 3	52 23	4 1 3	453	4 4 3	503	413	393	5 5	- CARLESON
beginning	22	1 3	8	3	6	5	es es	13	7	-	9	9	in in	8	10	10	8	r)	H	8	7 3	0 3	7 3	9	3	9	en C2	7	7	in in	3	17	3	8	w 10	
hour be	-2	333	4 33	6 33	7 31	1 34	0 33	7 33	4 32	in.	31	2 31	52	333	3 33	0 32	2 33	7 34	9 34	9 32	6 32	6 33	7 38	5 37	9 36	7 35	3 34	6 34	4 3 4	3 3 4	5 34	7 35	5 33	5 33	9 34	N. C.
one ho	91	7 32	8 33	5 33	30	4 34	0 33	33	32	3,	_	9 31	9 32	3 33	6 32	53	5 33	33	2 33	32	1 32	38	36	Ø	iù iù	35	34	34	54	54	4	34	50	333	50	
76	22	22	32	8	302	33	n	322	321	315		30	5	33	3	3	33	33	34	33	ς; Έ	320	S B	Ø	355	358	341	345	_	341	346	346	333	53	337	
periods	7	329	326	380	292	332	326	319	315	315		304	317	323	322	312	326	324	339	324	315	317	365	371	347	352	339	350	336	340	344	341	330	330	334	
successive	22	330	321	319	396	331	331	316	316	314		306	313	325	328	316	322	321	333	322	313	313	342	382	338	345	3,46	346	335	340	339	339	328	528	333	
r succ	22	330	317	323	301	324	335	319	320	312		311	314	322	335	321	321	320	334	319	310	312	317		357	345	348	344	338	334	333	338	528	326	60	- CONTRACTOR - CON
values for	=	36	18	53	90	26	35	50	326	4		314	319	320	3	17	16	10	4	00	10	13	57	87	61	48	48	H	4 7	(1) (2)	is is	0 4	23	2.3	0	
	92	4 50	233	30 3	163	3.2 3	37 3	283	32	18	-	52	273	53	033	173	213	36	363	28	143	19 3	55	0	55	563	503	53	4 11	35	34 10	353	30	30	313	
average	-	32	283	4 6	273	413	4 2 3	33	39	253	-	283	333	293	253	30	26 3	313	4 0 3	353	19 3	28 3	18 2	8	57 3	6 4 3	51 3	42	413	38	333	35 3	37.3	32	24 3	уз.
es are	69	6	4 W	9	31 32	17	7	6	101	0	_	0	4 10	4 10	3	rC EU	3	2	7	7	0	7 3	8	9	7	0	3	<u>0</u>	9	3	50	0	50	7 3	n	quiet days
r values	8	7 33	7 33	0 33	333	35	4 34	9 33	3 34	0 33	_	0 33	33	6 33	33	3 33	5 33	1 33	3 34	5 34	7 33	8 33	53	9 40	9 36	3 37	7 35	1 34	3 34	54	5 33	7 34	6 34	333	33	ational
tabular	-	33	50	34	33	ы 5	34	53	34	33		33	50	33	33	5	33	4	₩ 4	4	ιυ ω	33	50	4 1	37	17	r) U	3	5	24	34	34	34	3.4	ω 4	live international quiet
The	9	339	338	347	334	357	342	342	339	330		329	332	336	337	340	339	343	341	346	337	538	350	426	379	373	358	352	553	352	347	349	348	543	4 50	† iii
	· s	339	340	341	333	353	348	341	338	331		332	333	336	341	341	336	343	345	346	336	339	339	426	80	373	358	352	554	353	351	350	348	344	347	Ministration of the party
	4	343	341	4	(2)	350	348	337	341	33.1		337	335	340	335	345	939	5 4 8	343	345	336		338		83	370	359	S	358	352	351	349	549	344	347	lays.
_	8	0	0	त	0	334	343	37	5	31		9	336	ō	in.	4 ش	39	40	4	4 23	37	36	50	0	8 4	7.0	6.5	2	36	60	6 4	9	48	4 4	4 6	turbed d
1920	-	H	0	8	8	н	Q	38	4	н	-	36 3	3363	36 3	363	41 3	37 3	4 0 4 E	40 3	н	4	5	39 3	0	89	643		55	7	10 10	6 9 3	463	-	42 3	4 10 10	* Ten lessi disturbed days.
MARCH	-	m	39 33	~	0	On	2 34	113	341 3		_	56 3		3	27	ы	583	6	6	1 34		6 3	8	ω	C3	5	9	7	0	es es	8	9	6	1 3	4	* Ten
MA	F.	n	50	rJ.	M	ы					_	10	17	-19	10)	-	33	2	33		n	3			38	36	W		m	35	2	34	3.4	34	R. 4.	
	Char						-				-						<u> </u>					_		(1)		_									7	
	Day.		· *N	, es	*		٥	_	- 00	· c	2	=	23		2	: ::	=		: °≃	2	02	8	55	3 2	35	35	26	22	: 8	. 6	30	•	Moen	Maen	Mean	

4 9 8 9 9 8

2 0 0 0≥ 0≥ 3.9  † Pive international quiet days.

Ten lesst disturbed days.

Mean

2 2 2 2 3

INTENSITY

PLUS TABULAR QUANTITIES, expressed in gummas 

- a

: 12. 

2 1 2 2 3

VERTICAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in gammas.

Range	9	4	19				12	51	<del>ر</del>	٧		0 1	2		7	39	23	a	0	- 2	0	5 7	2 5	4	0	2 4	1	- 0	1		0 1	00		4	7	7	22.5	16		
R	+	88	4		<u> </u>		33	4	5 6 2	4	, (	0 1	33	CN CN	13	0.1	27		1	0	in a	60	3.2	30	1.0	0 0			- (	2				23	9 7	22	l			
Minimum		7 3	iñ		)		29 3	16 3	22		1 1	2	52	n	533	5 4 3	36 3		7	<u>س</u>	65 10	9 8	6	55	2 4 3	0	۲	1 1	t :	7	9	0	-	47 3	55.3	3				
X	1	સંત	1.1	1	4		12	111	11	a		2	8	8	77	ਰ ਜ	æ		- 1	43	777	11	10	80	2			) t		1			00	10	30	7				
	i	369	343		<b>†</b>		345	3 4 5	340	2		4	346	340	334	349	349	U	0	4	343	344	344	344	340	4	٠ <	t 15	٠ (	١.	4 1	2		337	339	343				
Movimum	TARKET I	ĕ ;	5	•	*		1	00		4	4		37	60	28	0	36	4	0	4 C/	50	4 53	n	23	0	f co	0	5 14	) (	2	04	Н	5 26	9	5 24	5 9				
-		-d €(01	2		1_		0 16	5 20	5	-	4 .	7	8 12	0	9	0 14	9		-	œ	4	0	9 15	7 11	000	) R	0	3 -	- 1	-	o ·	0	C\$	7	8	0	e.	S	4	
N N	E L	3.4	33		)	-1	2 34	9 33	7 33	4	١ ١	2	9 33	3 33	8 32	0 33	3.3		1	33	0 33	1 33	5 33	5 33	1 3	١ ١		י ר	, ,	2	n :		н	7 32	5 32	8 33	5 33	7 33	9 33	
ì	3	3 33	3.3.5	, .	ŧ	1 34	5 34	0 33	5	0	9 1	3	7 33	1 33	0 32	8 34	333	1 1	3	33	8 34	0 34	6 33	33	2 2	) k	1	) 4	١ ١	2	'n	n	8 33	6 32	32	0 32	4 33	6 33	0 33	
	3	3.4	5.	1 1	J.	9	ы 4	34	3.3		0 1	۵ 4	33	33	5		ъ.	1 1	2	333	5 338	3 34	9 33	533	4 4	) (0	1 15	7 6	) !	2	es es	8	œ	32	7 32	33	5 33	6 33	9 4	
50	2	340	333	1 0	1	343	343	339	53	. 1	ויי	9	336	330	331	32	7.	:	2	ri N	33	34	33	33	ť	1 4	1 1	י ה	0 1	2	20	2 19	iJ iJ	33	10	3	33	33	4 6	
. 1	Ę.	338	8.00	١.	240	340	342	345			¥	2	336	328	330	328	331	1	n	337	337	341	3.4	339	2 2	) 1.	1 1	9 6	0	327	es es	n	336	328	328	332	334	337	₩ 4₩ 00	
	R	341	33.6	١.	540	340	340	339	60		v.	in	336	327	324	333		) (		337	338	348	339	339	2 2 2	) 10	) (	8 19	1		œ	M	337	5 8 8	328	332	334	335	50 50 50 50	
- 1	62	54 50	7 3 3	`	4 4	340	340	353	(C	١ ٥	N.		336	327	325	335	"	١.	340	338	338	343	339	338	2 2 2	י ני	٠.	v c	V.	n l	C)		336	326	328	333	334	334	330	
ang et	18	345	6	'n	4 4	339	340	330	16	i	N		334	326	355	332	. 1	١ (	337	341	336	339	339		10	9 0	2 (	v c	N.		œ		336	326	332	335	333	333	328	
Sumudəc	2	346		2	0.40	338	343	329	1 10	, ,	4	4 1	333	326	52.4	338		)	337	340	333	340	343	3	10		١ (	N C	N.	02	2	328	336	331	335	338	335	334	330	1000000
non	2	(0)	, (e	) )	90	01	4 7	3.2	1 10	1	٧ . ا	9	9	3.1	5 6	5	7	0	39	36	23	4 7	4	0 4	10	0 %	) (	י ני	2	68	50	328	347	333	337	3 4 8	335	336	331	
of one	15	57		†	32	2	30	323	1 15	) :	4	38	403	323	26	d	1 6	<u> </u>	39 3	323	323	363	4	33	1	2 to 10	, ,	4 (	2	88	5	27	2	30	50	0	3.4	3.5	3.1	
900	14	37 3		ų.	23.3		37 3	10	0	2 .	φ en	253	44 3	353	213	1 00	0 0	1	37 3	31 3	27 3	3.4	0 4	F.		1 0	2 0	2 2	3	283	50	8 8	333	10 10	3.1	323	32	343	333	
	13	5		4	15/3		3 4 3	÷	. 0	2	4 4 6	213	45 3	343	16 3	2	) t	n	4 5 5	36 3	27 3	31	-	i ov	1	4 6	4	00 0	'n	27 3	œ	253	28	333	63		10	343	31 3	
HICCO	-	12 1-1	· ·	~	0 60		38	R.	7 (	1	3.4	233	463	363	163	· u	) (	n V	463	38 3	25.53	200	١.	. 1	1	1	7	4 ! W :	n	233	9	55	29	200	W.	e-l	29 3	343	29	
io.	22	- 10	1 1	9	07 3		0	7	א ר	<u>n</u>	4	4 5	40 3	333	۳	1 1	2 6	<u>م</u>	47 3	36 3	283	'n	1 4	1 0	1	7 1	- 1	2	6	223	<b>10</b>	23.3	200	4	17) (-)	3	30 3	343	32	
- K	Ξ	3.4	1 1	v	<u>რ</u>		5 3 3	6	0 0	η 0	0 33	7 32	r)	0		1 1	1 6	<u>0</u>	6	9	5	4 k	. 4	1 10	1	י ה	ر د	(U)	32	3	3	9	7 3	6	0	10	0	23	63	
average	10	3.4	, (	ດ ດ ອ	8 31	Ŋ	, O	4	) (	<u> </u>	7 33	1 32	33	3	η α	) (	5 6	v	8 34	2 33	7 33	. K	1 6	1 0	1	20 1	-	9	4 5 5	8 32	3.38	3 2	1 32	8 (3.1	10	7	10	23	1 33	
are	6	2.4	1 :	9	0 31	53	. 10	15	) (	<u> </u>	32	1 33	33	m		, 10	) (		1 33	34	32	. 10	ı t	7	١	n t	٠.	n	12 52	5 31	1 32	33	38	3 3 1	'n	М	10	4 33	3 33	quiet days
B	œ	6	1	8 3	0 33		4	1 1	) :	٩	1 32	4 33	533	1 6	t.	1 1	1		333	3 3 4	5 33	1 10	1 10	) h	1		n n	n	10 10 10	322	3 32	7 32	7 32	3 3 2	10	M	10	6 33	5 33	stional c
tabular	t-	2 2	7 1	33	50		ř	1 6	) t	ე ე	333	3	33	1 15	1 6	1 6	3 1	'n	7 33	3 34	-	1 4	1 4	) k		m i	2	n .	33	38	9 32	3.5	3 3 2	10	1 (1)	1 10	133	6 53	5 33	Five international
	9	10	)	341	337		4		9 1	200	33	337	4	1 10	1 (	1 6	0	4	3	34	5	1 6	1 1	9 19		19 1	50	50	3	5	4 329	10	50	50	1 (	1 10	1 5	55	5 33	Ę
	10	10	٦ :	339	336		,	٠   ١		999	333	335	4	1 14	) (	) (	י ח	343	334	343	10	) k	1 6	1 1		(A)	9	50	i,J	333	33	М	333	fc.	1 6	1 10	1 5	33	3.3	
To the Landson	4	1 4	0	340	336		11	1 0	<b>U</b> :	330	334	329		t l	١ ١	1	¥	339	334	339	4	, 4	t	א נ ליו	٦l	n	n	333		331	333		3.3.3	i n	٥ (	2 0	ı le	i	336	days.
0.	*		Ü	'n	338		3	110	50	336	334	32.0	. <		1	7 1	1	334	335	338	ť		) 1	0 6	۱ ۱	E)	50	334	53.4	330		333	۴	0	9 0	: 0	1 10	in		isturbed
6920	61	1	200	8	335			7	0		335	0	, ,	1 0	3 0	2 :	2	346	328	4.3		1 7	,	1 6	1	3.4	3	IJ	36	330	329	27	4	, ,	, 6	'n	1 10	l W		Ten least disturbed days.
MAY	-	1	0	33	339			\$	0	8	336	2 4	,	7 0	י ע		rl S)	30	338	A 3	1 15	3 6	, ,	9 1	0	4	9 0	336	35	30	6		0	1 0	. [	2 0	) K	1 10	38	۴
2	Char.	1		_	_	_	`	+						+				_	_	T				0	٦	0					1				+ -		$^{+}$	Ť		
and contracts	Dey.	$\vdash$	-			·	*	9.9	•	2			ъ. '	•	<del>!</del>	12	21		: :	9		11	18	61	.02	•12	22¢	23	24	: 8	1 8	9 8	5	28	59	8	E	Mean	Meant	1

VERTIGAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in garmas-

12   12   12   12   12   12   12   12
1
1
1
1   1   1   1   1   1   1   1   1   1
1
1
8 9 2 9 9 3 9 2 9 3 1 9 5 0 3 4 4 3 9 3 9 5 5 5 6 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
3   3   3   3   3   3   3   3   3   3
1   1   1   1   1   1   1   1   1   1
9 9 5 5 6 7 7 7 8 6 9 7 8 7 7 8 7 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7 8 7 8 8 7
7 3 4 5 3 5 0 3 4
1
4   2   2   2   2   2   2   2   2   2
4   23   23   23   23   23   23   23
4   2   2   2   2   2   2   2   2   2
1
0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1   1   1   1   1   1   1   1   1   1
1   1   1   1   1   1   1   1   1   1
1
1 3 4 2 3 3 4 3 5 4 3 5 4 5 5 5 5 5 5 5 5 5 5 5
8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
24   24   24   24   24   24   24   24
2 3 4 7         3 4 6         3 4 7         3 4 7         3 4 7         3 4 7         3 4 7         3 4 8         3 8
2 3 4 5 3 4 6 3 4 6 3 4 6 3 5 6 3 2 6 3 2 5 3 2 5 3 2 5 3 2 6 3 2 6 3 2 6 5 3 2 6 3
2 3 3 5 3 4 0 3 4 4 5 4 0 3 9 6 3 2
6 339 332 334 335 334 340 341 336 331 330 336 19 42 345 22 39 327 1 10 328 348 348 348 348 348 348 348 348 348 34
6 3 2 8 3 4 8 3 4 8 3 4 8 3 4 4 3 4 8 3 4 4 3 4 3
1 330 338 338 337 338 339 341 341 336 335 6 00 347 10 28 323 4 320 327 336 328 339 320 336 336 336 335 5 26 328 332 351 572 359 354 336 334 334 334 334 331
4 350 357 354 356 358 356 358 358 358 358 358 359 359 359 359 359 359 359 359 359 359
4 324 357 354 354 355 355 356 356 356 356 357 357 357 357 357 357 357 357 357 357
୍ ଓ ଓଡ଼େ ଓଡ଼େଜ ଓ
හ 331 332 333 332 332 334 335 334 334 333 33

VERTICAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in gammas.

	Range.		16	50	23	12	25	1.5	10 23	8 1	1 2	4 0				in in	12	+4 nz	3.8	9	4	16	17	55 10		n N	7 0		0 8	9.7	33	0 0	19	
	un.	(2	327	Û	323	327	52.53	533	528	200	u le	0 0	d t	n 1	r	330	340	330	338	340	355	338	335	321	3	334	1 4	120	325	3.2 4	315	_1		
	Minimum	ε'n.	4 50	0	ω	0 \$	10	US C)	00	0 0	α	0 0	3 4	Ų i	n	2 G	0.0	3	5	3	10	57	53	<del>1</del> €2	20	4 4	- 7	1 1	50	5	33			
	_	9	01	4	4 12	9 17	4	8	1 8	60	2	, o	0 0	· ·	9	5 1.4	1 1 1	0	6 7	7	0,	.0	9 10	9	0,	7 7	1 1 V	0)	5	0	8			
	Maximum.	50	0 34	0	0 34	7 33	5 34	0 34	U (3	.0 t	ין ס	) if	) (	3	0	4 3 6	9 9 0	5 36	9 35	0 55	9 35	0 35	5 34	S 4	(Q )	35	7 00	0 0	5 34	34	2 33			
	W		15	0	21 5	13 3	22.2	215	2 5	ਰ	n   <	1 6 1 6		_	00	202	3	11 4	20 4	(C)	12 3	13 3	13 2	133	14 2	, t	ے د ا	) r-i	1.8 4	9	5			
	Mean.	10	232	3	939	332	3 3 2	342	338	400	٠   ٠	) G	† L	ς.	4	350	351	349	346	349	347	545	340	339	4	4 4		04	336	336	330		339	COMMENSOR OF THE PERSON OF THE
time.	77	4	200	(3 4 0)	340	330	343	343	339	0.00	#   ×	: 15	1 4	<b>,</b>	4	356	351	347	353	352	351	344	3 4 5	0.00	す	243	1 6	- 10	337	338	327	4	347	- Company
ı mean	a	न ।	o n	4	- <del>1</del>	331	343	344	340	53.8	0 4	) (	1 0	0 1	φ. υ	354	350	351	355	553	351	345	545	338	7 T	345	1 (	3 3	336	338	330	5	3 4 8	4
meridian	22	*5	0 4	4	4	331	337	345	3.40	337	- 0		) <	t .	4	351	352	351	355	348	350	345	3 4 4	30.8	4	4 4	1 (1	(0)	340	339	331	2	0 4 6	
ŧ	21	-4	ન સ	(r)	4	330	328	343	336	537	7 14		່າທ່	٠ ر	4	360	55.53	354	356	351	348	344		338	4	2 4	1 4	4	340	340	351	10	2 1 4 4 2 4 4 2 4 4	- Common of the
ight 60	83		0.	4	4	328	331	3 4 53	335	3.55	0 0	) 15	) II	5 (	n e	352	352	355	351	351	346	343	37	0 0 0	4	243	1 1	0 4	342	338	330	4 1	0 2 5 0 4 4 0 6 4	
nidnight	6:	4		M	040	328	328	341	336	4 10 10	# 0	t u	) u	9 (		351	352	351	347	351	346	0 4	38	339	4	2 4 2	1. 4	- 4	3 4 4	338	330	4	3 4 0	4
ning at	- 81	0.4	0	9	4	329	327	0	537	3334	0 4	1 17	- 1	7 1	0	351	352	352	345	0	345	40	9	4	4	7 4 5	00 00	4	3 4 2	339	330	10	0 4 0	
beginning	12	10	-7	n		330	337	348	342	537	٠ [ ٦	t in	) u	) (	a i	337	351	353	346	5.1	345		n	543		0 4 6		4	340	358	331	4	340	
e hour	91	177	4	ıΩ	رن ارن	331	330	545	340	333	1 0		) (	٦.	4	356	345	353	13 13 13	5 2	345	4	343	1	4.1	200	t in	4	338	340	330	4 1	340	
of one	15	9.0	ਜ *	9 13	57	333	336	347	542	50 10 10 10 10 10 10 10 10 10 10 10 10 10	ט כ	11	) L	7	0 4	540	341	352	347	51	50	<u>~</u>	44	4	4 1	2 2 2	- (1)	0	00	538	329	342	0 4	
periods	2	10	43	t)	328	333	338	341	341	50 50 50 50 50 50 50 50 50 50 50 50 50 5	٠ -	7 15	) 2	+ (	9	353	346	353	347	4.	355	S	**	4	જ ા	3 7 7 7	) 4	4	334	335	328	4 1	340	
successive	22	10	ις 10	tro.	324	332	335	340	340	527	٠ ١	† <	t 、	r t	<u> </u>	3 + 6	345	357	346	4	358	G)	(°)	4		7 4 8	) 4	4	3 5 9	336	327		3 3 4	-
for succ	27	10	80 82 83	r)	99	3 3 3	335	337	340	3 6	۶ ۲	١ <	† <	t t		341	344	357	00 00	348	550	ın	m	r.	4	4 6 6	) 4	4	336	356	323	338	U 10	
values f	11	10.1				332	328	339	340	0 0	2 2	1 6	١ ،	đ t	1	340	346	351	340	4	343	4	m	60	0	7 6	- 10	47	328	335	317	336	9 9	
average v	92	(3)		C)	020	330	330	338	33.53	322	u c	2 1	٠ ر	÷ :	ή.	341	346	347	345		339	3	m.	n		2 4 7	4	4	328	327	332		333	
are av	6	(5)	r)	C)	330	331	330	333	333	331	2 0		٦ ،	<b>†</b> t	η.	341	345	345	344		359	n	r	O.	337	J 16	4	336	329	325	327	334		t days.
values	sc	(1)	M	327	351	331	331	335	351	333	Q I r	١ ،	t <	t ·	4	350	352	346	340	4	340	4	10	M	3 3	7 6	1 4	11	3.30	335	324	337		Five international quiet
tabular	-	10	00 M		5.50	332	337	538	334	336	1 0		t id	J	4	353	356	350	3 4 2	346	344	4	4	n	4.	4 4	4	3 4 4	339	337	334	341		nternation
The t	9	10	230	334		333	329	342	334	337	۱ I <	1 ((	) (	0 (	n	357	359	348	348	346	344	4	4	3.4	4 .	0 4 6	4	346	341	339	338	343		† Five
	2		339		337	332	386	337	353	133	า  -	1 0	) II	) (	U I	357	357	3 4 5	347	347	345	₹;	i)		4 1	4 4	4	346	540	340	337	348		
	4	in		m	337	332	03	348	54.4	340	۱ I	1 1	) נ	3 (	n :	350	354	344	4	347	4	4	(2)	4	4 4	4 4 6	4	4	339		335	4 1	3 3 9	days.
20	3	30		331	336	334	330	343	346	340	nl٠	7 6	\$ G	n ·	4	552	355	3.4.4	340	4	4	4	4	4	4 1	2 0 0	+ 4	4	338		335	4 1	3 0 0	isturbed
1920	2	10	334	335		336	328	346	345	340	<u>- ا</u> ۱	1 c	4 6	٥.	4	351	357	4	345	20	347	S.	4 4	0	4.	244	4	343	ω	36	337	4 1	340	Ten least disturbed days
JULY	-	(1)	356	3.53 53.53	340	338	328	347	345	340	٠I٠	<b>+</b> •	0 t 4 n 4 0	n	4	350	355	340	4	352	so į	S		4	4 4	4 6	4	~	338	336	336		4 0	L
	Char.	L			c	0	H.	ત	н	rd (	ο,	٠.	- ·	o 	н	н	н	<del>-</del>	Н	0	0	0	н	н	H (		0		٦	0	7			
	Day.	-	•	<i>‡</i> ,	•	9	9	t-	œ	<u>.</u>	2	=	2	3	7.	15	97	11	81	61	20	24	23	83	7.	25	2, 2	288	291	30.	31.	Мевп	Mean	No.

VERTICAL INTENSITY.
34500 PLUS TABULAR QUANTITIES, expressed in gammus.

	7	AUGUST	1 1920			The	e tabular	8	ues are	average	e values	ē.	anccessive	periods	s of one	hour	beginning	ä	rnidnight	t 60 th	meridian	ian mean	an time					
Day. C	Char.	-	2	3	5	9	7	8	6	10	11	12	13	14	15	91	1,	18	19 20	12 (	윓	83	25	Мезо.	Msximur	ii.	Milnimus.	Renge.
-	7	388	320 3	2 4	28 3	30 33	31 32	3.5	1 31	8 32	5 32	328	8 333	332	331	332	538	373	5. 4 10	38 33	9 23	8 33	6 336	330	1.6 2 4 2 4	3.40	8 35 31	23
5	0	334	332 3	33 3	35 33	33 33	34 33	33 33	0 32	33	33	9 339	9 344	345	341	339 3	3343	333	35	36 33	6 33	7 33	6 336	336	13 18	346	8 24 32	23
m		2	'n	35	333	34 33	35 33	35 32	9 32	5 33	1 33	5 338	2 330	330	337	341 3	331 3	283	200	31 33	4 33	333	0 329	333	15 29	345	8 28 32	63 63
4		332	334 3	333	39 38	29 38	29 32	27 32	333	33	5 327	7 332	2 337	337	338	339 3	338 3	393	34	39 34	5 4	0 34	4 342	334	3:36	344	8 20 31	9 8 9
<b>*</b> .	+	334	3353	38	38 33	33 33	32 33	33 33	1 32	8 32	8 327	7 324	4 323	325	328	524 3	27 3	283	29 33	53 33	4 33	5 33	7 337	331	3.20	340 13	200 32	1 29
÷.		9	335 3	34 3	1 3	31 33	31 32	39 32	4 3.2	32 32	3 327	7 338	2 338	334	333	334 3	5303	323	32 3	32 33	3 33	2 33	3 334	331	12 30	330	9 40 32	2 17
۲-		334	334 3	35 3	5	31 33	30 32	22 73	33	0 32	5 33	0 333	335	335	336	336 3	338 3	323	29 33	38	3 52	9 33	3 336	331	23 48	339	8 18 31	13 4
61		4	335 3	32	35 33	33	36 33	37 32	6 32	4 32	9 32	9 338	2 339	338	335	33	336 3	34	34 33	56 34	0 33	34	0 340	334	12 24	342	8 27 52	2 19
э. —	н	340	350 3	513	4 4 3 4	40 34	40 33	35 32	8 33	7 33	4 33	4	0 335	333	336	338 3	39 3		36	55 33	55 50	5 33	8 334	337	4 4 8	354	8 40 32	
2		339	338 3	39 3	42 33	39 33	38 33	34 32	7 32	3 32	7 33	331	1 333	333	332	328 3	323	333	31 32	8 33	3 3	4 33	3 334	333	0.89	343 8	8 26 32	2 2 2
-	_	2	36	3	38 34	42 33	38 33	53 32	8 32	5 32	6 32	6 331	1 333	533	332	332 3	5.32 3	313	343	33 33	1 33	33	1 323	50	4 37	343 23	2 47 31	7 86
12	<b>C</b> 2	334	335 3	336 33	36 33	37 33	36 33	50 31	8 31	6 31	9 31	œ	3 319	324	0	330 3	36	53	31	4 6 4	6 34	33	9338	331	20 10	51	7 37 31	38
		2	337 3	'n	39 33	39 34	40 33	3 4 3 2	7 32	5 32	5 323	3 324	4 324	320	3 2 3	332	538 3		36	2 34	4 34	5 34	1 338	334	21 10	4	4 00 31	32
		336	348	342 34	43 34	4 2 3 4	43 34	43 33	4 33	2 33	1 33	335	5 335	338	341	43	349 3		51 35	35 35	5 35	55 54	8 348	348	20 50	358	7 42 32	7 31
_		~	343	m	48 37	47 34	49 34	9 35	0 35	2 35	3 354	355	5 351	352	351	351 3	47 3	523	52 35	3 35	4 35	4 35	2 349	350	11 28	356	1 42 34	0 16
-		344	339 3	433	4 4 34	45 34	48 34	18 34	3 34	2 34	7 34		3 352	349	348	347 3	483	493	49 34	18 34	8 34	8 34	7 345	347	1200	353	1 40 33	8 . 15
171			342	5 2 3	3	40 34	41 33	59 32	8 35	6 32	5 388	330	0 3.32	331	4	329 3	283		35 33	57 34	3 34	4 34	2 339	333	20 35	346	7 47 32	5 21
		340	7	34	34 33	3 4 33	35 33	5	6	4 5	5 32	œ	8 333	332	3.6	352 3	313	3.5	0,	38	333	333	9 348	332	23 21	353		3 30
			350 3	503	47 34	47 34	46 34	233	6 33	233	3 33	3 333	3 336	339	337	337 3	37 3		39 34	2 34	6 34	7 34	9 349	341	1 18	351	9 38 33	21
			348 3	47 3	47 34	43 34	43 34	233	6 33	1 33	6 341	1 342	2 342	340	336	338 3	42 3	403	39	55 33	8 33	7 33	4 348	341	2400	360 8	8 28 32	32
_	_	6.2	603	iO	5	0	45 34	4	33	4	Ø	'n	0 337	3 4 2	338	3363	37 3	36	363	ເດ	3 3 4	1 34	2 351	341	23 36	369 10	0 33	
63			ч	a.	2	51 34	45 33	58 33	3.2	9 32	7 32	324	4.328	333	0 4 0	341 3	453	403	40 33	38 33	33	3 34	1 346	33	(X) (Y)	352 10	0 54 32	
23		347	348 3		3	39 33	39 33	3 2 3 2	8 32	3 32		CQ	5 329	334	334	338 3	339 3	353	37 3	37 33	9 34	1 34	4 346	337	8 2 8	н	8 23 32	38
24.	0		S	4.7	n	47 34	47,34	1U.	8 33	7 33	7 13	3	6 336		342	4 5	349 3	6 9	48 34	7 34	6 34	4 34	3 345	343	16 30	350 10	0 37 33	16
25	7	344	342 3	46	5	49 34	48 34	6 33	8 33	5 33	4 335	5 335	5 335	338	342	348 3	433	413	41 34	0 33	8 33	8 33	7 338	340	3 47	350	8 43 33	2 18
- 56			3413	42	42 34	42 34	41 33	3 3 3	3.2	32			330	333	19	334 3	336 3	363	4 1 3	41 34	1 33	7 33	8 338	336	3 23	348	8 20 32	7 15
27.		37	338 3	38	4134	42 34	43 34	233	52	7 33	9 (330		2(334	330	w	3403	4 1 3	413	41 33	39 34	0 34	0 34	0 337	337	1.8 42	343	9 52 32	19
20	н	~	337 3	403	40 34	40 33	37 33	5 3 3 2	3 2	5 32	5 328	330	330	331	333	335 3	n	373	40 34	10 34	0 34	0 34	1 340	335	1900	341 8	8 7 32	3 18
Ŗ	-	339	3413	403	41 34	40 33	39 33	33	50	333	333	33.4	332	333	336	338	5413	413	42 34	1 34	1 34	0 33	2 330	337	18 54	343	8 34 38	7 16
3		39		48	0		_			<u>.</u>																	-	:
75	٦	340	3433	433	47 34	47 34	4734	5 33	6 33	0 33	3 331	32	9 329	353	333	332 3	37 3	383	40 34	5 34	6 34	3 33	8 337	338	3 53	349 11	10 32	02 6
Mean		339	340 3	413	41 34	4034	40 33	57 33	1 32	8 33	0 331	33	3 334	335	336	3363	338 3	373	37 33	58 33	9 33	9 33	9 340	337	,			24
Mean.		340	339 3	403	41 34	42 34	41 34	0 33	4 33	2 33	4 335	33	6 337	338	339	339 3	39 3	403	4 7	11 34	1 34	0 34	0 340	339				17
Meant		337	337 3	37 3	38 33	37 33	37 33	3 8	8.	5 33	7 330	53	3 336	3.35	335	335	3 4	35	7. 270 470	95 50 50 50 50 50 50 50 50 50 50 50 50 50	34	34	0 339	333				
STORY OF STREET		* Tet	"Ten least disturbed days.	urbed day	¥.	1	Five international quiet days.	national c	puiet day	.8		democratical designation of the last of th	deservation of the last	-	and the same of		-	actions desired	-	- Particular		COLUMN TO SERVICE SERV	Contraction of the	determentens	`			

# VERTICAL INTENSITY.

54500 PLUS TABULAR QUANTITIES, expressed in gammas.

		SEPTEMBER	MBER 1920	0		F	The tabular	lar values	are	average	e values	ě	successive	e periods	ğ	one hour	r beginning	ning at	t midnight	ight 60	#	meridian	mean	time.					
Day.	Char.	1	2	3 4	2	-	2 9	8	6	10	11	13	13	14	15	16	17	18	19	8,	21	22	ន	24 Me	Мезь. Ма	Maximum.	Minimum	,	Range.
_	Н	333	335 3	29 3.2	1 3	333	33 32	8 33	0 32	1 31	7 312	309	310	316	319	319	8 8 8	328	327	330	338	339	340	339 38	26 1 3	m. 56 340	1. m.	507	33
~	H	3	5	35 33	3 3	34	35 53	4 33	8 33	2 33	4 335	-	332	333	333	_	328	333	338		0	337	336 3	37 3	33 21 4	5 339	7 38	326	13
60	ਜ	ω	n	24 31	19	27 3	333 33	<u>~</u>	33	9 33	8 337	333	337	337	333	328	335	337	338	340	341	339	338 3	346 33	36 24 0	00 354	3 12	311	4 W
4	<del>-</del>	57	51 3	6 34	1 3	45 3	344 34	1 336	4 5	4 340	0 341	344	338	334	339	339	340	358	341	344	342	347	347 3	342 34	1 2	47 364	7 48	329	in U
1.5	н	348	350 3	53 33	9	383	41 33	9 33	3 33	33	0 314	321	330	330	331	328	331	330	329	352	332	333	337 3	373	34 2 0	355	10 24	311	4
<b>*</b> 5	1	340	340 3	40.34	4 3	40 3	35 33	4 33	1 38	5 32	6 338	331	335	338	338	334	333	333	335	334	334	335	3363	36 3	35 35	1 347	8 48	324	23
-	-	н	341 3	41 34	0	37 3	336 33	1 32	5 32	33	5 326	326	326	332	337	337	533	327	327	328	326	322	334 3	303	31 22 3	7 343	8 53	321	63
∞	ત	2	346 3	4.4 34	3 34	50	40 33	5 33	32	1 32	6 389	331	330	327	333		331	334	327	316	329	345	346 3	337 33	34 21 5	3 353	19 26	308	4
6	н	4.5	348 3	51 34	6 34	9	347 34	4 33	3 330	32	9.328	330	334	339	339	338	338	339	339	334	330	335	336 3	340 338	38 2 2	0 353	9 35	330	33
9	н	334	336 3.	44 34	1 3	433	40 33	8 33	2 327	32	8 332	332	333	331	332	334	334	340	343	348	339	341	339 3	38 3	36 18 5	7 348	8 30	326	22
=	н	341	341 34	41 34	5	4 4 3	44 33	8 32	9 32	32	5 329	332	334	335	336	337								_	5 3	8 346	8 22	319	27
22	0								329	33	9 328	327	327	327	328	328	338	334		~	333		333 3	332			12 6	324	
23		32	2	3	6	9	39 33	3.2	9 319	31	4 3.12	308	306	318	323	314	325	327	333	319	336	336	336 3	335 327	5 2	0 340	12 15	300	0
=		5 4	₩	35 33	5	9	336 33	6 33	3 3 3 9	19	9 331	332	333	332	330	324	326	327	329	334	336	337	334 3	326 33	83	00 339	15 36	320	4
15			338 3:	0	5	36 3	39 33	9 32	5.5	32	4 324	324	324	317	313	320	322	326	330	334	335	338	3343	330 329	63	3 352	14 12	309	43
91	T	0	330 33	32 33	3	29 33	34 33	6 52	7 323	32	2321	320	315	313	314	319	324	322	319	325	331	339	339 3	3.4	327 20 5	5 342	13 10	311	31
-		339	13	39 34	10	32 33	38 33	7 333	33	33	3 315	315	315	322	322	321	326	327	325	326	335	336	338 3	338 33	30 35	7 347	11 48	312	35
• 35		339	0	io	5	34 3	34 33	2 328	<b>10</b>	33	3 380	313	319	325	327	328	324	336	327	327	329	335	335 3	335 32	20 63	3 340	11 40	310	90
2		~	336 33	39 33	s S	333	332 33	330	52	9 33	1 334	331	333	329	327	326	324	322	321	323	327	327	328 3	528 33	30 1 4	0 341	18 30	321	20
\$0.50 0.50		334	336 35	27 32	7 32	38	26 32	5 323	3 321	51	8 316	321	321	324	324	322	520	321	322	320	323	322	324 3	324 32	24 1	2 340	10 00	315	25
21.4			338 38	7	9	38 63	89 38	6 32	2 3 3	3.2	0 320	321	323	523	388	321	383	3 5 5	323	3.25	325	326	331 3	329 33	55 22 2	1 339	10 00	318	21
- 31		327	332 38	9	œ.	35 35	5	9 316	6 3 0 9	30	0	500	302	309	300	316	380	313	320	323	336	351	342 3	342 32	22 21 1	2 353	12 20	295	SB
83	0	H	0	7	0		336 332	12	5 324	33	m	325			327	326	326	327	326	325	10	326	326 3	328 32	80 68	2 343	10 00	322	2,1
24.		0	0	0	3 3	34 3	336 33	333	4 318	31	3 309	31.0	317	321	385	386	327	327	325	324	326	325	325 3	325 32	5 5	36 337	10 40	309	8
• 55		7	329 32	29 33	0	30 3	330 32	8 32	6 31	7 31	5 315	314	314	320	324	328	328	329	328	324	320	320	3203	320 32	4	00 330	9 14	314	16
36	0	n	(O	3	9	0	8	3.2	9	32	1 318				321	383	330	329	328	327	324	323	n1	320 32	34 16 5	4 330	12 00	315	15
27	н	0	0	7	3	7	6	35	4	3	n	т	m			319	(025)	(3 S T)	322	322	10	324	6	(327) 32	0	57 336	12 45	303	5
88	Ω	9	4	n N	0	33 3	35 33	æ	n	o₁ o≀			Ω.		333	333	386	331	333	7	344		4	338 32	3 22 1	4 351	10 30	277	7 4
 #3	ч	39	3	45 34	н	6	45 34	0 33	23	4 32	5 318	317	3 % 1	324	325	325	329	330	338	341	335	337	343	35 33	53	5 356	13 3	312	4 4
8	н	4 4	336 33	35 33	8 24	0	39	9	60	5 33	321	321	323	327	332	337	330	329	336	338	341	339	3363	35 33	4 C	2 348	1056	317	4
1		336	33633	35 33	5 33	5	36 33	3.8	9 32	5 32	3 320	521	322	324	326	327	328	328	329	330	332	334	3353	53333	0.0			1	32
Mean		3.2	334 33	332 33	3	Q	331 33	0 32	6 32	13	1320	320	322	325		326	0	326	326	326	326	327	328 3	22 75	7			L	2.2
Mean		331	4 10	30 33	50	7 3	30 32	8 32	6 32	2 3 2	1 320	328	324	326	326	3.2.5	326	326	5.27	322	322	326	3253	25 32	9			ļ	
bassacrades		Eigh	Eight least disturbed days.	rbed days.	1.	1	Four intern	international quiet days	uiet day	8.						A constant of	-		+	advantage contract		- April 1	en e	A CONTRACTOR OF THE PERSON OF	* Section 1				

INTENSITY VERITCAL

PLUS TABULAR QUANTITIES, expressed in gammas

tabular values are average values for successive periods of one hour beginning at midnight 60 th meridian mean time

16th substituted for 30th

† Five international quiet days.

Ten least disturbed days.

VERTICAL INTENSITY.

1   1   1   1   1   1   1   1   1   1			NOVEMBER		1920			The to	tabular values	values	are	average v	34500 values for		TABL		QUANTITIES, ods of one h	ex a	£ E	# #	r. midnight	88 #	meridian	n mean	n time				- American State of the State o		-	
1   1   1   1   1   1   1   1   1   1	Day.	-		22		-	5	٠	2		6	2	=	13	13	z	22			$\dashv$	-	21	a	8	×	Mean.	Maxir	mam.	Ž.	nimum.	Rang	8
1		1	_	Ŀ	_										n.		- 02	. 5	ς) 4 ε)	10	<u>ص</u> نی	بم ج	7 33	3.3	50		A. 195.					
1	(	-	ic.	60	i.	ř.	ار ار	<b>1</b> 0	3	3	8	3,	3,	3.1	4	~	Oi	9	1 9	0	2	5	55	50	5	50	$\omega$	1,	16	6	4	
1		-	1 1	1 10	1 1	1 15	1 15	i to		50	150	52	17	321		-		24	3.	2,2	(U)	5	3.2	5	32	3	7	34	10	4	0	
1   1   1   1   1   1   1   1   1   1	r:	o ·	1 6	) L	) 1	) 6	) i.	) 'R	) 19	1 1	) to	(3.2)	(3.2	(3.2.4		4		8	17	3.5	3	5	3.3	w	3	5	19	ί. 4	c			
1	-	H ←	א ני	) k	) 1. J 10.	3 10	3 6	וא ני ניין נ	1 10	1 10	, m	1 6	3.2	320	18	50	57	N									-1	34	13	5	۲.	
1 3 3 4 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	,	1	1			۱_			1									6	453	0	6 3	9 3	33	33	53	_						
1 350 350 350 350 350 350 350 350 350 350	o t	-	10	34.1	3		34	34	50	W	5.3	5	32	3	æ	2 1	5 1	2 4	5	<u>्</u> त	:0	<u>ιυ</u> ιυ	5	50	5 3	:0	5.5	34	13	~	9	
1   1   1   1   1   1   1   1   1   1	• •		3 5	337	4 7		4	10	3.3	53	3.2	53	33	-	326	3 2 5	324	3	Ox	10 10	50		3.2	33	<b>14</b> 0	r3	4	ω.	6	~		
1   1   1   1   1   1   1   1   1   1	• •		33	330	33		33	50	33	5	32	33	8	A	321	322	323	9	3	त	32	₹ 8	2 33	3.2	ij	3.2	7	33	7			
1	• •		50	331	. 6		5	33	13	33	3	31	31	311	н	16	0	22	4	9	िन	7	32	32	32	32	US	5	9	5	0	
0 23 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3	E	1	(12		3.2		33	33	33	3.2	32	32	37	~	н	~1	6	23	25.50	3	8	20	ত				4	ω ω	0 1	<u>10</u>	Φ	
1	. 5						_														-									_		
1   1   1   1   1   1   1   1   1   1	2																								. :				,	t		,
1   1   1   1   1   1   1   1   1   1	: :	0										Q	33	Ø	œ	23	3	~	30	10	9	S S	933	53	w w		n N	٠ ن	1.4	n !		
1   13   13   13   13   13   13   13	: :		50	33	19	33	M	5	5	33	33	33	2	W	œ	2 1	0	20	223	27	7 3	9	8 33	33	3.5	33		33	1.4	w)	9	
1 356 339 337 359 358 358 358 358 358 358 358 358 358 358	1:	+	T	334	334	33	328	32	3.2	33	33	10	33	31	C2	23	25	27	263	27 3	ਨ	ત	33	33	5	53		ų 4	Н	77	Ö	
1   1   1   1   1   1   1   1   1   1	9 !	_		1 10	337	330	5	10	50	2	5	'n	33	33	325	27	30	30	263	20	5	9	8 33	5	53	33	ы	343			Oz.	
1   1   1   1   1   1   1   1   1   1	=			7 6	1	1 10	1 6	1 (1)		1 10	10	5	33	33	322	10	m	10	233	263	n	3	5 32	3	33	52	5	34	12	7	Н	
1   1   1   1   1   1   1   1   1   1	2 '			1 0	1 10	1 10				t	22	33	5	3	330	· ਜ	-	30	2 6 5	2 9	3	7 3	9 32	33	33	3	ભ	33	10	7 3	03	C)
1 355 356 356 358 358 351 350 352 351 350 311 317 320 316 324 328 328 328 328 328 328 328 338 338 338	<u>.</u>			2 11	1 11	9 6			0 10	1			6	, t.	(1)	C)	IC.	2	273	30	273	3	1 32	33	3.3	33	H	50	0	0	0	8
1 356 356 356 356 356 356 357 358 351 317 312 314 314 322 325 328 328 328 328 328 328 328 328 328 338 33	8	1	$\top$	100	2 2	0 0	ء  ر	1 6	1 16	100	1 6	1	2 2	100		1	10	8	2 4 3	233	263	3	6 32	32	32	32	-1	33	10	3	8	
0 326 328 332 332 332 330 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 329 320 320 320 320 320 320 320 320 320 320	7		1 0	<b>1</b>	0 :	1 0	9 6	J . F	י נ	3 .0	3 6	1 6	1 "	0 0	1 0	- 1	) tc	0 0	4 6	10		3	14	32	32	52	4	5.	0	<u>14</u>	S.	
0 320 329 329 329 329 329 320 315 319 315 315 315 315 321 324 324 326 329 329 318 322 340 319 4 8 311 0 48 310 0 0 320 329 329 329 329 329 329 329 329 329 329	55		0 0	0 :	9 6	0 6	0 0	ין האינו	9 6	3 6	9 0	1 6	1 "	1 6	1 -	1 4	7 (0	2 0	1 60	1 0	2 00	1 10	32	3	20	3	63	ιυ ευ	-1	r	0	
0 221 322 322 322 322 324 31 31 31 31 31 31 31 31 31 31 31 31 31	83		7 6	) (	) 10	) 16	3 0	) 6	1 6	1 10	1 10	1 10	1 15	3.	١ -	4	9	-	2 4 3	3 4 5	3	6	0 31	3.1	31	3.2	4	33	н	5	0	
2 320 320 321 324 325 325 324 317 313 303 308 308 308 319 315 326 321 321 328 334 324 319 21 40 342 14 22 294 4 1 1 22 32 326 321 337 339 337 339 337 339 337 339 337 339 337 339 337 339 337 339 337 339 337 339 337 339 339	ž		1 6	י ני	1 6	1 0	) to	1 10	1 10	1 6	3 1	3 1	1 0	5	0	, H	2	1 1	18	2 2	(1)	20	2 31	3	31	3.1		38	1	n	- (	
1 328 326 331 337 339 337 336 335 329 320 319 321 321 329 320 329 329 320 329 320 329 327 326 328 4 18 34111 41318 2 1 328 329 332 332 339 337 336 339 329 329 320 314 318 319 319 319 324 330 331 332 332 332 332 332 332 332 332 332		1	32	322	321	32	32	32	3.2	3.2	31	3.1	3.0	30	0	0	66	60	153	263	8 3	1 3	1 33	33	32	31	1.4	34	4	Ω	4	
1 328 329 333 330 320 329 336 330 329 318 319 312 305 314 318 319 319 328 330 331 329 329 328 324 7 40 336 13 5 300 3 1	3 8	2 -	3	N	5	5	5	5	33	5	3	5	32	3	н	CQ2	C)	н	21	5	26	3	9 32	3.2	3.5	32	Н	N	r T	न	80	19
1 335 330 329 527 329 331 351 351 352 322 316 316 310 312 314 316 316 319 320 328 328 328 321 323 0 13 335 11 38 307 2 0 330 329 329 329 328 321 323 0 13 335 11 38 307 7 2 0 330 329 329 329 329 329 329 329 329 329 329	i 8		75	57	ii) ii)	5	33	33	ιυ ιυ	3	. KJ	12	5	31	Q	0	4	10	4	6	(S)	<u>n</u>	3.2	33	32	32	4	3	Н	3		9
0 350 329 327 328 326 326 327 324 320 034 014 014 318 316 316 317 319 382 323 329 327 328 322 030 334 02 000313 1  331 332 333 333 334 331 331 330 326 328 319 316 319 321 322 328 326 327 327 327 327 328 329 326  330 331 332 332 332 332 332 330 324 319 316 317 320 323 528 328 327 327 327 327 327 328 326 328  330 331 332 332 332 332 332 330 324 319 316 317 320 323 528 328 329 \$20 \$20 \$27 327 327 328 326  330 331 332 332 332 332 332 330 324 319 316 317 320 323 528 328 329 \$20 \$20 \$27 327 327 328 326	*		3.3.7	3	3.2	10	50	10	. 10	20	52	31	n	20	н	ч	1.4	1 6	19 3	203	CQ1	9	32	32	33	3	Н	33	17	8		æ
331 332 333 332 332 332 332 332 332 332	62		7 1	1 0	י ני	1 (	N C	1 10	1 2	3	10	(3)	. 10	2	-	H	-	9	16	17	OI.	(n)	in M	32	32	33	3	М	(T S	5	1	0)
330 331 332 333 332 332 332 333 330 326 322 319 318 318 319 321 324 328 324 327 327 328 329 329 329 326 326 326 328 329 329 320 331 332 332 332 332 332 332 332 332 332	3		<u>.</u>	1		1	t	1										_		_			_							-	4	T
329 330 331 332 332 332 332 330 326 319 316 313 316 317 320 323 329 329 327 327 326 326 326 326 325 325 330 331 332 332 332 332 332 332 332 332 332	1		In	33	33	4	m	33	33	33	33	32	31	31	-	Н	न स	22	243	263	27 3	7 3	7 3	32	32	32		-	_		~	4
330 331 332 332 332 332 332 330 324 319 315 314 316 317 320 323 329 328 329 328 327 328 32		╽.	િય	33	33	3	33	33	33	33	32	31	3.1	31	-	317	19	22	233	25	7 3	7 3	7 3	2	32	32					~	2
Section of the sectio	Mean	-  -	m	33	33		33	33	33	33	20	-4	31	ω.	·+	++	0	3	en en	28	9	<u> </u>	60	5	in in	33						
	1		and loss Charles				Name and Address of the Owner, where	-	Contract of the last	Andrew Company	-	The Constitution of the Co	-	Comments.	-	-		1	-	-	Total Control	and the second				Assessment						

VERTICAL INTENSITY.

34500 PLUS TABULAR QUANTITIES, expressed in gaminiss.

	ا ۾	0	9	_	n	7	0	2	9	+	T	4	8	-	8	0	~	8	0	~	N)	-	•	ч	8	ন্ন	Q.	5	8	4	~	a	Q)	0		
	Range.	, н	Q	4	S	22	ň	()	ď	`N	1	æ	п	CV2	ч		à	٦	٦	Q.	6	Ä	20	4	18	1		NI.	1	7 7	17	20	~	~		
	g	32.4	309	326	296	315	304	317	314	319		319	322	321	319	322	313	311	309	304	311	313	317	323	324	320	316	311	31.4	320	316	312				
	Miniman	₹0.	8 4	4	4	8	16	2	4 8	57	1	00	Ŋ	8	8	0	9	30	4		0	0	4 5	7	9	20	2	9	ä	30	4	30	1.,			
		4 4	4	18	6	12	77	9	70	10	1	7	12	7	0	15	13	70	۵	9	2	2	0	10	70	7	8	15	2 15	16	15	3				
	ś	333	335	343	349	348	334	340	340	340	1	343	340	341	337	340	340	329	327	331	333	334	337	338	342	350	33	336	33	334	333	332				
9	Madmun	ĘQ	4 2	50	36	10	13.5	57	ß	40		4 8	4	4	54	30	00		33	5	30	11	20	1.5	23	5	5	30	33	33	11	350				
		-\$(A) (L)	<u>n</u>	<u>-</u>	2		5 3	9 16	4	4	4	4			n 0	3 23	0	5			3	2	0	CS.	4 23	7	9	3	6 23	8 14	<u>4</u>	5		او	6	1
	Meen	8	32	331	32	327	325	325	331			337	33	331	33	33	386	30	318	319	32	327	33	33	33	335	33	32	32	32	35	32	32	320	32	
timê	z	333	333	334	328	325	327	330	333	- 1	?	338	333	335	334	339	326	326	325	323	330	333	334	331	345	329	327	330	332	332	331	328	331	331	333	
mean	10	333	332	333	333	327	327	329	333		25.7	338	335	335	334	337	327	325	353	333	328	330	332	330	341	329	330	328	331	329	326	330	331	329	332	
meridian	ន	331	328	332	334	328	327	329	333	1	238	339	335	333	335	337	326	324	321	321	327	329	332	331	341	329	330	328	331	328	326	326	330	329	332	
th me	2	327	324	331	335	325	327	330	335		228	339	334	334	333	338	325	324	320	322	326	329	330	334	340	331	336	332	330	327	325	324	330	328	331	
sht so	8	324	321	331	315	326	327	333	335		227	339	333	335	332	336	326	323	319	321	327	328	333	332	335	335	333	328	330	387	325	325	329	327	331	
midnight	61	323	318	328	319	326	323	335	337	1	626	337	333	334	329	335	323	323	319	320	326	328	335	333	334	328	330	317	326	325	326	325	327	327	331	- Annual Control
#	91	321	314	328	319	325	324	338	336	-	3.56	336	329	334	327	333	322	323	318	319	325	328	334	337	334	324	330	318	324	325	324	321	327	326	329	
beginning	17	318	315	327	316	322	324	338	334	-	234	331	327	328	326	330	318	322	318	318	320	988	333	333	332	323	323	314	319	321	320	321	324	323	326	-
hour	91	18	14	15.	17	30	30	37	33	6	1	68	56	4	5	27	16	SI SI	14	315	18	98	88	5 6	68	24	53	4	315	8	317	325	23	23	2 4	
of one	15	317 3	3103	330 3	310 3	322 3	322 3	323 3	3333	88	1	326 3	327 3	3233	325 3	326 3	3143	320 3	311 3	313	318 3	327 3	328 3	325 3	328 3	322 3	317 3	318 3	317	332 3	3213	325	5223	122 3	3243	
periods	14	317	3143	327 3	314	321	318	3213	329	326	1	325	332	324	326	328	3163	388	3113	308	317	325	324	328	328	322	318	319	319	332	322	324	322	322	324 3	
	13	317	315	326	312	317	313	320	317	250	1	323	332	324	326	331	314	322	312	308	315	324	325	328	328	329	317	317	318	328	322	324	321	321	324	magaaata
r successive	27	322	321	326	312	316	308	321	315	980	1	319	329	323	327	332	318	316	313	307	316	319	325	325	327	334	318	314	320	324	318	318	320	319	323	acadooperson
lues for	Ē	323	317	8	317	322	318	320	316	321	1	323	332	324	323	328	322	313	311	305	312	313	321	323	324	336	320	315	320	388	317	3126	320	318	323	The second second
age va	2	323	318	330	319	324	321	324	323	327	1	329	334	325	321	329	27	317	309	308	311	313	518	326	327	338	318	317	324	326	317	313	322	318	324	No.
are aver	-	323	322	330	321	327	326	328	331	333	1	337	338	327	330	333	10	322	318	318	315	320	326	330	332	335	324	324	327	326	321	318	326	325	329	
values e		326	324	331	328	338	330	331	334	337	1	341	340	335	331	35	33	325	319	324	322	327	329	334	336	346	330	326	330	330	323	325	0	328	332	
tabular v	-	326	327	332	331	338	333	332	335	338		341	340	336	332	35		324	322	324	325	330	331	335	338	350	333	326	330	328	324	338	-	329	332	
The tab	-	326	328	331	331	336	333	331	335	337		341	340	336	n	35	33	326	323	326	328	330	334	336	340	347	332	334	330	327	385	329	332	330	333	
	5	326	326	332	-	337	333	330	335	338	_	339	340	336	334	2	4	326	025	527	330	533	335	338	340	350	334	828	330	330	386	628	3	330	333	
	Ţ	328	32	331	334	~	33	31	336	3 4	_	38	399	37	3.5	n	36	326	323	328	331	334	336	337	337	345	328	329	0		6	332	33	31	34	- Comments
	-	88	31	3303	38	330 3	293	31	335	88		37 3	38 3	36 3	33	34	353	2 6 3	24	327	2 9 3	333 3	ŝ	336 3	37		329 3	25	329 3	н		Q		313	333	
ER 1920	2	29 3	O	335 3	ın	CQ.	28	3313	3333	33	_	37 3	39 3	353	32	333	373	263	253	328 3	329 3	3313	363	37 3	334 336 337	342 3	7 326 3	263	263	30 3	30 3	330 3	32 3	331 3	343	CONTRACTOR OF THE PERSON
DECEMBER		2.9 3	34	3403	363	327 3	329 3	329 3	33	331 3	-	37 3	393	31/3	332 332	343	38 3	326 326 3	326 3	327 3	327 3	3313	335 336	335 337	34	3403	273	325 326	327 32	332 330	330 330	332 3	323	3.1	34 33	
DE	C Beer	n	<u>بر</u>				Г		7		_	3					0	0	0										1 3	_	-	0	2	10	6	Contract of the last
	1	1	_				┝				-	1							-			1-			-		٠			~~~			1	7,000	Meant	-
	180				_		L				-		-	_	_	_	1	_				Ľ	. "		- 61		Ľ	- ~	. "				1 2		1 3	J

† Five international quiet days.

\* Ten lesst disturbed days.

## EARTHQUAKES.

A Bosch-Omori seismograph has been in operation since September, 1903. It consists of two horizontal pendulums, one recording north-south motion (N) and the other recording east-west motion (E). In the following tables the times are Greenwich mean time, counted from midnight.

Period of pendulums: N, 19 sec.; E, 17 sec. Multiplication, 10.

Steady mass, 10 to 12 kg.

Register of earthquakes.

-			Ī		1	!	1		
No.	Date.	Com- ponent.	Р.	s.	L.	М.	C.	F.	A.
1	1919.		h. m. s.	h. m. s. 3 30 06	h. m. s.	h. m. s.	h. m.	h. m.	mm.
455	Jan. 1	NENENENE	3 19 18 3 19 15	3 30 06 3 29 19	3 35 36 3 35 35	3 35 52 3 30 05	3 37 3 40	4 19 4 30	$\frac{1.9}{2.0}$
456	Mar. 2	N E			4 05 32 3 59 39	4 08 31 4 03 30		4 10 4 10	.2
457	Mar. 2	E	11 58 46		12 23 10 12 18 12	12 25 43 12 21 56	12 27 12 30	$\frac{12}{12} \frac{30}{37}$	.6
458	Mar. 9	N E			3 56 56 3 49 56	3 57 36 3 51 50		4 01 4 00	.1
459	Mar. 24	N E	20 29 33 20 29 39 20 59 17			20 30 07 20 30 16		20 33 20 34	.2
460	Apr. 17	N E	20 58 44	21 04 26 21 03 44	21 06 15 21 06 42	21 06 45 21 12 44	21 17 21 19	21 29 21 44	1.0 1.6
461	Apr. 21	N E	11 31 43 11 31 35	11 36 12 11 35 30	11 37 35	11 43 25 11 42 40		12 01 11 59	.1
462 463	Apr. 28 Apr. 30	NEXEXEEXE	6 55 32 7 35 31		6 58 53 8 14 50	7 01 48 8 16 25	8 45	7 11 9 55	1.2
464	May 1	E N	7 36 31 2 41 12	7 46 13	8 12 27	8 31 17	• • • • • • •	$\begin{array}{ccc} 10 & 29 \\ 2 & 42 \end{array}$	1.8
465	May 2	N E E	2 41 12		3 04 28			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	i
466	May 3	N E	1 11 48 1 11 39	1 21 27	1 54 30 1 43 40	2 00 58 1 54 07	$\begin{array}{c} 2 \ 01 \\ 2 \ 11 \end{array}$	2 18 3 18	.3
467	May 6	N E	20 02 05 20 01 58	20 04 44	20 40 46 20 40 15	21 00 20 21 00 02	$\begin{array}{cccc} 21 & 11 \\ 21 & 21 \end{array}$	$\begin{array}{cccc} 21 & 54 \\ 22 & 05 \end{array}$	. 6 1. 2
468 469	May 23 June 28	E N	3 18 10 1 45 39			1 46 14		3 44 1 51	1.2
470	June 29	E	1 45 40 23 19 27	23 23 43	23 26 07	1 46 10 23 30 01		$\frac{1}{23} \frac{51}{44}$	3. 2
471	July 6	N E N E	23 19 12	23 23 11	23 25 26 7 16 18	23 29 40 7 16 34	23 31 23 34	23 50 7 22	1.6
472	July 8	E	7 13 05		7 18 15 21 54 10	21 59 10	22 01	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\cdot \frac{1}{2}$
473	July 11	N E	0 35 57 0 36 31	0 37 38	0 38 48	0 38 58	0 41	0 50 0 45	1
474 475	July 17July 22	$\mathbf{E}$	16 27 50 22 06 06		16 35 43	16 36 53	16 40	16 45 22 13	-1
476	j	N E E	22 06 08 16 38 26		22 10 48 16 38 46	22 12 43 16 38 58	22 14 16 40	22 21 16 43	.1
477	Aug. 3 Aug. 9	N E	11 49 34 11 49 35					11 54 11 53	.2
478	Aug. 22		8 50 57 8 50 57		8 51 20 8 51 21	8 51 28 8 51 34	8 55 8 55	8 59 8 58	1.3
479	Aug. 30	N E	6 04 48		6 05 14 6 05 12	6 05 38	6 07	6 14 6 13	1.3
480	Sept. 5	N E	19 03 02 19 03 02		19 03 44 19 03 15	19 04 02 19 04 02	19 05 19 05	19 11 19 11	1.3
481	Sept. 6	N E	9 30 15		20 00 10	9 31 18 9 31 23	9 34 9 34	10 06 10 05	18. 9 15. 9
482	Sept. 11	N E	13 50 10 13 50 13		13 50 36 13 50 27	13 50 55 13 50 50	13 52 13 52	13 57 14 00	15.9
483	Sept. 11	N E	14 12 00 14 12 01		14 12 06 14 12 07	14 12 46 14 12 40	14 14 14 14	14 19 14 23	1.3 1.2
484 485	Sept. 13. Sept. 13.	E	12 32 00 21 49 51		21 50 22	12 38 40 21 50 28	1	12 58 21 57	.2
486	Sept. 25	N E N	21 49 52 16 21 46		21 50 09	21 50 27 16 21 49	21 51 21 51	21 57 16 25	.6
487	Oct. 14.	N E E	16 21 46		17 03 17	16 21 48 16 21 48 17 05 35		16 25 16 25 17 15	.5
488	Nov. 6	N E	7 15 00 7 15 00	7 16 23	7 17 19 7 17 27	7 18 02 7 18 05	7 19 7 20	7 24 7 24	.1
489	Nov. 8	$\tilde{N}_{E}$	3 45 18 3 44 39			1 19 09		3 47	.6
490	Nov. 22	NENENE	1 08 42 1 09 02			1 10 06		1 14	2
491	Dec. 5	Ŋ	0 25 35 0 20 59	0 24 39	0 33 00 0 25 53	1 09 43 0 33 30 0 25 59		1 14 0 35 0 36	.2

# Register of earthquakes—Continued.

No.	Date.	Com- ponent.	Р.	s.	L.	М.	C.	F.	Α.
	1920.		h.m. s. 4 28 45	h. m. s.	h. m. s.	h. m. s.	h. m.	h. m.	mm.
492	Jan. 4	E	4 28 32		4 36 50			4 50 4 50	.i
493	Jan. 15	E	16 26 30 16 26 30 21 23 51		16 26 56 16 26 51	16 27 21 16 27 33 21 24 47	16 30 16 28	16 38 16 38	1.0 .8 1.4
494 495	Jan. 26	E	21 23 51 21 23 51 23 02 38		21 24 23 21 24 22 23 03 01	21 24 47 21 24 54 23 03 24	16 28 21 26 21 27 23 04	21 34 21 43	1.4 .6 2.6
496	Jan. 30.	E	23 02 37 18 31 32		23 03 01	23 03 29	23 04	23 11 23 12 18 38	.9
497	Feb. 2	E	18 31 33 11 45 32	18 35 24	18 39 30	18 39 45 13 22 55		18 51 13 30	.2
498	Feb. 10	NENENENENENENEE	11 45 39 22 07 48		$\begin{array}{c} 12 \ 38 \ 15 \\ 22 \ 08 \ 02 \end{array}$	13 10 58		13 50	.4 85+
499		Ë E	22 07 48 22 37 34		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		22 16	$\begin{array}{cccc} 23 & 33 \\ 22 & 42 \end{array}$	84+
500 591	Feb. 10 Feb. 11 Feb. 11	E N	0 10 53 8 13 15		8 13 37	0 11 39 8 14 32	8 16	$\begin{array}{c} 0 & 17 \\ 8 & 20 \end{array}$	.2
592	Feb. 12	E N	0 26 58		8 13 38 0 27 34	8 14 16 0 28 14	8 17 0 30	8 22 0 39	.3 3.3
593	Feb. 12	ENENENENENENENENENEN	0 26 59 15 39 37		0 27 11	0 28 14	0 30	0 39 15 44	1. 9
594	Feb. 12	E N	15 39 35 17 49 52	17 50 08		15 40 30 17 59 29	17 52	15 44 18 00	1.1
595	Feb. 12	E	17 49 49 22 39 48	17 59 08		17 59 45	17 52	18 00 22 43	
506	Feb. 21	N E	22 39 38 13 54 11	13 54 27		22 40 10 13 54 47	13 56	22 42 14 02	1.0
597	Mar. 20	N	13 54 11 18 42 56 18 44 42	13 54 21 18 51 38 18 51 36	19 06 30 19 03 50	13 54 50 19 09 25 19 04 54	13 56 19 13	14 02 19 19	.8
598	Mar. 31	N	23 13 22 23 13 22		23 13 45 23 13 41	23 14 28 23 14 32	19 16	19 52 23 19 23 19	.4 .1 .1
509	Apr. 12	N E	17 39 15 17 39 18		17 39 26 17 39 21	17 39 47	17 40 17 40	17 43 17 43	.i
510	Apr. 19	N E	21 13 02	21 18 10 21 18 00		21 23 35	21 32	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2
511 512	May 7 May 29	Ë			21 22 25 22 37 40	22 38 50	22 46	$\begin{array}{ccc} 21 & 50 \\ 22 & 50 \\ 21 & 29 \end{array}$	.3
513	June 5	N E N	21 24 40 21 24 33 4 42 57		5 39 07	5 44 20	5 47	21 28 5 52	. 1
514	July 7	N E N E N E N E	0 44 54		5 26 10 0 45 20	5 44 20 5 40 25 0 45 40	5 54	6 24 0 49	.8
515	Aug. 3	E N	0 44 44	20 12 06	20 21 47	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 29	$\begin{array}{c} 0 & 50 \\ 20 & 36 \end{array}$	$\begin{array}{c} .2\\ .2\\ .3\\ 2.5\\ .2\\ .1 \end{array}$
516	Aug. 7	E N	2 41 21	20 12 13	20 20 17	20 22 18	20 27	$\begin{array}{ccc} 20 & 45 \\ 2 & 47 \end{array}$	$\begin{array}{c} 2.5 \\ .2 \end{array}$
517	Ang. 20	E N	2 41 41		16 52 06			$\frac{2}{16} \frac{45}{56}$	$\frac{.2}{.1}$
518	Sept. S	N E N E	2 06 34	16 33 09 2 15 06	16 42 00	16 46 50	16 52	$\begin{array}{ccc} 17 & 10 \\ 2 & 20 \\ 2 & 29 \end{array}$	2
519	Sept. 20	N N	2 06 52 15 01 36	2 15 06	15 41 13	15 42 59	15 49	16 59	.6
520	Sept. 24	N E N E	15 01 35 21 59 46 21 59 46	22 03 45 22 03 45	15 49 06 22 05 13	15 42 01 22 05 24	15 58	17  17  22  11  22  28	.7
521	Oct. 2	N E	15 47 48 15 47 48	22 03 45	15 47 52 15 47 52	15 47 53 15 47 53	15 48 15 48	15 53 15 53	13.5 3.0
522 523	Oct. 7 Oct. 8	N E E E	16 57 21	17 00 57	21 08 05	21 09 03	19 10	21 21 17 11	.3
524	Oct. 8 Oct. 22	Ñ E	12 22 47 12 23 35	12 26 45 12 26 55		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		12 40 12 41	.5
525	Oct. 27	N E	11 45 21 11 45 21	12 20 00	11 45 50	11 46 10 11 46 21	11 59 11 59		4.4 3.2
526	Oct. 27	$\overset{ar{\mathbf{N}}}{\mathbf{E}}$	11 54 10 11 54 08			11 54 57 11 55 09	11 58 11 59	$\frac{12}{12} \frac{08}{12}$	1.9 2.2
527	Oct. 28	ZEZEZEZEZEZEZEZE	12 58 41	13 00 22 13 05 08	13 08 48	13 09 40		13 16 13 13	.1
528	Nov. 4	N E	2 13 06 2 12 38			2 13 38 2 13 24		$\begin{array}{ccc} 2 & 23 \\ 2 & 22 \end{array}$	1.5
529	Nov. 6	N E	10 45 26 10 45 24		10 45 52	10 46 08 10 46 14	10 49 10 49	10 55 10 54	4.0
530	Dec. 10	N E	4 43 27 4 43 22	4 49 50	5 00 45 4 57 39	4 58 10	5 00	5 17 5 31	.2
531 532	Dec. 11	E N	21 36 39 12 38 12	12 49 10	21 38 35 13 03 30	13 17 45	13 28	$\begin{array}{cccc} 21 & 46 \\ 14 & 22 \end{array}$	11.6
	*	E	12 36 59		12 59 40	13 16 24	13 33	14 32	3.4

### REMARKS.

455. Waves of irregular period and amplitude. Apparently two earthquakes with waves of different periods

periods
459. Local, probably from Porto Rico
452. Barely perceptible on N.
463; Four long waves on N beginning at 8:03 may be L. The phase tabulated as P may be PR<sub>1</sub>. A
phase occurring on N at 7:52:45 and on E at 7:52:28 is probably SR<sub>1</sub>.
454. Local, felt at Vieques, windows rattled.
466. The phase tabulated as P may be PR<sub>1</sub>.
457. P rot well defined.
459. Felt in Porto Rico.
471. Phases uncertain on account of wind tremors.
473, 474. Preliminary phases uncertain.
476. N not recording.
478. Felt in Porto Rico.
479. Felt by a few persons in Vieques.

478. Felt in Porto Rico.
479. Felt by a few persons in Vieques.
481. Recorded on magnetograph also.
484. Times uncertain because of absence of time marks.
487. Time marks missing. Times interpolated over an interval of 12 hours.
489. Felt at several places in Porto Rico.
491. P well marked on E: other phases uncertain.
492. Very faint; no definite phases.
494. Felt strongly in Porto Rico. At 21:23:27 on N there is a faint but definite disturbance.
495. Felt strongly in Porto Rico.
495. Pelt strongly in Porto Rico.
496. Cansed much alarm in Porto Rico. At 22:08:34 the stylus of N was carried beyond the edge of the paper by the swing of the pendulum and did not return. E went off at 22:09:08 but came back at 22:14:20.
The tabulated maxima were measured to the edge of the paper.
503, 505. P doubtful.

The tabulated maxima were measured to the edge of the paper.
503, 505. P doubtful.
507. P and L doubtful.
513. Reported from Formosa. The phase tabulated as P is probably PR. L indefinite.
61 the numerous near-by shocks the second phase has sometimes been tabulated as S and sometimes as L, according to the appearance of the record.
515. A phase on N at 20:07:12 is probably PR<sub>1</sub>. SR<sub>1</sub> is well marked on E at 20:15:33 and on N at 20:15:50.
516. Apparently a slight local shock.
517. L uncertain.
518. The phases tabulated as P may be PR.

517. L uncertain.

518. The phases tabulated as P may be PR<sub>1</sub>.

519. The phases tabulated as P may be PR<sub>1</sub>.

519. The phases tabulated as P may be PR<sub>1</sub>.

510. There is another phase on E at 15:05:20 and one at 15:18:09, the latter probably SR<sub>1</sub>; also L repeated at 16:44.

521. Very strongly felt at Vicques; similar to two underground explosions.

524. Phases not well defined. Time uncertain.

525. The end overlaps the beginning of 526.

527. Faint and indefinite.

529. Pand S [sint and larget to place. Other phases at 12:43:11 on E and 12:44:10 on N.

532. P and S faint and hard to place. Other phases at 12:43:11 on E and 12:44:10 on N.

### MAGNETIC STORMS.


In the table below the relative magnitude of the disturbance is indicated by the figures 1, 2, 3, 4. When a storm began abruptly, the time of beginning is given to the nearest minute. For comparison with similar data for other observatories the Greenwich mean time may be found by adding four hours.


On the succeeding sheets will be found reproductions of the magnetograms showing the principal storms reduced to one-half the original size. A storm selected for reproduction is indicated in the table by an asterisk after the date. Upward motion of the curves correspond to increasing west declination, increasing H, and increasing Z.


# U. S. COAST AND GEODETIC SURVEY.

# Principal magnetic disturbances.


Date.	60th meridian time of beginning.	Duration in hours.	Relative magni- tude.	Date.	60th meridian time of beginning.	Duration in hours.	Relative magni- tude.
1919. Jan. 3*. Jan. 12. Jan. 16. Jan. 28. Jan. 31.	h. m. 14 12 19 24 2 7 6 39	140 41 171 37 145	2 1 1 1 1	1920.  Jan. 6.  Jan. 11.  Jan. 14.  Jan. 20.  Jan. 28.	h. m. 11 9 07 9 15 0	109 18 49 120 74	1 1 1 1 1
Feb. 12	14 3 15 27	158 97 180	$\begin{bmatrix} 1\\2\\2\\2\end{bmatrix}$	Feb. 6. Feb. 11. Feb. 15. Feb. 24.	16 1 14 3	41 98 75 99	1 1 1 1
Mar. 11	11 14 10 8	44. 34 44 106 117	$egin{array}{c} 1 \\ 1 \\ 1 \\ 2 \\ 1 \end{array}$	Mar. 3* Mar. 14* Mar. 22*	$\begin{array}{c} 22 \\ 8 52 \\ 5 10 \end{array}$	127 101 144	2 1 3
Apr. 3	10 3 50 13	22 164 236	1 2 2	Apr. 3. Apr. 14* Apr. 23. Apr. 29.	11 16	104 170 36 92	1 2 1 1
May 1*	18 53 7 24 17 16 20	133 34 202 54 80	2 1 1 1 1	May 8. May 12*. May 24.  June 9.	1	32 127 156 76	1 1 1
June 1	6 16 11 12 10	80 115 53 20 54	1 1 1 1 1	June 22. June 28 July 6. July 11. July 14. July 22.	13 8 2 7 0 2	60 86 72 41 123 101	1 1 1 1 1 1
July 1 July 7 July 16. July 22. July 31.	0 11 21 2 13	28 111 51 70 77	1 1 1 1 1	Aug. 3. Aug. 7. Aug. 17. Aug. 20. Aug. 29.	8	46 199 37 107	1 1 1 1 1
Aug. 10*	23	51 67 54 32 82	4 1 2 1 1	Aug. 31 Sept. 2 Sept. 7 Sept. 13 Sept. 21*	17 14 9	62 102 109 29	1 1 1 1
Sept. 2*. Sept. 5. Sept. 9. Sept. 13. Sept. 18* Sept. 23*	12	46 33 48 115 107 87	$egin{array}{c} 1 \\ 2 \\ 1 \\ 1 \\ 2 \\ 2 \end{array}$	Sept. 26*  Oct. 3  Oct. 9  Oct. 22  Oct. 30	23 18 15 11	144 113 37 156 28	1 1 1 1
Oct. 1*	12 11 17 30 21 23 09	156 64 121 49 116	3 1 2 2 2 2	Nov 3. Nov. 11. Nov. 15. Nov. 20. Nov. 26.	. 18 13	86 40 89 31 24	1 1 1 1 1
Nov. 4	5 18 1	18 35 65 30	2 1 2 1	Dec. 2*	$\frac{1}{21}$	177 75 84	1 1 1
Dec. 2 Dec. 12* Dec. 22 Dec. 31	21 0 10	114 107 85 56	1 2 1 1			The state of the s	









		7




,		
•		
	•	
4		
· · · · · · · · · · · · · · · · · · ·		
•		
· · · · · ·	,	




	<b>γ.</b> *				
				•	
•			·	· · ·	•
÷				· •	




			•		
į,					
Žį					
	•				
					• •
				*,	
,					
•					
				•	
				~	
		,		•	
		,			




		•			
	,				
		,			
•		•			
· .			•	,	•
					**
					•
					-
				,	
•					




•						
			,			· ·
•	-					-
•		•				
				,		
,		•				,
•				,		•



	•	•			
					•
		,		,	•
					•
·					
					•
		•			
,					
*					
-					
:					
				,	
		•		•	
			•		



	•			·
		·		
		/		
•				
			•	
	ı		•	* ************************************
•	f ·			
••				
	·			



The state of the s